





Milí priatelia,

v mene celého tímu spoločnosti NEDES, s.r.o. Vám srdečne ďakujeme za vzájomnú spoluprácu a prejavenu dôveru v poslednom období, ale aj v celej histórii nášho fungovania na trhu.

Vždy a stále sa riadime heslom „Náš zákazník - náš pán“ a preto sme veľmi radi, že tento náš prístup je na trhu oceňovaný stále narastajúcim predajom našich produktov a čo nás teší najviac, tiež kladnou spätnou väzbou od zákazníkov.


Preto budeme naše kroky viesť rovnako aj naďalej a teda prinášať stále nové a kvalitné produkty na Európsky trh spojené s našimi službami pre zákazníka.

Dear friends,

The whole team of NEDES, s.r.o. would like thank You very much for Your mutual cooperation and Your trust in the past, but also throughout our history of operating on the market.

We always follow the motto "The customer is always right" and therefore we are very happy, that our approach is valued in the market by the ever increasing sales of our products, and almost we are pleased with the positive feedback from our customers.

Therefore we will hold our steps in the same way in the future and thus bring ever new and quality products to the European market associated with our customer service.


Ing. Erik KOTLAN, PhD.
konateľ spoločnosti / director of company

04-08 / LED STREET LIGHTS



44-47 / LED DOWNLIGHTS



09-11 / LED Highbay Lights



48-56 / LED LINEAR LIGHTS



12-13 / LED EMERGENCY LIGHTS



57-69 / LED FLASH LIGHTS



14-43 / LED CEILING LIGHTS



70-87 / LED PANELS



88-97 / LED FLOOR LIGHTS



116-119 / LED TUBES



98-99 / GARDEN LIGHTS



120-150 / LED BULBS



100 / LED CONECTORS



151-153 / SPECIAL BULBS





101-115 / LED FLOOD LIGHTS




154-156 / LAMP HOLDERS



35W



art.nr.: **LSL121**
tup: SL-1/4000K





1/1




815850401902375

60W





art.nr.: **LSL222**
tup: SL2-60W/4000K



1/1



815850401902979





art.nr.: **LSL322**
typ: SL3-50/4000K

50W



1/12



art.nr.: **LSL323**
typ: SL3-100/4000K

100W



1/10



USED FOR:
LSL3




1/24



art.nr.: **AAS11**

ACCESS
ADAPTER

40W



ENERGY LABEL

Y IJA
IE IA

енергия - енергія

A++ A+ A B C D E

40 kWh/1000h


art.nr.: LSL421
typ: SL4-40/5000K

LED PHILIPS

IP65 IK08 5000K 5800Lm 40w 90w -25°C +50°C AC 100-305v 50x120° 50.000 h 30.000 0% 100% P_f ≥ 95 uv free



60W



ENERGY LABEL

Y IJA
IE IA

енергия - енергія

A++ A+ A B C D E

60 kWh/1000h


art.nr.: LSL422
typ: SL4-60/5000K

LED PHILIPS

IP65 IK08 5000K 8700Lm 60w 140w -25°C +50°C AC 100-305v 50x120° 50.000 h 30.000 0% 100% P_f ≥ 95 uv free



80W



ENERGY LABEL

Y IJA
IE IA

енергия - енергія

A++ A+ A B C D E

80 kWh/1000h

art.nr.: LSL423
typ: SL4-80/5000K

LED PHILIPS

IP65 IK08 5000K 11600Lm 80w 200w -25°C +50°C AC 100-305v 50x120° 50.000 h 30.000 0% 100% P_f ≥ 95 uv free





Ø 50 → Ø 60

USED FOR:

LSL3

LSL4



8 585040 904485



1 / 16



art.nr.: AS02



Ø 50 → Ø 50

USED FOR:

LSL3

LSL4



8 585040 904492



1 / 16



art.nr.: AAS01



art.nr.: **AAS02**



Ø 50 → Ø 60

USED FOR:
LSL3
LSL4



1 / 16



8 158504 019045 15



art.nr.: **AAS03**



Ø 60 → Ø 60



USED FOR:
LSL1
LSL2
LSL4



1 / 16



8 158504 019045 08



150W
DIMMABLE / 1-10V
SENSOR 5.8GHz

art.nr.: **LU112/SR**

typ: HB02/150W/S01/10/5000K/SR



1/4



LED PHILIPS

USED FOR:
LU112/SR



1/100



ACCESS
REMOTE CONTROLLER

art.nr.: **RLU112**

USED FOR:
LU112/SR






1/50



ACCESS
BRACKET

art.nr.: **HU12**

150W
DIMMABLE / 1-10V






art.nr.: LU012/1

typ: HB01/150W/MW1/10/5000K

LED PHILIPS



150W
DIMMABLE / DALI



art.nr.: LU012/DALI

typ: HB01/150W/MW/DALI/5000K

LED PHILIPS



ACCESS
BRACKET

USED FOR:
LU012/1
LU012/DALI



1 / 50



art.nr.: HU02

ACCESS
COVER

USED FOR:
LU012/1
LU012/DALI



1 / 100



art.nr.: CU02/60

ACCESS
COVER

USED FOR:
LU012/1
LU012/DALI





1 / 100



art.nr.: CU02/120

3W
LED EMERGENCY



art.nr.: LEL101



typ: EML01/3W/3H/6000K



1/12



1W
LED EMERGENCY



art.nr.: LEL201



typ: EML02/1W/3H/6000K



1/10



2W
LED EMERGENCY





art.nr.: **LEL301**

typ: EML03/2W/3H/6000K



1/10



art.nr.: **LEL401**



typ: EML04/3W/3H/6000K



1/30



12W



art.nr.: LCL421

typ: CLR12W/24SMD/5730/4000K





4000K

810Lm

-20°C
+40°CAC
220-240V

1 / 20

12W
SENSOR

art.nr.: LCL421M

typ: CLR12W/24SMD/5730/4000K/MS





4000K

810Lm

-20°C
+40°CAC
220-240V

1 / 20

12W

art.nr.: **LCL421/44**

typ: CLR12W/24SMD/5730/4000K/44



1 / 20

IP44

4000K

810Lm

12W
80W-20°C
+40°CAC
220-240V



170°

25.000 h

30.000



0% 100%

Ra
≥ 80UV
freeHg
free12W
SENSORart.nr.: **LCL421M/44**

typ: CLR12W/24SMD/5730/4000K/MS/44



1 / 20

IP44

4000K

810Lm

12W
80W-20°C
+40°CAC
220-240V

170°

25.000 h



30.000



0% 100%

Ra
≥ 80UV
freeHg
free

18W





art.nr.: LCL122A

typ: CR1/18W/SMD/4000K/A



18W




art.nr.: LCL122B

typ: CR1/18W/SMD/4000K/B



24W




art.nr.: **LCL223A**



typ: CR2/24W/SMD/4000K/A



1/10



26W
DIMMABLE




art.nr.: **LCL533**

typ: CLR26W/96SMD/2835/RC/AS



1/10



65W
DIMMABLE



art.nr.: **LCL636**

typ: CLR65W/144SMD/IR/AS



2700K
6500K

4750Lm

65W
500W



-20°C
+40°C

AC
180-265V



25.000 h

30.000



1/5



65W
DIMMABLE



art.nr.: **LCL636T**

typ: CLT65W/144SMD/IR/AS



2700K
6500K

4750Lm

65W
500W

-20°C
+40°C

AC
180-265V





25.000 h

30.000



Ra
≥ 80



1/5





12W

art.nr.: **LC721S**

typ: CLR4/12W/SMD/4000K

IP20

4000K

900Lm

12W
85W-15°C
+45°CAC
176-264V

120°

30.000 h

25.000





0% 100%

Ra
≥ 80uv
freeHg
free

1 / 10



815850401901545

7 EXCLUSIVE
Series

12W

art.nr.: **LC721A/SI**

typ: CLR0/12W/SMD/4000K/SI

IP20

4000K

900Lm

12W
85W-15°C
+45°CAC
176-264V

120°

30.000 h

25.000





0% 100%

Ra
≥ 80uv
freeHg
free

1 / 10





815850401904126

7 EXCLUSIVE
Series

12W

7 EXCLUSIVE
★★★★★
series



art.nr.: LC741S

typ: CLR4/12W/SMD/2700K/AS



1 / 10

IP20

2700K

870Lm

12W
85W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%



R_a ≥ 80

UV free

Hg free

12W

7 EXCLUSIVE
★★★★★
series



art.nr.: LC751S

typ: CLR4/12W/SMD/4000K/AS



1 / 10

IP20

4000K

900Lm

12W
85W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80

UV free

Hg free

18W



art.nr.: LC722S

typ: CLR4/18W/SMD/4000K

IP20

4000K

1300Lm

18W
120W-15°C
+45°CAC
176-264V

120°

30.000 h

25.000



0% 100%


Ra
≥ 80uv
freeHg
free

1 / 10

7 EXCLUSIVE
seriesENERGY LABEL
енергия - енергияA++
A+
A
B
C
D
E

A

18 kWh/1000h



18W



art.nr.: LC722A/SI

typ: CLR0/18W/SMD/4000K/SI

IP20

4000K

1300Lm

18W
120W-15°C
+45°CAC
176-264V

120°

30.000 h

25.000



0% 100%


Ra
≥ 80uv
freeHg
free

1 / 10

7 EXCLUSIVE
seriesENERGY LABEL
енергия - енергияA++
A+
A
B
C
D
E



A

18 kWh/1000h



24W

7 EXCLUSIVE
series



art.nr.: LC723S

typ: CLR4/24W/SMD/4000K



1/5

IP20

4000K

1800Lm

24W
170W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80



UV free

Hg free

Hg free

24W

7 EXCLUSIVE
series



art.nr.: LC723A/SI

typ: CLR0/24W/SMD/4000K/SI



1/5

IP20

4000K

1800Lm

24W
170W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80

UV free



Hg free

Hg free


50W



art.nr.: **LC724S**
typ: CLR4/50W/SMD/4000K





7 EXCLUSIVE
Series




50W



art.nr.: **LC724S/S**
typ: CLS4/50W/SMD/4000K





7 EXCLUSIVE
Series



50W

7 EXCLUSIVE
★★★★★
series



art.nr.: LC754S

typ: CLR4/50W/SMD/4000K/AS



1/1

IP20

4000K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%



R_a ≥ 80

UV free

Hg free

50W

7 EXCLUSIVE
★★★★★
series



art.nr.: LC754S/S

typ: CLS4/50W/SMD/4000K/AS



1/1

IP20

4000K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80

UV free

Hg free

50W



art.nr.: **LC724A/SI**

typ: CLRO/50W/SMD/4000K/SI

IP20

4000K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h


25.000

0% 100%


R_a ≥ 80

uv free

Hg free



7 EXCLUSIVE
★★★★★
series



50W



art.nr.: **LC724A/SI/S**

typ: CLSO/50W/SMD/4000K/SI

IP20

4000K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h


25.000

0% 100%


R_a ≥ 80

uv free

Hg free



7 EXCLUSIVE
★★★★★
series








60W



art.nr.: **LC725A/SI/R**
 typ: CLE0/60W/SMD/4000K/SI



7 EXCLUSIVE
 ★★★★★★
 series





1/1




60W



art.nr.: **LC725N/R**
 typ: CLE5/60W/SMD/4000K



7 EXCLUSIVE
 ★★★★★★
 series





1/1



60W

7 EXCLUSIVE
★★★★★
series



art.nr.: **LC755S/R**

typ: CLE4/60W/SMD/4000K/AS



1/1

IP20

4000K

4300Lm

60W
450W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%



R_a ≥ 80

UV free

Hg free

15W
SENSOR

7 EXCLUSIVE
★★★★★
series



art.nr.: **LC722SM**

typ: CLR4/15W/SMD/4000K/MS



1/10

IP20

4000K

1100Lm

15W
100W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80

UV free


Hg free

24W
DIMMABLE



art.nr.: **LC800S**
typ: CLR4/24W/SMD/RC

IP20	2700K 6500K	1800Lm	24W 170W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0% 100%	R_a ≥ 80	uv free	Hg free
-------------	------------------------------	---------------	---------------------------	------------------------------	-----------------------	-------------	-----------------	---------------	-----------------------	---------------------------	----------------	----------------



1/5



8 EXCLUSIVE
series

ENERG Y U A
IE 1A
енергия - енергія

A


24 kWh/1000h

24W
DIMMABLE



art.nr.: **LC800A/SI**
typ: CLR0/24W/RC/SI

IP20	2700K 6500K	1800Lm	24W 170W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0% 100%	R_a ≥ 80	uv free	Hg free
-------------	------------------------------	---------------	---------------------------	------------------------------	-----------------------	-------------	-----------------	---------------	-----------------------	---------------------------	----------------	----------------



1/5



8 EXCLUSIVE
series



ENERG Y U A
IE 1A
енергия - енергія

A

24 kWh/1000h

24W
DIMMABLE

8 EXCLUSIVE
series



NIGHT
LIGHT

art.nr.: LC800P
typ: CLR6/24W/SMD/RC



1/1

IP20

2700K
6500K

1800Lm

24W
170W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000



0% 100%



R_a ≥ 80

UV free

Hg free

50W
DIMMABLE

8 EXCLUSIVE
series



NIGHT
LIGHT

art.nr.: LC801L
typ: CLR7/50W/SMD/RC



1/1

IP20

2700K
6500K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000



0% 100%

R_a ≥ 80

UV free


Hg free

50W
DIMMABLE



art.nr.: **LC801S**
 typ: CLR4/50W/SMD/RC

IP20	2700K 6500K	3600Lm	50W 350W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0% 100%	R_a ≥ 80	uv free	Hg free
-------------	-----------------------	---------------	--------------------	------------------------------	-----------------------	-------------	-----------------	---------------	-----------------------	---------------------------	----------------	----------------



1/1



8 EXCLUSIVE

series

ENERGY Y IJA
IE 1A
енергия - енергетика

A++
A+
A
B
C
D
E

A

50 kWh/1000h




50W
DIMMABLE



art.nr.: **LC801S/S**
 typ: CLS4/50W/SMD/RC

IP20	2700K 6500K	3600Lm	50W 350W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0% 100%	R_a ≥ 80	uv free	Hg free
-------------	-----------------------	---------------	--------------------	------------------------------	-----------------------	-------------	-----------------	---------------	-----------------------	---------------------------	----------------	----------------



1/1



8 EXCLUSIVE

series

ENERGY Y IJA
IE 1A
енергия - енергетика

A++
A+
A
B
C
D
E



A

50 kWh/1000h



50W
DIMMABLE

8 EXCLUSIVE
series



NIGHT
LIGHT

art.nr.: LC811S

typ: CLR4/50W/SMD/RC/AS



1/1

IP20

2700K
6500K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

0% 100%

R_a ≥ 80



UV free

Hg free

art.nr.: LC811S/S

typ: CLS4/50W/SMD/RC/AS

8 EXCLUSIVE
series



NIGHT
LIGHT



1/1

IP20

2700K
6500K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

0% 100%

R_a ≥ 80

UV free

Hg free


50W
DIMMABLE

NIGHT
LIGHT



art.nr.: **LC801W**
typ: CLRI/50W/SMD/RC

IP20	2700K 6500K	3600Lm	50W 350W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0%	100%	Ra ≥ 80	uv free	Hg free
------	----------------	--------	-------------	----------------	----------------	------	----------	--------	----	------	------------	------------	------------



1/1



8 EXCLUSIVE
series

ENERGY LABEL

Y U A
IE IA

енергия - енергия

A++
A+
A
B
C
D
E

A

50 kWh/1000h




50W
DIMMABLE

NIGHT
LIGHT



art.nr.: **LC801W/S**
typ: CLSI/50W/SMD/RC

IP20	2700K 6500K	3600Lm	50W 350W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0%	100%	Ra ≥ 80	uv free	Hg free
------	----------------	--------	-------------	----------------	----------------	------	----------	--------	----	------	------------	------------	------------



1/1



8 EXCLUSIVE
series

ENERGY LABEL

Y U A
IE IA

енергия - енергия

A++
A+
A
B
C
D
E



A

50 kWh/1000h



50W
DIMMABLE

8 EXCLUSIVE
series



Ø450mm

96mm



NIGHT
LIGHT

art.nr.: LC811W

typ: CLR1/50W/SMD/RC/AS



1/1

IP20

2700K
6500K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80



UV free

Hg free

art.nr.: LC811W/S

typ: CLS1/50W/SMD/RC/AS

8 EXCLUSIVE
series



430mm

96mm



NIGHT
LIGHT



1/1

IP20

2700K
6500K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80

UV free


Hg free

50W
DIMMABLE



art.nr.: **LC801A/SI**
 typ: CLR0/50W/SMD/RC/SI

IP20	2700K 6500K	3600Lm	50W 350W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0% 100%	R_a ≥ 80	uv free	Hg free
-------------	-----------------------	---------------	--------------------	------------------------------	-----------------------	-------------	-----------------	---------------	-----------------------	---------------------------	----------------	----------------



1/1



8 EXCLUSIVE
series

ENERG Y U A
IE 1A
енергия - енергія

A++
A+
A
B
C
D
E

A


50 kWh/1000h

50W
DIMMABLE



art.nr.: **LC801A/SI/S**
 typ: CLS0/50W/SMD/RC/SI

IP20	2700K 6500K	3600Lm	50W 350W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0% 100%	R_a ≥ 80	uv free	Hg free
-------------	-----------------------	---------------	--------------------	------------------------------	-----------------------	-------------	-----------------	---------------	-----------------------	---------------------------	----------------	----------------



1/1



8 EXCLUSIVE
series

ENERG Y U A
IE 1A
енергия - енергія



A++
A+
A
B
C
D
E

A

50 kWh/1000h

50W
DIMMABLE

8 EXCLUSIVE
series



NIGHT
LIGHT

art.nr.: LC801A/GD
typ: CLRO/50W/SMD/RC/GD



1/1

IP20

2700K
6500K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%



R_a ≥ 80

UV free

Hg free

50W
DIMMABLE

8 EXCLUSIVE
series



NIGHT
LIGHT

art.nr.: LC801A/GD/S
typ: CLSO/50W/SMD/RC/GD



1/1

IP20

2700K
6500K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80

UV free


Hg free

50W
DIMMABLE



art.nr.: **LC811A/BK**
 typ: CLRO/50W/SMD/RC/BK/AS

IP20	2700K 6500K	3600Lm	50W 350W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0% 100%	R_a ≥ 80	uv free	Hg free
-------------	------------------------------	---------------	---------------------------	------------------------------	------------------------------	-------------	-----------------	---------------	-----------------------	---------------------------	----------------	----------------



8 EXCLUSIVE
series

ENERG Y UA
IE 1A
енергия - енергія

A

50 kWh/1000h




50W
DIMMABLE



art.nr.: **LC811A/BK/S**
 typ: CLSQ/50W/SMD/RC/BK/AS

IP20	2700K 6500K	3600Lm	50W 350W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0% 100%	R_a ≥ 80	uv free	Hg free
-------------	------------------------------	---------------	---------------------------	------------------------------	------------------------------	-------------	-----------------	---------------	-----------------------	---------------------------	----------------	----------------



8 EXCLUSIVE
series

ENERG Y UA
IE 1A
енергия - енергія



A

50 kWh/1000h



50W
DIMMABLE

8 EXCLUSIVE
★★★★★
series



NIGHT
LIGHT

art.nr.: **LC811U**

tvp: CLR2/50W/SMD/RC/AS



1/1

IP20

2700K
6500K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%



R_a ≥ 80

uv free

Hg free

50W
DIMMABLE

8 EXCLUSIVE
★★★★★
series



NIGHT
LIGHT

art.nr.: **LC811D**

tvp: CLR3/50W/SMD/RC/AS



1/1

IP20

2700K
6500K

3600Lm

50W
350W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80

uv free


Hg free

50W
DIMMABLE



art.nr.: **LC801A/BCH**
 typ: CLR0/50W/SMD/RC/BCH

IP20	2700K 6500K	3600Lm	50W 350W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000		0% 100%	R_a ≥ 80	uv free	Hg free
-------------	-----------------------	---------------	--------------------	------------------------------	-----------------------	-------------	-----------------	---------------	--	-----------------------	------------------------------	----------------	----------------



1/1

8 EXCLUSIVE
series

ENERG Y U A
IE 1A
енергия - енергетика

A

50 kWh/1000h




60W
DIMMABLE



art.nr.: **LC802K**
 typ: CLR5/60W/SMD/RC

IP20	2700K 6500K	4300Lm	60W 450W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000		0% 100%	R_a ≥ 80	uv free	Hg free
-------------	-----------------------	---------------	--------------------	------------------------------	-----------------------	-------------	-----------------	---------------	--	-----------------------	------------------------------	----------------	----------------



1/1

8 EXCLUSIVE
series

ENERG Y U A
IE 1A
енергия - енергетика



A

60 kWh/1000h



60W
DIMMABLE

8 EXCLUSIVE
series



NIGHT
LIGHT

art.nr.: **LC802U**
typ: CLR2/60W/SMD/RC



1/1

IP20

2700K
6500K

4300Lm

60W
450W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

0% 100%



R_a ≥ 80

uv free

Hg free

90W
DIMMABLE

8 EXCLUSIVE
series



NIGHT
LIGHT

art.nr.: **LC813U**
typ: CLR2/90W/SMD/RC/AS



1/1

IP20

2700K
6500K

6500Lm

90W
650W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

1% 100%


1% 100%

R_a ≥ 80


uv free

Hg free

90W
DIMMABLE



8 EXCLUSIVE
Series




art.nr.: **LC803S**
typ: CLR4/90W/SMD/RC


IP20	2700K 6500K	6500Lm	90W 650W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0%	100%	R _a ≥ 80	uv free	Hg free
------	----------------	--------	-------------	----------------	----------------	------	----------	--------	----	------	---------------------	---------	---------



90W
DIMMABLE



8 EXCLUSIVE
Series





art.nr.: **LC813S**
typ: CLR4/90W/SMD/RC/AS

IP20	2700K 6500K	6500Lm	90W 650W	-15°C +45°C	AC 176-264V	120°	30.000 h	25.000	0%	100%	R _a ≥ 80	uv free	Hg free
------	----------------	--------	-------------	----------------	----------------	------	----------	--------	----	------	---------------------	---------	---------



150W
DIMMABLE

8 EXCLUSIVE
series



NIGHT
LIGHT

art.nr: LC814S

typ: CLR4/150W/SMD/RC/AS



1/1

IP20

2700K
6500K

10800Lm

150W
1000W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%



R_a ≥ 80

UV free

Hg free

150W
DIMMABLE

8 EXCLUSIVE
series



NIGHT
LIGHT

art.nr: LC814U

typ: CLR2/150W/SMD/RC/AS



1/1

IP20

2700K
6500K

10800Lm

150W
1000W

-15°C
+45°C

AC
176-264V

120°

30.000 h

25.000

0% 100%

R_a ≥ 80

UV free

Hg free

7W

art.nr.: **LDL153**

typ: DR01/7W/SMD/4000K/WH

IP44

4000K

600Lm

 7W
 65W

-15°C
+55°C

AC
180-265V

120°

30.000 h

20.000

0% 100%

R_a
≥ 80



UV free

Hg free

1/50



815850401904058



7W

art.nr.: **LDL153/S**

typ: DR01/7W/SMD/4000K/SI

IP44

4000K

600Lm

 7W
 65W

-15°C
+55°C

AC
180-265V

120°

30.000 h

20.000

0% 100%

R_a
≥ 80



UV free

Hg free



1/50



815850401904065



7W




art.nr.: **LDL143**



typ: DR01/7W/SMD/3000K/WH



1/100



7W




art.nr.: **LDL143/S**

typ: DR01/7W/SMD/3000K/SI



1/100



10W

art.nr.: **LDL154**

typ: DR01/10W/SMD/4000K/WH

IP44

4000K

850Lm

 10W
 75W

-15°C
+55°C

AC

180-265V

120°

30.000 h

20.000

0% 100%

Ra



≥ 80

uv free

Hg free



8 585040 904362



1/50



10W

art.nr.: **LDL154/S**

typ: DR01/10W/SMD/4000K/SI

IP44

4000K

850Lm

 10W
 75W

-15°C
+55°C

AC

180-265V

120°

30.000 h

20.000

0% 100%

Ra



≥ 80

uv free

Hg free





8 585040 904379



1/50



7W




art.nr.: **LDL253**



typ: DR02/7W/SMD/4000K/WH



1 / 100



7W




art.nr.: **LDL253/S**

typ: DR02/7W/SMD/4000K/SI



1 / 100



9W

art.nr.: **LNL121/1**

typ: WTL9W/1/300/2835/4000K

IP40

IK08

4000K

900lm

9W
80W-25°C
+65°CAC
180-265V

180°

35.000 h



30.000



0% 100%

Ra
≥ 80uv
free

1/50



18W

art.nr.: **LNL122/1**

typ: WTL18W/1/600/2835/4000K

IP40

IK08

4000K

1850lm

18W
150W-25°C
+65°CAC
180-265V

180°

35.000 h



30.000





0% 100%

Ra
≥ 80uv
free

1/50



36W



art.nr.: LNL123/1



typ: WTL36W/1/1200/2835/4000K



1 / 50



40W



art.nr.: LNL124


typ: WTL40W/1200/2835/4000K



1 / 25



10W

art.nr.: **LNL922**

typ: BL10W/600/2835/4000K

IP20

4000K

1000Lm

10W
75W-5°C
+45°CAC
175-265V160°
30.000 h

25.000

0% 100%

Ra
≥ 80


UV free

Hg free


1/20



815850401902863



15W

art.nr.: **LNL923**

typ: BL15W/900/2835/4000K

IP20

4000K

1350Lm

15W
120W-5°C
+45°CAC
175-265V160°
30.000 h

25.000

0% 100%

Ra
≥ 80


UV free




Hg free

1/20



815850401902870





art.nr.: **LNL822**




tup: T5/9W/600/2835/4000K



1/25



9W



art.nr.: **LNL823**

tup: T5/12W/900/2835/4000K



1/25



12W



art.nr.: **WLF201**

tup: VDE1M/0/1



1/500



1/500




art.nr.: **WLF211**

tup: VDE15CM/1/1


ACCESS

15W




art.nr.: LNL7121/WH


typ: LB01/15W/600/SMD/4000K/WH



1/50




15W




art.nr.: LNL7121/SI


typ: LB01/15W/600/SMD/4000K/SI



1/50




15W




art.nr.: LNL7221/SI



typ: LB11/15W/600/SMD/4000K/SI



1/50



15W



art.nr.: LNL7321/SI



typ: LB02/15W/600/SMD/4000K/SI



1 / 50



15W



art.nr.: LNL7421/WH

typ: LB03/15W/600/SMD/4000K/WH



1 / 50



36W

ENERGY LABEL


Y IJA
IE IA

енергия - енергия

A++
A+
A
B
C
D
E

A+

36 kWh/1000h



art.nr.: **LNL223**

typ: LFW36W/1200/2835/4000K

IP65 IK08 4000K 3200lm

36W 230V -25°C +65°C

AC 180-245V

180°

30.000 h

25.000

0% 100%

Ra ≥ 80

uv free

1/20



ACCESS.
HANGING



art.nr.: **SNN250**

typ: SNH2500mm

metal 250cm



1/100



ACCESS.
CLIPS



art.nr.: **SNR180**



typ: SR180/2

metal 180°



1/100







1/50



art.nr.: LNL323/1

tvp: LW36W/1/1200/2835/4000K

36W





1/25



art.nr.: LNL323/2

tvp: LW40W/2/1200/2835/4000K

40W



1/25



art.nr.: LNL324/3

tvp: LW40W/3/1200/2835/4000K

40W

EOKE
DRIVER


40W
SENSOR 5.8GHz



EOKE
DRIVER

art.nr.: **LNL324/3S**
typ: LW40W/3/1200/2835/4000K/MS

IP65	IK08	4000K	5800lm	40W 450W	-25°C +65°C	AC 180-265V	180°	50.000 h	30.000	uv free	Ra ≥ 80
------	------	-------	--------	-------------	----------------	----------------	------	----------	--------	---------	---------



ENERGY LABEL

A++	A+	A	B	C	D	E
40 kWh/1000h						

1/20



ACCESS.
REMOTE CONTROLLER




art.nr.: **RLNL324**

1/100



USED FOR:
LNL324/3S



art.nr.: FCL01


100%/50%/RED/OFF



1 / 6 / 24



2xWHITE LED-1xRED LED
1W



art.nr.: FCL02

1W CREE 100% / RED / OFF



1 / 8 / 32



1W CREE + RED LED
1W

5W
FOCUS(OSRAM P8)



art.nr.: FL01



5W
FOCUS(OSRAM P8)



art.nr.: FL02



100%/30%/OFF

1/12/96



100%/30%/OFF

1/12/96



5W
FOCUS(OSRAM P8)



art.nr.: FL03

100%/30%/OFF



1/12/72



art.nr.: FL10C

5W 100%/5W 10%/3W COB/OFF



1/20/40




5+5W
5W CREE XPG+5W COB



5W CREE 100%/5W CREE 50%/5W COB 100%/OFF
(5W CREE 100%-5h)
CHARGING TIME 5h (5V/1A)

art.nr.: FS01R



1/4/16



5+5W
5W OSRAM P8+5W COB



5W P8 100%/5W P8 30%/5W P8 / 5W COB 100%/OFF
(5W P8 100%-5h) CHARGING TIME 5h (5V/1A)

art.nr.: FS02R



1/4/16



5W CREE XPG+3W COB
5+3W



5W CREE 100%/5W CREE 50%/☀/OFF
3W WHITE COB/3W RED COB/☀: 3W RED COB/OFF
(5W CREE 100%=3h) CHARGING TIME 7h (5V/1A)

art.nr.: FS03R



1 / 4 / 16



5+1W
5W COB + 1W LED



5W COB 100%/5W COB 10%/1W LED/OFF
(5W COB 100%=3h) (1W LED=10h)
CHARGING TIME 3h (5V/1A)

art.nr.: WL01R




1 / 20 / 40



815850401904973

5+3W
5W COB + 3W LED



5W COB 30%/5W COB 100%/3W LED/OFF
(5W COB 100%=3h) (3W LED=8h)
LED POWER INDICATOR
CHARGING TIME 4H


art.nr.: WL02R



1 / 20 / 40



815850401904980




(10W COB 100%=3h)
LED POWER INDICATOR
CHARGING TIME 4h (5V/1A)



1 / 15 / 45



art.nr.: WLO3R




40LEDs 10% / 40LEDs 50% / 40LEDs 100% /
P8 50% / P8 100% / P8 SOS / P8 / OFF
3W 40LEDs 100%=5h
3W P8 100%=6h
CHARGING TIME 4H



1 / 15 / 45



art.nr.: WLO4R



3W
3W LED + RED SMD
RED LED + IR SENSOR



100%/50%/RED SMD/☼ RED LED/OFF
IR SENSOR
100% 3W LED: 3h
Charging time 2,5h


art.nr.: **LH01R**



1 / 20 / 80



5W
5W CREE XP62
IR SENSOR



100%/50%/20%/OFF
☼ 3sec: SOS
IR SENSOR
100% 5W LED: 4h
Charging time 3h

art.nr.: **LH02R**



1 / 20 / 80



5+3W
5W OSRAM P8+3W COB
+2xRED LEDs



5W+3W COB 100%/5W 100%
/3W COB 100%/OFF
3sec: RED LEDs

art.nr.: LH241



1 / 20 / 80



art.nr.: LH131



1 / 12 / 48



1w



art.nr.: LB01




1 / 16 / 160



815850401904935

0.2w




art.nr.: LZ101



1 / 24 / 96



815850401903549



1/24/96



art.nr.: LW101

IP44

6000K

20Lm

0.4w
5w

2LED

CR 1220
2x3.0v

♂♀


💧

0% 100%

UV free

Hg free

0.4W



1/24/96



art.nr.: LW102

IP44

6000K

20Lm

0.4w
5w

2LED

CR 1220
2x3.0v

♂♀

💧



0% 100%

UV free

Hg free

0.4W

✱+PIR SENSOR 1200 4m/25s ± 5s



1/24/96



art.nr.: LS401

IP20

6000K

20Lm

0.4w
5w

2LED

1.5V
4xAAA

4xAAA
8h

AUTO ON
AUTO OFF

💧

0% 100%



UV free

Hg free

3W



art.nr.: LM101





1/12/48



3W



art.nr.: LM102





1/12/48



3W



art.nr.: LM103




1/12/48



1W

☀️ +PIR SENSOR 120° 0-5m/30s ± 5s




art.nr.: LN201



1 / 24 / 48

IP20	6000K	40Lm	1W 10W	5LED	1.5V 3xAAA	3xAAA 4-5h	Li-Po 450mA	Li-Po 6h	AUTO ON AUTO OFF	🔥	0% 100%	UV free	Hg free
------	-------	------	-----------	------	---------------	---------------	----------------	-------------	---------------------	---	---------	---------	---------

3W





art.nr.: LN301



1 / 24 / 48


IP44	6000K	50Lm	3W 25W	18LED +1x1W	1.5V 3xAAA	3W/3h 1x1W/4h	💧	0% 100%	UV free	Hg free
------	-------	------	-----------	----------------	---------------	------------------	---	---------	---------	---------

40W



art.nr.: PL121



typ: WPL40W/SMD/4500K/WH



1 / 10




40W



art.nr.: PL121H



typ: WPL40W/SMD/4500K/WH/HV



1 / 10



40W



art.nr.: PL121H/U



typ: WPL40W/SMD/4500K/HV/WH/UGR



1 / 10



32W



art.nr.: PL120P/U

typ: WPL32W/SMD/4500K/PP/WH/UGR





1 / 10



ACCESS.
HANGING

art.nr.: **SN100**
tup: SNA1000mm






USED FOR:
PL 121, PL 121H
PL 121H/U
PL 120P/U

1/50



ACCESS.
CLIPS

art.nr.: **SNR001**
tup: SR120/4





USED FOR:
PL 121, PL 121H
PL 121H/U
PL 120P/U

1/100



ACCESS.
FRAME



art.nr.: **MS121**
tup: MSE595x595/WH



USED FOR:
PL 121, PL 121H
PL 121H/U
PL 120P/U

1/20





art.nr.: **LPL121A**

typ: PR6W/30SMD/2835/4000K/A



1 / 90

IP20

4000K

420Lm

6W
50W

-5°C
+40°C

AC
85-265V

120°

30.000 h

30.000



0% **100%**

R_a
≥ 80

UV free

Hg free

6W



art.nr.: **LPL124A**

typ: PR18W/90SMD/2835/4000K/A



1 / 20

IP20

4000K

1520Lm

18W
130W

-5°C
+40°C

AC
85-265V

120°

30.000 h

30.000



0% **100%**

R_a
≥ 80

UV free

Hg free

18W



art.nr.: **LPL223A**

typ: PS12W/60SMD/2835/4000K/A



1 / 40

IP20

4000K

960Lm

12W
80W

-5°C
+40°C

AC
85-265V

120°

30.000 h

30.000

0% **100%**

R_a
≥ 80

UV free

Hg free


12W

6W



art.nr.: LPL111


typ: PR6W/30SMD/2835/2800K



1/40



815850401901385




6W



art.nr.: LPL121


typ: PR6W/30SMD/2835/4000K




1/40



815850401901392



12W



art.nr.: LPL113

typ: PR12W/60SMD/2835/2800K



1/20

IP20

2800K

950Lm

12W
80W-5°C
+40°CAC
85-265V

120°

30.000 h


30.000



0% 100%

Ra
≥ 80UV
freeHg
free

12W



art.nr.: LPL123

typ: PR12W/60SMD/2835/4000K



1/20

IP20

4000K

960Lm

12W
80W-5°C
+40°CAC
85-265V

120°

30.000 h

30.000



0% 100%

Ra
≥ 80UV
freeHg
free

18W

art.nr.: **LPL114**

typ: PR18W/90SMD/2835/2800K




2800K

1510Lm

-5°C
+40°CAC
85-265VRa
≥ 80

8 158504 019014 15



1 / 20



18W

art.nr.: **LPL124**

typ: PR18W/90SMD/2835/4000K




4000K

1520Lm

-5°C
+40°CAC
85-265VRa
≥ 80


8 158504 019014 22



1 / 20



24W



art.nr.: LPL115



typ: PR24W/120SMD/2835/2800K



1/10



24W



art.nr.: LPL125



typ: PR24W/120SMD/2835/4000K



1/10



6W



art.nr.: LPL211

typ: PS6W/30SMD/2835/2800K



2800K

410Lm





8 158504 019022 90

1 / 40



6W



art.nr.: LPL221

typ: PS6W/30SMD/2835/4000K



4000K

420Lm





8 158504 019023 06

1 / 40



12W



art.nr.: **LPL213**

typ: PS12W/60SMD/2835/2800K



1 / 20

IP20

2800K

950Lm

12W
80W

-5°C
+40°C

AC
85-265V

120°

30.000 h

30.000

0% 100%



R_a ≥ 80

UV free

Hg free

Hg free

12W



art.nr.: **LPL223**

typ: PS12W/60SMD/2835/4000K



1 / 20

IP20

4000K

960Lm

12W
80W

-5°C
+40°C

AC
85-265V

120°

30.000 h

30.000

0% 100%



R_a ≥ 80

UV free

Hg free

Hg free

18W



art.nr.: LPL214

typ: PS18W/90SMD/2835/2800K



2800K



1510Lm



1 / 20



18W



art.nr.: LPL224

typ: PS18W/90SMD/2835/4000K



4000K



1520Lm



1 / 20



24W



art.nr.: **LPL215**



typ: PS24W/120SMD/2835/2800K



1/10



24W



art.nr.: **LPL225**

typ: PS24W/120SMD/2835/4000K





1/10



6W



DRIVER



art.nr.: LPL321

typ: PRSF6W/30SMD/2835/4000K



4000K

420Lm





1 / 60

12W



DRIVER



art.nr.: LPL323

typ: PRSF12W/60SMD/2835/4000K





4000K

960Lm



1 / 40

18W




art.nr.: **LPL324**



tip: PRSF18W/90SMD/2835/4000K



1 / 20



24W




art.nr.: **LPL325**



tip: PRSF24W/120SMD/2835/4000K



1 / 10



6W





art.nr.: LPL421

typ: PSSF6W/30SMD/2835/4000K



1 / 60

12W





art.nr.: LPL423

typ: PSSF12W/60SMD/2835/4000K



1 / 40

18W




art.nr: **LPL424**



tup: PSSF18W/90SMD/2835/4000K



1 / 20



24W




art.nr: **LPL425**



tup: PSSF24W/120SMD/2835/4000K



1 / 10




12W



art.nr.: LPL113H

typ: PR12W/120SMD/2835/2800K/HV




1/40




815850401901811

12W



art.nr.: LPL123H

typ: PR12W/120SMD/2835/4000K/HV





1/40



815850401901828

12W



art.nr.: LPL213H

typ: PS12W/120SMD/2835/2800K/HV



1 / 40

IP40

2800K

1500Lm

12W
140W-10°C
+50°CAC
85-265V

120°

30.000 h

30.000

0% 100%




Ra
≥ 80

UV free

Hg free

Hg free

12W



art.nr.: LPL223H

typ: PS12W/120SMD/2835/4000K/HV



1 / 40

IP40

4000K

1520Lm

12W
145W-10°C
+50°CAC
85-265V

120°

30.000 h

30.000

0% 100%

Ra
≥ 80

UV free

Hg free

Hg free



0.4W



art.nr.: **LFL110**
typ: FL101/2800K



8 158 50 40 19 01 9 10



1 / 10 / 100



8 158 50 40 19 01 9 10



0.4W



art.nr.: **LFL120**
typ: FL101/4000K






8 158 50 40 19 01 9 27



1 / 10 / 100







0.6W



art.nr.: LFL111
typ: FL102/2800K




1 / 10 / 100



art.nr.: LFL121
typ: FL102/4000K



1 / 10 / 100



0.6W



art.nr.: LFL112
typ: FL103/2800K

IP67

2800K

40Lm

-30°C
+65°C

DC
12V

100KG

120°

50.000 h

30.000

0% 100%

R_a ≥ 80

UV free



Hg free

1 / 10 / 100

QR code

Barcode

8 158 50 40 190 18 59



0.6W



art.nr.: LFL122
typ: FL103/4000K

IP67

4000K

40Lm

-30°C
+65°C

DC
12V

100KG

120°

50.000 h

30.000

0% 100%

R_a ≥ 80

UV free



Hg free



1 / 10 / 100

QR code

Barcode

8 158 50 40 190 18 66





1 / 10 / 100

IP67

2800K

40Lm

-30°C
+65°C

DC
12V

100KG

120°

50.000 h

30.000

0% 100%

R_a ≥ 80

UV free



Hg free

Hg free



art.nr.: LFL112S
typ: FL113/2800K

0.6W



1 / 10 / 100

IP67

4000K

40Lm

-30°C
+65°C

DC
12V

100KG

120°

50.000 h

30.000

0% 100%

R_a ≥ 80

UV free

Hg free

Hg free






art.nr.: LFL122S
typ: FL113/4000K

0.6W

0.4W



art.nr.: **LFL113**
 typ: FL104/2800K






1 / 10 / 60



0.4W






art.nr.: **LFL123**
 typ: FL104/4000K



1 / 10 / 60



1.5W



art.nr.: LFL114
typ: FL105/2800K



1 / 10 / 60

IP67

2800K

110Lm

-30°C
+65°C

DC
12V

100KG

120°

50.000 h

30.000

0% 100%




Ra ≥ 80

UV free

Hg free

Hg free

1.5W



art.nr.: LFL124
typ: FL105/4000K



1 / 10 / 60

IP67

4000K

110Lm

-30°C
+65°C

DC
12V

100KG

120°

50.000 h

30.000

0% 100%

Ra ≥ 80

UV free

Hg free


Hg free

8W
LED POWER SUPPLY



art.nr.: PSF103
typ: PS08/12V

IP67	-25°C	AC	DC	max	💧💡
	+60°C				
	90-264v		12v	8w	



USED FOR:
LFL110/LFL120-max.18pcs
LFL111/LFL121-max.12pcs
LFL112/LFL122-max.12pcs
LFL112S/LFL122S-max.12pcs
LFL113/LFL123-max.18pcs
LFL114/LFL124-max.5pcs

1 / 5 / 50




30W
LED POWER SUPPLY



art.nr.: PSF104
typ: PS30/12V

IP67	-25°C	AC	DC	max	💧💡
	+60°C				
	90-264v		12v	30w	



USED FOR :
LFL110/LFL120-max.65pcs
LFL111/LFL121-max.45pcs
LFL112/LFL122-max.45pcs
LFL112S/LFL122S-max.45pcs
LFL113/LFL123-max.65pcs
LFL114/LFL124-max.18pcs

1 / 5 / 50




60W
LIGHT SENSOR



art.nr.: **LSF101**
tup: SL60/12V

IP68	-25°C +60°C	DC 12v	max 60w	20.000 h	
------	----------------	-----------	------------	----------	--



USED FOR :
LFL110/LFL120-max.130pcs
LFL111/LFL121-max.90pcs
LFL112/LFL122-max.90pcs
LFL112S/LFL122S-max.90pcs
LFL113/LFL123-max.130pcs
LFL114/LFL124-max.36pcs



1 / 5 / 50

DRIVER

art.nr.: **WLF101**
tup: WF1M/12V

IP67	1m	DC 12v
------	----	-----------



art.nr.: **WLF102**
tup: WF2M/12V

IP67	2m	DC 12v
------	----	-----------



art.nr.: **WLF103**
tup: WF3M/12V

IP67	3m	DC 12v
------	----	-----------



art.nr.: **CAP1**
tup: EC1/IP67

IP67






10 / 500



4W



art.nr.: **LGL514**
 typ: GL501/2800K






1 / 5 / 30



4W





art.nr.: **LGL524**
 typ: GL501/4000K



1 / 5 / 30



4W



art.nr.: **LGL514S**
typ: GL511/2800K



1 / 5 / 30

IP67

2800K

210Lm

**-30°C
+65°C**

**AC
85-264V**

100KG

30°

50.000 h



30.000

0% 100%

R_a ≥ 80

UV free

Hg free



art.nr.: **LGL524S**
typ: GL511/4000K



1 / 5 / 30

IP67

4000K

220Lm

**-30°C
+65°C**

**AC
85-264V**

100KG

30°

50.000 h

30.000

0% 100%

R_a ≥ 80

UV free

Hg free

3W



art.nr.: **LGL411**
 typ: GL502/2800K

IP67

2800K

200Lm

-30°C
+65°CAC
85-264V

<1.0sec

30°

50.000 h

30.000



0% 100%

Ra
≥ 80uv
freeHg
free

1 / 4 / 40



8 15 85 04 01 90 25 35



3W



art.nr.: **LGL421**
 typ: GL502/4000K

IP67

4000K

210Lm

-30°C
+65°CAC
85-264V

<1.0sec

30°

50.000 h

30.000



0% 100%



Ra
≥ 80uv
freeHg
free

1 / 4 / 40



8 15 85 04 01 90 25 42








art.nr: **LGL413**
typ: GL522/2800K




1 / 4 / 20



art.nr: **LGL423**
typ: GL522/4000K




1 / 4 / 20





art.nr.: **CW132**
tup: C20A/WP/3x1,5/2

IP67	-40°C $+105^{\circ}\text{C}$	AC/DC 250v	max 3x1.5mm	max $\varnothing 10\text{mm}$	max $\downarrow$ 1m
-------------	---	----------------------	-----------------------	---	-------------------------------




1 / 20 / 500



art.nr.: **CW133**
tup: C20A/WP/3x1,5/3

IP67	-40°C $+105^{\circ}\text{C}$	AC/DC 250v	max 3x1.5mm	max $\varnothing 10\text{mm}$	max $\downarrow$ 1m
-------------	---	----------------------	-----------------------	---	-------------------------------




1 / 10 / 200






art.nr.: **CW134**
tup: C20A/WP/3x1,5/4

IP67	-40°C $+105^{\circ}\text{C}$	AC/DC 250v	max 3x1.5mm	max $\varnothing 10\text{mm}$	max $\downarrow$ 1m
-------------	---	----------------------	-----------------------	---	-------------------------------



1 / 5 / 200





EOKE
DRIVER



LED PHILIPS

art.nr.: **LF5023**

typ: F05-30/5000K/BK



1/20

IP65

IK08

5000K

3600lm

30w
350w

-25°C
+50°C

AC
180-305v

70°x105°

50.000 h




30.000

0% 100%

R_a
≥ 80

P_f
> 95

30W
PROFI EXTRA



SOSEN
DRIVER



LED PHILIPS

art.nr.: **LF5024**

typ: F05-50/5000K/BK



1/20

IP65

IK08

5000K

6000lm

50w
600w

-25°C
+50°C

AC
180-305v

70°x105°

50.000 h




30.000

0% 100%

R_a
≥ 80

P_f
> 95

50W
PROFI EXTRA



SOSEN
DRIVER



LED PHILIPS

art.nr.: **LF5025**

typ: F05-100/5000K/BK



1/10

IP65

IK08

5000K

12000lm

100w
1200w

-25°C
+50°C

AC
180-305v

70°x105°

50.000 h

30.000

0% 100%

R_a
≥ 80



P_f
> 95

100W
PROFI EXTRA

10W





art.nr.: **LF1021**
 typ: F01-10/4000K





10W



art.nr.: **LF1021S**
 typ: F01-10/4000K/SE






20W



art.nr.: LF1022
typ: F01-20/4000K




1/16





art.nr.: LF1022S
typ: F01-20/4000K/SE




1/10





30W



art.nr.: LF1023
typ: FOI-30/4000K





30W



art.nr.: LF1023S
typ: FOI-30/4000K/SE



10W



art.nr.: **LF2021**
typ: F02-10/4000K/BK



1/20

IP65

IK08

4000K

900Lm



10W
90W-25°C
+45°CAC
200-265V

120°

30.000 h

25.000

0% 100%

Ra
≥ 80uv
freeuv
free

art.nr.: **LF2121**
typ: F02-10/4000K/WH



1/20

IP65

IK08

4000K

900Lm

10W
90W-25°C
+45°CAC
200-265V

120°

30.000 h

25.000

0% 100%



Ra
≥ 80uv
freeuv
free

10W



art.nr.: LF2221

typ: F02-10/4000K/GY





1 / 20

10W





art.nr.: LF2021S

typ: F02-10/4000K/BK/PS



1 / 20




20W



art.nr.: LF2022
typ: F02-20/4000K/BK




1/20





art.nr.: LF2122
typ: F02-20/4000K/WH



1/20





20W



art.nr.: LF2222
typ: F02-20/4000K/GY




20W



art.nr.: LF2022H
typ: F02-20/4000K/BK/H



20W



art.nr.: LF2022S

typ: F02-20/4000K/BK/PS



1/20

IP65

IK08

4000K

1800Lm

20W
180W-25°C
+45°CAC
200-265V

120°

30.000 h


25.000

0% 100%

Ra
≥ 80uv
freeuv
free

art.nr.: LF2122S

typ: F02-20/4000K/WH/PS



1/20

IP65

IK08

4000K

1800Lm

20W
180W-25°C
+45°CAC
200-265V

120°



30.000 h

25.000

0% 100%

Ra
≥ 80uv
freeuv
free

20W



art.nr.: **LF2022MS**
 typ: F02-20/4000K/BK/MS

IP65

IK08

4000K

1800Lm

20w
 180w

-25°C
 +45°C

AC
 200-265v

120°

30.000 h

25.000



0% 100%

R_a
 ≥ 80

uv free



30W



art.nr.: **LF2023**
 typ: F02-30/4000K/BK

IP65

IK08

4000K

2700Lm

30w
 270w

-25°C
 +45°C

AC
 200-265v

120°

30.000 h

25.000



0% 100%

R_a
 ≥ 80

uv free



30W






art.nr.: LF2123

typ: F02-30/4000K/WH



1/10



art.nr.: LF2223

typ: F02-30/4000K/GY



1/10




30W



art.nr.: LF2023H

typ: F02-30/4000K/BK/H

IP65	IK08	4000K	2700Lm	30W 270W	-25°C +45°C	AC 200-265V	120°	30.000 h	25.000	uv free	R _a ≥ 80
------	------	-------	--------	-------------	----------------	----------------	------	----------	--------	---------	---------------------



ENERGY LABEL

енергия - енергетика

A⁺

30 kWh/1000h




30W



art.nr.: LF2023S

typ: F02-30/4000K/BK/PS

IP65	IK08	4000K	2700Lm	30W 270W	-25°C +45°C	AC 200-265V	120°	30.000 h	25.000	uv free	R _a ≥ 80
------	------	-------	--------	-------------	----------------	----------------	------	----------	--------	---------	---------------------



ENERGY LABEL



енергия - енергетика

A⁺

30 kWh/1000h



50W





art.nr: LF2024

typ: F02-50/4000K/BK




1/10



art.nr: LF2124

typ: F02-50/4000K/WH



1/10



50W



art.nr.: LF2024H
typ: F02-50/4000K/BK/H

IP65

IK08

4000K

4500Lm

50w
 450w

-25°C
+45°C

AC
200-265v


120°

30.000 h

25.000

R_a ≥ 80

uv free



ENERGY LABEL

енергия - енергія

A⁺

50 kWh/1000h

1 / 10



50W



art.nr.: LF2024S
typ: F02-50/4000K/BK/PS

IP65

IK08

4000K

4500Lm

50w
 450w

-25°C
+45°C

AC
200-265v


120°

30.000 h

25.000

R_a ≥ 80

uv free



ENERGY LABEL



енергия - енергія

A⁺

50 kWh/1000h

1 / 10





100W

art.nr.: LF2025

typ: F02-100/4000K/BK



1/5



ACCESS
BRACKET



USED FOR:
LF2 series (10 - 100W)



1/18



art.nr.: BB01

typ: BIB/80/BK





10W




art.nr.: TLS221



typ: T8/600/42SMD/2835/4100K



1 / 12



10W




art.nr.: TLS201


typ: T8/600/42SMD/2835/6500K



1 / 12




18W

art.nr.: **TLS222**


typ: T8/1200/88SMD/2835/4100K

**IP50****4100K****1850Lm****-20°C**
+45°C**AC**
100-240V**30.000 h****20.000****0%** **100%****R_a**
≥ 80**UV**
free**Hg**
free

1/12




18W

art.nr.: **TLS202**



typ: T8/1200/88SMD/2835/6500K

**IP50****6500K****1870Lm****-20°C**
+45°C**AC**
100-240V**30.000 h****20.000****0%** **100%****R_a**
≥ 80**UV**
free**Hg**
free

1/12



22W




art.nr.: **TLS223**



tup: T8/1500/104SMD/2835/4100K



1/12



22W




art.nr.: **TLS203**

tup: T8/1500/104SMD/2835/6500K



1/12



7W



art.nr.: ZLS571

tip: A60/E27/7W/300/3000K



3000K

560Lm

AC
165-265V



30.000 h

20.000

Ra
≥ 80

UV free

Hg free



1 / 10 / 100



7W



art.nr.: ZLS581

tip: A60/E27/7W/300/4000K



4000K

580Lm

AC
165-265V



30.000 h

20.000

Ra
≥ 80

UV free

Hg free



1 / 10 / 100



7W



art.nr.: ZLS561

tip: A60/E27/7W/300/6000K



6000K

600Lm

AC
165-265V



30.000 h

20.000

Ra
≥ 80



UV free

Hg free



1 / 10 / 100





art.nr.: ZLS572

typ: A60/E27/10W/300/3000K

10W



1 / 10 / 100



3000K

800Lm

10W
70W

<1.0sec

AC
165-265V

300°

30.000 h



20.000



R_a ≥ 80

UV free

Hg free



art.nr.: ZLS582

typ: A60/E27/10W/300/4000K

10W



1 / 10 / 100



4000K

810Lm

10W
75W

<1.0sec

AC
165-265V

300°

30.000 h



20.000



R_a ≥ 80

UV free

Hg free



art.nr.: ZLS562

typ: A60/E27/10W/300/6000K

10W



1 / 10 / 100



6000K

820Lm

10W
75W

<1.0sec

AC
165-265V

300°

30.000 h

20.000



R_a ≥ 80

UV free

Hg free

12W



art.nr.: ZLS513

тип: A60/E27/12W/270/3000K



3000K

1020Lm

12W
85W

<1.0sec

AC
165-265V

270°

30.000 h



20.000



0% 100%

Ra
≥ 80UV
freeHg
free

8 585040 901095



12W



art.nr.: ZLS523

тип: A60/E27/12W/270/4000K



4000K

1030Lm

12W
85W

<1.0sec

AC
165-265V

270°

30.000 h



20.000



0% 100%

Ra
≥ 80UV
freeHg
free

8 585040 901613



12W



art.nr.: ZLS503

тип: A60/E27/12W/270/6000K



6000K

1050Lm

12W
85W

<1.0sec

AC
165-265V

270°

30.000 h



20.000





0% 100%

Ra
≥ 80UV
freeHg
free

8 585040 901088





art.nr.: ZLS515

typ: A65/E27/15W/270/3000K

15W



1 / 10 / 100



3000K

1320Lm

15W
100W

<1.0sec

AC
165-265V

270°

30.000 h

20.000





0% 100%

R_a ≥ 80

UV free

Hg free



art.nr.: ZLS525

typ: A65/E27/15W/270/4000K

15W



1 / 10 / 100



4000K

1350Lm

15W
100W

<1.0sec

AC
165-265V

270°

30.000 h

20.000





0% 100%

R_a ≥ 80

UV free

Hg free



art.nr.: ZLS505

typ: A65/E27/15W/270/6000K

15W



1 / 10 / 100



6000K

1380Lm

15W
100W

<1.0sec

AC
165-265V

270°

30.000 h

20.000



0% 100%

R_a ≥ 80

UV free

Hg free

18W



art.nr.: ZLS517

typ: A80/E27/18W/270/3000K/PAB/MC



3000K

1510Lm

18W
120W

<1.0sec

AC
165-265V

270°

30.000 h

20.000





0% 100%

R_a ≥ 80

UV free

Hg free



1/5/50

18W



art.nr.: ZLS527

typ: A80/E27/18W/270/4000K/PAB/MC



4000K

1530Lm

18W
120W

<1.0sec

AC
165-265V

270°

30.000 h

20.000





0% 100%

R_a ≥ 80

UV free

Hg free



1/5/50

18W



art.nr.: ZLS507

typ: A80/E27/18W/270/6000K/PAB/MC



6000K

1540Lm

18W
120W

<1.0sec

AC
165-265V

270°

30.000 h

20.000





0% 100%



R_a ≥ 80

UV free

Hg free



1/5/50



art.nr: ZLS519



typ: A95/E27/22W/240/3000K/PAB/MC



1/5/50



22W



art.nr: ZLS529



typ: A95/E27/22W/240/4000K/PAB/MC



1/5/50



22W



art.nr: ZLS509

typ: A95/E27/22W/240/6000K/PAB/MC





1/5/50



22W

18W



art.nr.: ZLS912

typ: G95/E27/18W/300/3000K/PAB/MC



3000K

1510Lm





AC 165-265V



1/32



18W



art.nr.: ZLS922

typ: G95/E27/18W/300/4000K/PAB/MC



4000K

1530Lm





AC 165-265V



1/32



20W



art.nr.: ZLS914



typ: G125/E27/20W/300/3000K/PAB/MC



1/24



20W



art.nr.: ZLS924

typ: G125/E27/20W/300/4000K/PAB/MC



1/24



5W



art.nr.: ZLS712

tip: C37/E14/5W/SMD/2835/3000K/PAB/MC



3000K

410Lm



AC
165-265V

30.000 h

20.000

Ra
≥ 80UV
freeHg
free

1 / 10 / 100



5W



art.nr.: ZLS722

tip: C37/E14/5W/SMD/2835/4000K/PAB/MC



4000K

430Lm



AC
165-265V

30.000 h

20.000

Ra
≥ 80UV
freeHg
free

1 / 10 / 100



5W



art.nr.: ZLS702

tip: C37/E14/5W/SMD/2835/6000K/PAB/MC



6000K

440Lm



AC
165-265V



30.000 h

20.000

Ra
≥ 80UV
freeHg
free

1 / 10 / 100





art.nr.: ZLS714

tup: C37/E14/8W/SMD/2835/3000K/PAB/MC



1 / 10 / 100



3000K

710Lm



AC 165-265v



30.000 h

20.000





Ra ≥ 80

UV free

Hg free

8W



art.nr.: ZLS724

tup: C37/E14/8W/SMD/2835/4000K/PAB/MC



1 / 10 / 100



4000K

720Lm



AC 165-265v



30.000 h

20.000





Ra ≥ 80

UV free

Hg free

8W



art.nr.: ZLS704

tup: C37/E14/8W/SMD/2835/6000K/PAB/MC



1 / 10 / 100



6000K

720Lm



AC 165-265v



30.000 h

20.000



Ra ≥ 80

UV free

Hg free

8W

5W



art.nr.: ZLS812

typ: G45/E14/5W/SMD/2835/3000K/PAB/MC



3000K

410Lm



AC 165-265V



30.000 h


20.000




Ra ≥ 80

UV free

Hg free



1 / 10 / 100



5W



art.nr.: ZLS822

typ: G45/E14/5W/SMD/2835/4000K/PAB/MC



4000K

430Lm



AC 165-265V



30.000 h


20.000




Ra ≥ 80

UV free

Hg free



1 / 10 / 100



5W



art.nr.: ZLS802

typ: G45/E14/5W/SMD/2835/6000K/PAB/MC



6000K

440Lm



AC 165-265V



30.000 h


20.000




Ra ≥ 80



UV free

Hg free



1 / 10 / 100





art.nr.: ZLS814

typ: G45/E14/8W/SMD/2835/3000K/PAB/MC



1 / 10 / 100



3000K

710Lm

8w
60w

<1.0sec

AC
165-265v

160°

30.000 h

20.000





0% 100%

R_a ≥ 80

UV free

Hg free

8W



art.nr.: ZLS824

typ: G45/E14/8W/SMD/2835/4000K/PAB/MC



1 / 10 / 100



4000K

720Lm

8w
65w

<1.0sec

AC
165-265v

160°

30.000 h

20.000





0% 100%

R_a ≥ 80

UV free

Hg free

8W



art.nr.: ZLS804

typ: G45/E14/8W/SMD/2835/6000K/PAB/MC



1 / 10 / 100



6000K

720Lm

8w
65w

<1.0sec

AC
165-265v

160°

30.000 h

20.000



0% 100%

R_a ≥ 80

UV free

Hg free

8W

5W



art.nr.: ZLS817

tup: G45/E27/5W/SMD/2835/3000K/PAB/MC



3000K

410Lm


AC
165-265V

30.000 h


20.000

Ra
≥ 80UV
freeHg
free

1 / 10 / 100



8 585040 901163



5W



art.nr.: ZLS827

tup: G45/E27/5W/SMD/2835/4000K/PAB/MC



4000K

430Lm


AC
165-265V

30.000 h


20.000

Ra
≥ 80UV
freeHg
free

1 / 10 / 100



8 585040 901743



5W



art.nr.: ZLS807

tup: G45/E27/5W/SMD/2835/6000K/PAB/MC



6000K

440Lm


AC
165-265V

30.000 h


20.000



Ra
≥ 80UV
freeHg
free

1 / 10 / 100



8 585040 901170





art.nr.: ZLS819

typ: G45/E27/8W/SMD/2835/3000K/PAB/MC



1 / 10 / 100



3000K

710Lm

8W
60W

<1.0sec

AC
165-265V

160°

30.000 h

20.000





0% 100%

R_a
≥ 80

UV
free

Hg
free

8W



art.nr.: ZLS829

typ: G45/E27/8W/SMD/2835/4000K/PAB/MC



1 / 10 / 100



4000K

720Lm

8W
65W

<1.0sec

AC
165-265V

160°

30.000 h

20.000





0% 100%

R_a
≥ 80

UV
free

Hg
free

8W



art.nr.: ZLS809

typ: G45/E27/8W/SMD/2835/6000K/PAB/MC



1 / 10 / 100



6000K

720Lm

8W
65W

<1.0sec

AC
165-265V

160°

30.000 h

20.000



0% 100%



R_a
≥ 80

UV
free

Hg
free

8W

5W



art.nr.: ZLS213

typ: R50/E14/5W/SMD/2835/3000K/PAB/MC



3000K

390Lm



AC
165-265V

815850401900128

1 / 10 / 100



5W



art.nr.: ZLS223

typ: R50/E14/5W/SMD/2835/4000K/PAB/MC



4000K

410Lm



AC
165-265V

815850401900135

1 / 10 / 100



7W



art.nr.: ZLS214

typ: R50/E14/9SMD/2835/2800K/PAB/MC



1 / 10 / 50



2800K

600Lm

7W
55W

9LED

AC
175-250V



30.000 h

200.000





0% 100%

R_a ≥ 80

UV free

Hg free

7W



art.nr.: ZLS204

typ: R50/E14/9SMD/2835/6000K/PAB/MC



1 / 10 / 50



6000K

640Lm

7W
60W

9LED

AC
175-250V



30.000 h

200.000





0% 100%

R_a ≥ 80

UV free


Hg free

5W
DIMMABLE



art.nr.: ZLS145AD



typ: GU10/12SMD/5730/3000K/AB/MC/D



1 / 10 / 200




5W
DIMMABLE





art.nr.: ZLS135AD

typ: GU10/12SMD/5730/6000K/AB/MC/D



1 / 10 / 200





art.nr: ZLS112

typ: GU10/3W/SMD/2835/3000K/PB/MC



1 / 10 / 100



3000K

230Lm



AC 165-265V



30.000 h



20.000



R_a ≥ 80

UV free

Hg free



art.nr: ZLS122

typ: GU10/3W/SMD/2835/4000K/PB/MC



1 / 10 / 100



4000K

240Lm



AC 165-265V



30.000 h



20.000



R_a ≥ 80

UV free

Hg free



art.nr: ZLS102

typ: GU10/3W/SMD/2835/6000K/PB/MC



1 / 10 / 100



6000K

250Lm



AC 165-265V



30.000 h

20.000



R_a ≥ 80

UV free




Hg free

6W



art.nr.: ZLS116

typ: GU10/6W/SMD/2835/3000K/PAB/MC



1 / 10 / 100






6W



art.nr.: ZLS126

typ: GU10/6W/SMD/2835/4000K/PAB/MC



1 / 10 / 100






6W





art.nr.: ZLS106

typ: GU10/6W/SMD/2835/6000K/PAB/MC



1 / 10 / 100





art.nr: ZLS117

typ: GU10/7W/SMD/2835/3000K/PAB/MC



1 / 10 / 100



3000K

560Lm

7W
55W

<1.0sec

AC
165-265V

120°

30.000 h

20.000





0% 100%

R_a ≥ 80

UV free

Hg free



art.nr: ZLS127

typ: GU10/7W/SMD/2835/4000K/PAB/MC



1 / 10 / 100



4000K

590Lm

7W
60W

<1.0sec

AC
165-265V

120°

30.000 h

20.000





0% 100%

R_a ≥ 80

UV free

Hg free



art.nr: ZLS107

typ: GU10/7W/SMD/2835/6000K/PAB/MC



1 / 10 / 100



6000K

600Lm

7W
60W

<1.0sec

AC
165-265V

120°

30.000 h

20.000



0% 100%

R_a ≥ 80

UV free

Hg free

8W



art.nr.: ZLS118

typ: GU10/8W/SMD/2835/3000K/PAB/MC




3000K

710Lm

AC
165-265VRa
≥ 80UV
freeHg
free

1 / 10 / 100



8W



art.nr.: ZLS128

typ: GU10/8W/SMD/2835/4000K/PAB/MC




4000K

720Lm

AC
165-265VRa
≥ 80UV
freeHg
free

1 / 10 / 100



8W



art.nr.: ZLS108

typ: GU10/8W/SMD/2835/6000K/PAB/MC






6000K

720Lm

AC
165-265VRa
≥ 80UV
freeHg
free

1 / 10 / 100





art.nr: **ZLS001**

tip: RE/E14/COB/6000K/MC



1 / 100 / 500



6000K

100Lm

1.5w
10w

COB

AC
220-240v

360°

25.000 h

20.000





0% **100%**

R_a
≥ 80

UV
free

Hg
free

5W



art.nr.: ZLS012C

typ: E14/64SMD/2835/2800K/CB



2800K

500Lm




64LED

AC
220-240V

1 / 100 / 500



5W



art.nr.: ZLS022C

typ: E14/64SMD/2835/4000K/CB



4000K

520Lm





64LED

AC
220-240V

1 / 100 / 500



7W



art.nr.: ZLS013C



typ: E14/88SMD/2835/2800K/CB



1 / 100 / 500



7W



art.nr.: ZLS023C



typ: E14/88SMD/2835/4000K/CB



1 / 100 / 500




4W
DIMMABLE





art.nr.: ZLS614CD

tup: G9/45SMD/2835/2800K/CB/MC/D

1 / 100 / 1000




4W
DIMMABLE





art.nr.: ZLS624CD

tup: G9/45SMD/2835/4000K/CB/MC/D

1 / 100 / 1000




4W
DIMMABLE





art.nr.: ZLS604CD

tup: G9/45SMD/2835/6000K/CB/MC/D

1 / 100 / 1000





art.nr.: ZLS614C



tup: G9/51SMD/2835/2800K/CB/MC



1 / 100 / 1000



4W



art.nr.: ZLS624C



tup: G9/51SMD/2835/4000K/CB/MC



1 / 100 / 1000



4W



art.nr.: ZLS604C

tup: G9/51SMD/2835/6000K/CB/MC





1 / 100 / 1000



4W

5W



art.nr.: ZLS615CW

tup: G9/52SMD/2835/2800K/CB/W

1 / 100 / 400



2800K

480Lm



52LED



AC

220-240v



8158504019050001

5W



art.nr.: ZLS625CW

tup: G9/52SMD/2835/4000K/CB/W

1 / 100 / 400



4000K

500Lm



52LED


AC

220-240v



815850401905017

5W




art.nr.: ZLS615C


tup: G9/64SMD/2835/2800K/CB



1 / 100 / 500



5W




art.nr.: ZLS625C


tup: G9/64SMD/2835/4000K/CB



1 / 100 / 500




7W



art.nr.: ZLS616C


typ: G9/88SMD/2835/2800K/CB



1 / 100 / 500




7W



art.nr.: ZLS626C



typ: G9/88SMD/2835/4000K/CB



1 / 100 / 500



2W



art.nr.: ZLS410



typ: G4/2W/2835/2800K/CB/MC



1 / 100 / 1000



2W



art.nr.: ZLS420



typ: G4/2W/2835/4000K/CB/MC



1 / 100 / 1000



5W



art.nr.: ZLS313

tup: MR16/GU5.3/5W/SMD/2835/3000K/PAB/MC



3000K



380Lm



1 / 10 / 100



5W



art.nr.: ZLS323

tup: MR16/GU5.3/5W/SMD/2835/4000K/PAB/MC



4000K



390Lm



1 / 10 / 100



7W





art.nr.: ZFR102
typ: T18/E14/7W



1 / 10 / 1000



15W





art.nr.: ZFR103
typ: T18/E14/15W



1 / 10 / 1000



15W



art.nr.: ZOV101

typ: T22/E14/15W/3000°





1 / 10 / 1000



815850401900326

25W



art.nr.: ZOV102L

typ: T25/E14/25W/3000°





1 / 10 / 1000



815850401901750

25W





art.nr.: ZKH101
typ: T25L/E14/25W



1 / 10 / 1000



40W



art.nr.: ZKH102
typ: T25L/E14/40W



1 / 10 / 1000



art.nr.: **BH101**

typ: GU10/1A/C



GU10

max
60W

ceramic



15cm



1 / 100 / 1000



8 158504 019007 08

art.nr.: **BH201**

typ: E27/4A/PC/B



E27

max
60W

plastic



1 / 50 / 500



8 158504 019012 48

art.nr.: **BH211**

typ: E27/4A/PC/W



E27

max
60W

plastic



1 / 50 / 500



8 158504 019012 55

art.nr.: **BH203**

typ: E27/4A/PO



E27

max
60W

ceramic



1 / 20 / 200



8 158504 019017 81



8 585040 1901798



1/30



art.nr.: **BH511**
 typ: E27/I-160-9/W



E27

max
60w

metal



100cm



8 585040 1901804



1/30



art.nr.: **BH521**
 typ: E27/I-160-9/S



E27

max
60w

metal



100cm



8 585040 1902450



1/30



art.nr.: **BH512**
 typ: E27/I-271/W



E27

max
60w

metal



100cm



8 585040 1902467



1/30



art.nr.: **BH522**
 typ: E27/I-271/S



E27

max
60w

metal



100cm

ACCESS.

art.nr.: **BH212**

typ: E27+R/4A/PC/W

max
60W

plastic



1 / 50 / 1000



8 158504 019012 62

ACCESS.

art.nr.: **BH312**

typ: E14+R/4A/PC/W

max
60W

plastic



1 / 50 / 500



8 158504 019012 79

ACCESS.

art.nr.: **BH411**

typ: R/E27/PC/W

max
60W

plastic



1 / 100 / 2000



8 158504 019012 86

ACCESS.

art.nr.: **BH412**

typ: R/E14/PC/W

max
60W

plastic



1 / 100 / 2000



8 158504 019012 93

AAS01		07	LC801A/BCH	CLR0/50W/SMD/RC/BCH	40
AAS02		08	LC801A/GD	CLR0/50W/SMD/RC/GD	37
AAS03		08	LC801A/GD/S	CLS0/50W/SMD/RC/GD	37
AAS11		05	LC801A/SI	CLR0/50W/SMD/RC/SI	36
AS02		07	LC801A/SI/S	CLS0/50W/SMD/RC/SI	36
BB01	BIB/80/BK	115	LC801L	CLR7/50W/SMD/RC	31
BH101	GU10/1A/C	154	LC801S	CLR4/50W/SMD/RC	32
BH201	E27/4A/PC/B	154	LC801S/S	CLS4/50W/SMD/RC	32
BH203	E27/4A/PO	154	LC801W	CLR1/50W/SMD/RC	34
BH211	E27/4A/PC/W	154	LC801W/S	CLS1/50W/SMD/RC	34
BH212	E27+R/4A/PC/W	156	LC802K	CLR5/60W/SMD/RC	40
BH312	E14+R/4A/PC/W	156	LC802U	CLR2/60W/SMD/RC	41
BH411	R/E27/PC/W	156	LC803S	CLR4/90W/SMD/RC	42
BH412	R/E14/PC/W	156	LC811A/BK	CLR0/50W/SMD/RC/BK/AS	38
BH511	E27/1-160-9/W	155	LC811A/BK/S	CLS0/50W/SMD/RC/BK/AS	38
BH512	E27/1-271/W	155	LC811D	CLR3/50W/SMD/RC/AS	39
BH521	E27/1-160-9/S	155	LC811S	CLR4/50W/SMD/RC/AS	33
BH522	E27/1-271/S	155	LC811S/S	CLS4/50W/SMD/RC/AS	33
CAP1	EC1/IP67	95	LC811U	CLR2/50W/SMD/RC/AS	39
CU02/120		11	LC811W	CLR1/50W/SMD/RC/AS	35
CU02/60		11	LC811W/S	CLS1/50W/SMD/RC/AS	35
CW132	C20A/WP/3x1,5/2	100	LC813S	CLR4/90W/SMD/RC/AS	42
CW133	C20A/WP/3x1,5/3	100	LC813U	CLR2/90W/SMD/RC/AS	41
CW134	C20A/WP/3x1,5/4	100	LC814S	CLR4/150W/SMD/RC/AS	43
FCL01		57	LC814U	CLR2/150W/SMD/RC/AS	43
FCL02		57	LCL122A	CR1/18W/SMD/4000K/A	16
FLO1		58	LCL122B	CR1/18W/SMD/4000K/B	16
FLO2		58	LCL1223A	CR2/24W/SMD/4000K/A	17
FLO3		59	LCL421	CLR12W/24SMD/5730/4000K	14
FL10C		59	LCL421/44	CLR12W/24SMD/5730/4000K/44	15
FS01R		60	LCL421M	CLR12W/24SMD/5730/4000K/MS	14
FS02R		60	LCL421M/44	CLR12W/24SMD/5730/4000K/MS/44	15
FS03R		61	LCL533	CLR26W/96SMD/2835/RC/AS	17
HU02		11	LCL636	CLR65W/144SMD/IR/AS	18
HU12		09	LCL636T	CLT65W/144SMD/IR/AS	18
LB01		66	LDL143	DR01/7W/SMD/3000K/WH	45
LC721A/SI	CLR0/12W/SMD/4000K/SI	20	LDL143/S	DR01/7W/SMD/3000K/SI	45
LC721S	CLR4/12W/SMD/4000K	20	LDL153	DR01/7W/SMD/4000K/WH	44
LC722A/SI	CLR0/18W/SMD/4000K/SI	22	LDL153/S	DR01/7W/SMD/4000K/SI	44
LC722S	CLR4/18W/SMD/4000K	22	LDL154	DR01/10W/SMD/4000K/WH	46
LC722SM	CLR4/15W/SMD/4000K/MS	29	LDL154/S	DR01/10W/SMD/4000K/SI	46
LC723A/SI	CLR0/24W/SMD/4000K/SI	23	LDL253	DR02/7W/SMD/4000K/WH	47
LC723S	CLR4/24W/SMD/4000K	23	LDL253/S	DR02/7W/SMD/4000K/SI	47
LC724A/SI	CLR0/50W/SMD/4000K/SI	26	LEL101	EML01/3W/3H/6000K	12
LC724A/SI/S	CLS0/50W/SMD/4000K/SI	26	LEL201	EML02/1W/3H/6000K	12
LC724S	CLR4/50W/SMD/4000K	24	LEL301	EML03/2W/3H/6000K	13
LC724S/S	CLS4/50W/SMD/4000K	24	LEL401	EML04/3W/3H/6000K	13
LC725A/SI/R	CLE0/60W/SMD/4000K/SI	28	LF1021	F01-10/4000K	102
LC725N/R	CLE5/60W/SMD/4000K	28	LF1021S	F01-10/4000K/SE	102
LC741S	CLR4/12W/SMD/2700K/AS	21	LF1022	F01-20/4000K	103
LC751S	CLR4/12W/SMD/4000K/AS	21	LF1022S	F01-20/4000K/SE	103
LC754S	CLR4/50W/SMD/4000K/AS	25	LF1023	F01-30/4000K	104
LC754S/S	CLS4/50W/SMD/4000K/AS	25	LF1023S	F01-30/4000K/SE	104
LC755S/R	CLE4/60W/SMD/4000K/AS	29	LF2021	F02-10/4000K/BK	105
LC800A/SI	CLR0/24W/RC/SI	30	LF2021S	F02-10/4000K/BK/PS	106
LC800P	CLR6/24W/SMD/RC	31	LF2022	F02-20/4000K/BK	107
LC800S	CLR4/24W/SMD/RC	30	LF2022H	F02-20/4000K/BK/H	108

LF2022MS	F02-20/4000K/BK/MS	110	LNL324/3S	LW40W/3/1200/2835/4000K/MS	56
LF2022S	F02-20/4000K/BK/PS	109	LNL7121/WH	LB01/15W/600/SMD/4000K/WH	52
LF2023	F02-30/4000K/BK	110	LNL7121/SI	LB01/15W/600/SMD/4000K/SI	52
LF2023H	F02-30/4000K/BK/H	112	LNL7221/SI	LB11/15W/600/SMD/4000K/SI	52
LF2023S	F02-30/4000K/BK/PS	112	LNL7321/SI	LB02/15W/600/SMD/4000K/SI	53
LF2024	F02-50/4000K/BK	113	LNL7421/WH	LB03/15W/600/SMD/4000K/WH	53
LF2024H	F02-50/4000K/BK/H	114	LNL822	T5/9W/600/2835/4000K	51
LF2024S	F02-50/4000K/BK/PS	114	LNL823	T5/12W/900/2835/4000K	51
LF2025	F02-100/4000K/BK	115	LNL922	BL10W/600/2835/4000K	50
LF2121	F02-10/4000K/WH	105	LNL923	BL15W/900/2835/4000K	50
LF2122	F02-20/4000K/WH	107	LPL111	PR6W/30SMD/2835/2800K	74
LF2122S	F02-20/4000K/WH/PS	109	LPL113	PR12W/60SMD/2835/2800K	75
LF2123	F02-30/4000K/WH	111	LPL113H	PR12W/120SMD/2835/2800K/HV	86
LF2124	F02-50/4000K/WH	113	LPL114	PR18W/90SMD/2835/2800K	76
LF2221	F02-10/4000K/GY	106	LPL115	PR24W/120SMD/2835/2800K	77
LF2222	F02-20/4000K/GY	108	LPL121	PR6W/30SMD/2835/4000K	74
LF2223	F02-30/4000K/GY	111	LPL121A	PR6W/30SMD/2835/4000K/A	73
LF5023	F05-30/5000K/BK	101	LPL123	PR12W/60SMD/2835/4000K	75
LF5024	F05-50/5000K/BK	101	LPL123H	PR12W/120SMD/2835/4000K/HV	86
LF5025	F05-100/5000K/BK	101	LPL124	PR18W/90SMD/2835/4000K	76
FL110	FL101/2800K	88	LPL124A	PR18W/90SMD/2835/4000K/A	73
FL111	FL102/2800K	89	LPL125	PR24W/120SMD/2835/4000K	77
FL112	FL103/2800K	90	LPL211	PS6W/30SMD/2835/2800K	78
FL112S	FL113/2800K	91	LPL213	PS12W/60SMD/2835/2800K	79
FL113	FL104/2800K	92	LPL213H	PS12W/120SMD/2835/2800K/HV	87
FL114	FL105/2800K	93	LPL214	PS18W/90SMD/2835/2800K	80
FL1120	FL101/4000K	88	LPL215	PS24W/120SMD/2835/2800K	81
FL1121	FL102/4000K	89	LPL221	PS6W/30SMD/2835/4000K	78
FL1122	FL103/4000K	90	LPL223	PS12W/60SMD/2835/4000K	79
FL1122S	FL113/4000K	91	LPL223A	PS12W/60SMD/2835/4000K/A	73
FL1123	FL104/4000K	92	LPL223H	PS12W/120SMD/2835/4000K/HV	87
FL1124	FL105/4000K	93	LPL224	PS18W/90SMD/2835/4000K	80
LGL411	LGL502/2800K	98	LPL225	PS24W/120SMD/2835/4000K	81
LGL413	LGL522/2800K	99	LPL321	PRSF6W/30SMD/2835/4000K	82
LGL421	LGL502/4000K	98	LPL323	PRSF12W/60SMD/2835/4000K	82
LGL423	LGL522/4000K	99	LPL324	PRSF18W/90SMD/2835/4000K	83
LGL514	LGL501/2800K	96	LPL325	PRSF24W/120SMD/2835/4000K	83
LGL514S	LGL511/2800K	97	LPL421	PSSF6W/30SMD/2835/4000K	84
LGL524	LGL501/4000K	96	LPL423	PSSF12W/60SMD/2835/4000K	84
LGL524S	LGL511/4000K	97	LPL424	PSSF18W/90SMD/2835/4000K	85
LH01R		64	LPL425	PSSF24W/120SMD/2835/4000K	85
LH02R		64	LS401		67
LH131		65	LSF101	SL60/12V	95
LH241		65	LSL121	SL-1/4000K	04
LM101		68	LSL222	SL2-60W/4000K	04
LM102		68	LSL322	SL3-50/4000K	05
LM103		68	LSL323	SL3-100/4000K	05
LN201		69	LSL421	SL4-40/5000K	06
LN301		69	LSL422	SL4-60/5000K	06
LNL121/1	WTL9W/1/300/2835/4000K	48	LSL423	SL4-80/5000K	06
LNL122/1	WTL18W/1/600/2835/4000K	48	LU012/1	HB01/150W/MW/10/5000K	10
LNL123/1	WTL36W/1/1200/2835/4000K	49	LU012/DALI	HB01/150W/MW/DALI/5000K	10
LNL124	WTL40W/1200/2835/4000K	49	LUT12/SR	HB02/150W/SOI/10/5000K/SR	09
LNL223	LFW36W/1200/2835/4000K	54	LW101		67
LNL323/1	LW36W/1/1200/2835/4000K	55	LW102		67
LNL323/2	LW40W/2/1200/2835/4000K	55	LZ101		66
LNL324/3	LW40W/3/1200/2835/4000K	55	MS121	MSE595x595/WH	72

PL120P/U	WPL32W/SMD/4500K/PP/WH/UGR	71	ZLS420	G4/2W/2835/4000K/CB/MC	149
PL121	WPL40W/SMD/4500K/WH	70	ZLS503	A60/E27/12W/270/6000K	122
PL121H	WPL40W/SMD/4500K/WH/HV	70	ZLS505	A65/E27/15W/270/6000K	123
PL121H/U	WPL40W/SMD/4500K/HV/WH/UGR	71	ZLS507	A80/E27/18W/270/6000K/PAB/MC	124
PSF103	PS08/12V	94	ZLS509	A95/E27/22W/240/6000K/PAB/MC	125
PSF104	PS30/12V	94	ZLS513	A60/E27/12W/270/3000K	122
RJNL324		56	ZLS515	A65/E27/15W/270/3000K	123
RLU112		09	ZLS517	A80/E27/18W/270/3000K/PAB/MC	124
SN100	SNA1000mm	72	ZLS519	A95/E27/22W/240/3000K/PAB/MC	125
SNN250	SNH2500mm	54	ZLS523	A60/E27/12W/270/4000K	122
SNR001	SR120/4	72	ZLS525	A65/E27/15W/270/4000K	123
SNR180	SR180/2	54	ZLS527	A80/E27/18W/270/4000K/PAB/MC	124
TLS201	T8/600/42SMD/2835/6500K	117	ZLS529	A95/E27/22W/240/4000K/PAB/MC	125
TLS202	T8/1200/88SMD/2835/6500K	118	ZLS561	A60/E27/7W/300/6000K	120
TLS203	T8/1500/104SMD/2835/6500K	119	ZLS562	A60/E27/10W/300/6000K	121
TLS221	T8/600/42SMD/2835/4100K	117	ZLS571	A60/E27/7W/300/3000K	120
TLS222	T8/1200/88SMD/2835/4100K	118	ZLS572	A60/E27/10W/300/3000K	121
TLS223	T8/1500/104SMD/2835/4100K	119	ZLS581	A60/E27/7W/300/4000K	120
WLO1R		62	ZLS582	A60/E27/10W/300/4000K	121
WLO2R		62	ZLS604C	G9/51SMD/2835/6000K/CB/MC	145
WLO3R		63	ZLS604CD	G9/45SMD/2835/6000K/CB/MC/D	144
WLO4R		63	ZLS614C	G9/51SMD/2835/2800K/CB/MC	145
WLF101	WFM/12V	95	ZLS614CD	G9/45SMD/2835/2800K/CB/MC/D	144
WLF102	WF2M/12V	95	ZLS615C	G9/64SMD/2835/2800K/CB	147
WLF103	WF3M/12V	95	ZLS615CW	G9/52SMD/2835/2800K/CB/W	146
WLF201	VDEIM/0/1	51	ZLS616C	G9/88SMD/2835/2800K/CB	148
WLF211	VDE15CM/1/1	51	ZLS624C	G9/51SMD/2835/4000K/CB/MC	145
ZFR102	T18/E14/7W	151	ZLS624CD	G9/45SMD/2835/4000K/CB/MC/D	144
ZFR103	T18/E14/15W	151	ZLS625C	G9/64SMD/2835/4000K/CB	147
ZKH101	T25L/E14/25W	153	ZLS625CW	G9/52SMD/2835/4000K/CB/W	146
ZKH102	T25L/E14/40W	153	ZLS626C	G9/88SMD/2835/4000K/CB	148
ZLS001	RE/E14/C0B/6000K/MC	141	ZLS702	C37/E14/5W/SMD/2835/6000K/PAB/MC	128
ZLS012C	E14/64SMD/2835/2800K/CB	142	ZLS704	C37/E14/8W/SMD/2835/6000K/PAB/MC	129
ZLS013C	E14/88SMD/2835/2800K/CB	143	ZLS712	C37/E14/5W/SMD/2835/3000K/PAB/MC	128
ZLS022C	E14/64SMD/2835/4000K/CB	142	ZLS714	C37/E14/8W/SMD/2835/3000K/PAB/MC	129
ZLS023C	E14/88SMD/2835/4000K/CB	143	ZLS722	C37/E14/5W/SMD/2835/4000K/PAB/MC	128
ZLS102	GU10/3W/SMD/2835/6000K/PB/MC	137	ZLS724	C37/E14/8W/SMD/2835/4000K/PAB/MC	129
ZLS106	GU10/6W/SMD/2835/6000K/PAB/MC	138	ZLS802	G45/E14/5W/SMD/2835/6000K/PAB/MC	130
ZLS107	GU10/7W/SMD/2835/6000K/PAB/MC	139	ZLS804	G45/E14/8W/SMD/2835/6000K/PAB/MC	131
ZLS108	GU10/8W/SMD/2835/6000K/PAB/MC	140	ZLS807	G45/E27/5W/SMD/2835/6000K/PAB/MC	132
ZLS112	GU10/3W/SMD/2835/3000K/PB/MC	137	ZLS809	G45/E27/8W/SMD/2835/6000K/PAB/MC	133
ZLS116	GU10/6W/SMD/2835/3000K/PAB/MC	138	ZLS812	G45/E14/5W/SMD/2835/3000K/PAB/MC	130
ZLS117	GU10/7W/SMD/2835/3000K/PAB/MC	139	ZLS814	G45/E14/8W/SMD/2835/3000K/PAB/MC	131
ZLS118	GU10/8W/SMD/2835/3000K/PAB/MC	140	ZLS817	G45/E27/5W/SMD/2835/3000K/PAB/MC	132
ZLS122	GU10/3W/SMD/2835/4000K/PB/MC	137	ZLS819	G45/E27/8W/SMD/2835/3000K/PAB/MC	133
ZLS126	GU10/6W/SMD/2835/4000K/PAB/MC	138	ZLS822	G45/E14/5W/SMD/2835/4000K/PAB/MC	130
ZLS127	GU10/7W/SMD/2835/4000K/PAB/MC	139	ZLS824	G45/E14/8W/SMD/2835/4000K/PAB/MC	131
ZLS128	GU10/8W/SMD/2835/4000K/PAB/MC	140	ZLS827	G45/E27/5W/SMD/2835/4000K/PAB/MC	132
ZLS135AD	GU10/12SMD/5730/6000K/AB/MC/D	136	ZLS829	G45/E27/8W/SMD/2835/4000K/PAB/MC	133
ZLS145AD	GU10/12SMD/5730/3000K/AB/MC/D	136	ZLS912	G95/E27/18W/300/3000K/PAB/MC	126
ZLS204	R50/E14/9SMD/2835/6000K/PAB/MC	135	ZLS914	G125/E27/20W/300/3000K/PAB/MC	127
ZLS213	R50/E14/5W/SMD/2835/3000K/PAB/MC	134	ZLS922	G95/E27/18W/300/4000K/PAB/MC	126
ZLS214	R50/E14/9SMD/2835/2800K/PAB/MC	135	ZLS924	G125/E27/20W/300/4000K/PAB/MC	127
ZLS223	R50/E14/5W/SMD/2835/4000K/PAB/MC	134	ZOV101	ST22/E14/15W/300C°	152
ZLS313	MR16/GU5.3/5W/SMD/2835/3000K/PAB/MC	150	ZOV102L	T25/E14/25W/300C°	152
ZLS323	MR16/GU5.3/5W/SMD/2835/4000K/PAB/MC	150			
ZLS410	G4/2W/2835/2800K/CB/MC	149			



NEDES s.r.o.
Hlavná 35, 91921 Zelenec, Slovakia
nedes@nedes.sk
IČO: 46257691
IČDPH: SK2023295054

www.nedes.eu