

2018-2019

DECORATIVE
LIGHTING COLLECTION



nordlux®



Light that makes a difference

Lighting should be an exciting and fun part of the decor. Good lighting is essential, and lighting is one of the most important elements in creating atmosphere and ambience in a home. With the right lighting, a transformation occurs – from just a room into a universe or a home. This is where our lamps can make a difference.

This year, we present a large and exciting new range which, in addition to solid and competitive pricing, offers many different styles and trends which make it possible to choose lighting based on personal taste and style preferences. In the new collection, you will also find a number of interesting concepts that unfold the same design concept across multiple types of lamps, which means that we can offer a wider and more interesting range.

Our decorative range reflects the biggest contemporary trends, interpreted by us to be accessible and tangible to a wider audience. Right now, we see opalescent glass with brass details, coloured glass, new shapes and a variety of surfaces for lamps. Trends that can be easily converted and incorporated into the decor of your home, and perhaps even challenge a more traditional look.

We proudly present our 2018 collection



Please note that there is a separate catalogue for our functional light

6

50

84

96

100

154

156

157

158

160

164

Decorative

Pendants

Spot

Bath

Outdoor

Responsibility

Degree and protection

Light source info

Maintenance

Sales department

Index

Decorative

Alton



Use golden tones to contrast the Nordic minimalism.

The Alton series creates a beautiful unison between the simple opal white glass and the fine brushed brass details. The warm metals are still hot in decor, and the combined brass and glass give the series a graceful appearance and complement each other in the finest of manners.





NEW

Alton 23 PENDANT

No. 47303001 White/Opal white - White cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 1

H: 43 cm, Shade Ø: 23 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW

Alton 25 PENDANT

No. 47313001 White/Opal white - White cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 1

H: 33 cm, Shade Ø: 25 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



NEW

Alton 40 PENDANT

No. 47323001 White/Opal white - White cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 1

H: 30,5 cm, Shade Ø: 40 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW

Alton TABLE

No. 47645001 White/Opal white - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 29 cm, Shade Ø: 20 cm,

Textile cable: 150 cm non replaceable

E14, Max. 15W, Excl. light source

Fixture energy class A++ - D

Dean



Dean is a delicate and highly decorative series with different variations of table fixtures and a pendant light fixture. With references to the exclusive hotel style of voluminous furniture and sumptuous fabrics, Dean complements the current design trend of 'more is more'. The options are black or brushed brass with interesting details which make Dean elegant. The final expression is obtained by the choice of a decorative bulb which completes the extravagant look.



**NEW****Dean TABLE**

No. 46605003 Black - Black cable
 No. 46605025 Brass - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 15 cm, Base: 13 cm

Cable: 180 cm non replaceable

Switch on the cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW**Dean Halo TABLE**

No. 46615003 Black - Black cable
 No. 46615025 Brass - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 35 cm, W: 23 cm, Base: 13 cm

Cable: 180 cm non replaceable

Switch on the cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



NEW

Dean Disc TABLE

No. 46625003 Black - Black cable
 No. 46625025 Brass - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 32 cm, W: 17 cm, Base: 13 cm

Cable: 180 cm non replaceable

Switch on the cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW

Dean PENDANT

No. 46523003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 1

H: 20 cm, Ø: 12 cm,

Cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source



Fixture energy class A++ - D

Aslak



The Aslak series has a style that is both modern and industrial, arising from the shape, the assembly and the aesthetic details. Aslak has a pleasant light-emitting surface that offers an effective and beautiful light - perfect for rooms that need good lighting that can be directed.



**NEW****Aslak TABLE**

No. 46685001 White - White cable
 No. 46685003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 48 cm, Shade Ø: 15 cm, Base: 15 cm

Cable: 180 cm non replaceable

Switch on the cable

E27, Max. 15W, Excl. light source

Fixture energy class A++ - B

NEW**Aslak FLOOR**

No. 46724001 White - White cable
 No. 46724003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 140 cm, Shade Ø: 23 cm, Base: 15 cm

Cable: 200 cm non replaceable

Switch on the cable

E27, Max. 15W, Excl. light source

Fixture energy class A++ - B

NEW**Aslak PENDANT**

No. 46553001 White - White cable
 No. 46553003 Black - Black cable

Master Box qty 3

Material: Metal



IP20, Class 2

Shade Ø: 20 cm, Shade H: 24.5 cm,

Cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Aslak WALL

No. 45721001 White - White cable
No. 45721003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 10,5 cm, D: 18,5 cm, Shade Ø: 8 cm,

Base mount: Ø 8 cm,

Cable: 200 cm replaceable

Switch on the cable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D

Aslak SPOT

No. 45730101 White
No. 45730103 Black

Master Box qty 3

Material: Metal

IP20, Class 2

L: 32,5 cm, D: 20 cm, Shade Ø: 8 cm,

Base mount: Ø9 cm,

Cable: Excl. cable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D

Aslak SPOT

No. 45740101 White
No. 45740103 Black

Master Box qty 3

Material: Metal

IP20, Class 2

L: 56,5 cm, D: 20 cm, Shade Ø: 8 cm,

Base mount: Ø9 cm,

Cable: Excl. cable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D

Hollywood



The Hollywood series has something nostalgic about it - it evokes the era of crystal decor, which in recent years has been rediscovered as a decor element. With its many facets, Hollywood adds a sparkling expression which contributes to a stylish atmosphere, providing an exclusive and pleasant mood. Available as a pendant and a table fixture, completed with the use of a beautiful decorative bulb.





NEW

Hollywood PENDANT

No. 46483000 Clear - Black cable
 No. 46483027 Amber - Black cable
 No. 46483047 Smoked - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

Shade Ø: 10,8 cm, Shade H: 17.7 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW

Hollywood TABLE

No. 46645000 Clear - Black cable
 No. 46645027 Amber - Black cable
 No. 46645047 Smoked - Black cable

Master Box qty 3

Material: Glass/Plastic - Glass

IP20, Class 2

H: 12,8 cm, Ø: 10,8 cm,

Textile cable: 180 cm non replaceable

Switch on the cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D




Largo



Largo creates associations to a raw and gorgeous loft apartment in New York. In an interplay with exposed brick walls, raw wood, large windows and industrial furniture, Largo creates authenticity and cosy lighting in any corner of your home.

Largo is a complete series of floor fixtures, table fixtures, wall fixtures and wall racks, available in matte white and black.





NEW

Largo TABLE

No. 46655001 White - White cable
No. 46655003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 51,5 cm, Shade Ø: 17 cm,

Cable: 150 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW

Largo FLOOR

No. 46704001 White - White cable
No. 46704003 Black - Black cable

Master Box qty 2

Material: Metal



IP20, Class 2

H: 146 cm,

Cable: 180 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

**NEW**

Largo WALL

No. 47051001 White - White cable
No. 47051003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 18 cm, D: 26 cm, Shade Ø: 12 cm,
Base mount: Ø 10 cm,

Cable: 180 cm replaceable

E27, Max. 25W, Excl. light source

Fixture energy class A++ - D

NEW

Largo SPOT

No. 47060001 White
No. 47060003 Black

Master Box qty 3

Material: Metal

IP20, Class 1

W: 35,8 cm, D: 26 cm, Shade Ø: 12 cm,

Cable: Excl. cable

E27, Max. 25W, Excl. light source

Fixture energy class A++ - D

NEW

Largo SPOT

No. 47070001 White
No. 47070003 Black

Master Box qty 3

Material: Metal


IP20, Class 1

W: 55 cm, D: 26 cm, Shade Ø: 12 cm,

Cable: Excl. cable

E27, Max. 25W, Excl. light source

Fixture energy class A++ - D



NEW

Grant TABLE

No. 46635003 Black/Opal white - Black cable
 No. 46635025 Brass/Opal white - White cable

Master Box qty 3

Material: Metal/Glass

IP20, Class 2

H: 41 cm, Shade Ø: 14,5 cm, Base: 20 cm

Cable: 180 cm non replaceable

Switch on the cable

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D

NEW

Grant WALL

No. 47091003 Black/Opal white

No. 47091025 Brass/Opal white

Master Box qty 3

Material: Metal/Glass

IP20, Class 2




H: 16,4 cm, D: 20,7 cm, Shade Ø: 14,5 cm,

Base mount: Ø10 cm,

Cable: Excl. cable

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D

**NEW**

Texas TABLE

No. 47615001 White - White cable
 No. 47615003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 40 cm, Shade Ø: 12,5 cm, Flex
 arm: 15 cm, Base: 14 cm

Cable: 150 cm non replaceable

Switch on the cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW

Texas FLOOR

No. 46714001 White - White cable
 No. 46714003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 155 cm, Shade Ø: 12,5 cm, Flex
 arm: 24 cm, Base: 20,5 cm

Cable: 180 cm non replaceable

Switch on the cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW

Texas WALL

No. 47141001 White - White cable
 No. 47141003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 18 cm,

W: 13 cm, D: 20 cm, Shade Ø: 12,5 cm,

Base mount: Ø 12,5 cm,

Cable: Excl. cable




Switch on the fixture

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D







Ray FLOOR

No. 63214003 Black - Black cable

No. 63214033 Chrome/Opal white - Clear cable

Master Box qty 2

Material: Metal - Metal/Glass
IP20, Class 2

H: 155 cm, Shade Ø: 12 cm,
Flex arm: 21 cm, Shade H: 9 cm,
Pipe Ø: 1,6 cm, Base: 25 cm
Cable: 180 cm non replaceable
Switch on the cable

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D

Ray FLOOR

No. 63224003 Black - Black cable

No. 63224033 Chrome/Opal white - Black cable

Master Box qty 2

Material: Metal - Metal/Glass
IP20, Class 2

H: 155 cm, Shade Ø: 12 cm,
Flex arm: 21 cm, Shade H: 9 cm,
Pipe Ø: 1,6 cm, Base: 25 cm
Cable: 180 cm non replaceable
Switch on the cable

E14, Max. 2X40W, Excl. light source

Fixture energy class A++ - D

Ray Dimmable FLOOR

No. 72224003 Black - Black cable

No. 72224033 Chrome/White - Clear cable

Master Box qty 2

Material: Metal - Metal/Glass
IP20, Class 1

H: 164 cm, Shade Ø: 12 cm,
Flex arm: 19 cm, Shade H: 9 cm,
Pipe Ø: 1,6 cm, Base: 28 cm
Cable: 180 cm non replaceable
Switch on the cable

E14, Max. 2X40W, Excl. light source,

Incl. Rotate dimmer

Fixture energy class A++ - D



Ray 2-Kit PENDANT

No. 63233001 White/Opal white - White cable

No. 63233013 Black/Opal white - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 16,5 cm, Shade Ø: 12 cm, Shade H: 9 cm,

Cable: 180 cm non replaceable

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D

Ray 2-Kit PENDANT

No. 63233003 Black - Black cable

No. 63233033 Chrome/Opal white - Clear cable

Master Box qty 3

Material: Metal - Glass/Metal


IP20, Class 2

H: 16,5 cm, Shade Ø: 12 cm, Shade H: 9 cm,

Cable: 180 cm non replaceable

E14, Max. 2X40W, Excl. light source

Fixture energy class A++ - D



Ray WALL

No. 63191003 Black - Black cable
 No. 63191033 Chrome/Opal white

Master Box qty 3

Material: Metal - Metal/Glass

IP20, Class 2

H: 20 cm, D: 23 cm, Shade Ø: 12 cm, Shade H: 9 cm,
 Pipe Ø: 1,2 cm, Base mount: Ø11 cm,

Cable: 180 cm replaceable

Switch on the fixture

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D

Ray TABLE

No. 63201003 Black - Black cable
 No. 63201033 Chrome/Opal white - Clear cable

Master Box qty 3

Material: Metal - Metal/Glass

IP20, Class 2

H: 46 cm, D: 22 cm, Shade Ø: 12 cm, Shade H: 9 cm,
 Pipe Ø: 1,2 cm, Base: 15 cm

Cable: 180 cm non replaceable

Switch on the cable

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D



Aud PENDANT

No. 45643003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 11,9 cm, Ø: 6,5 cm,

Cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Aud TABLE

No. 45655003 Black - Black cable

Master Box qty 6

Material: Metal

IP20, Class 2

H: 22,5 cm, Base: 12 cm

Cable: 190 cm non replaceable

Switch on the cable

E27, Max. 60W, Excl. light source



Aud WALL

No. 45661003 Black - Black cable

Master Box qty 6

Material: Metal

IP20, Class 2

H: 12 cm, W: 6,3 cm, D: 47,3 cm,

Base mount: Ø10 cm,

Cable: 180 cm non replaceable

Switch on the fixture

E27, Max. 60W, Excl. light source



Fixture energy class A++ - D

Eik

In all its simplicity, The Eik series is still extremely decorative. The shape of the shade creates a pleasant light-emitting surface that offers a comfortable and beautiful glow.

The series is available as pendant, table and floor lamps. An obvious ease arises between the shade and the frame, and the adjustable shade on the table and floor lamps results in a flexible design.



**NEW****Eik TABLE**

No. 46695001 White - White cable
 No. 46695010 Grey - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 46 cm, Shade Ø: 15 cm, Base: 15 cm

Cable: 180 cm non replaceable

Switch on the cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - B

NEW**Eik FLOOR**

No. 46734001 White - White cable
 No. 46734010 Grey - Black cable

Master Box qty 3

Material: Metal/Plastic

IP20, Class 2

H: 144 cm, Shade Ø: 15 cm, Base: 19 cm

Cable: 200 cm non replaceable

Switch on the cable

E27, Max. 15W, Excl. light source

Fixture energy class A++ - A

NEW**Eik PENDANT**

No. 46563001 White - White cable
 No. 46563010 Grey - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 22,5 cm, Shade Ø: 30 cm,

Shade H: 20 cm,

Cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Eik WALL

No. 45761001 White - White cable
No. 45761010 Grey - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 11 cm, D: 15 cm, Shade Ø: 8,6 cm,

Base mount: Ø 8 cm,

Cable: 200 cm replaceable

Switch on the cable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D

Eik SPOT

No. 45770101 White
No. 45770110 Grey

Master Box qty 3

Material: Metal

IP20, Class 1

L: 28,5 cm, D: 15 cm, Shade Ø: 8,6 cm,

Base mount: 26,0 x 3,7 cm,

Cable: Excl. cable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D

Eik SPOT

No. 45780101 White
No. 45780110 Grey

Master Box qty 3

Material: Metal

IP20, Class 1


L: 45 cm, D: 15 cm, Shade Ø: 8,6 cm,

Base mount: 45 x 3,7 cm,

Cable: Excl. cable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D



NEW

Parson WALL

No. 47101003 Black/Opal white - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 15 cm, D: 23 cm, Shade Ø: 11,5 cm,

Base mount: Ø8,5 cm,

Textile cable: 180 cm non replaceable

Switch on the cable

E14, Max. 25W, Excl. light source

Fixture energy class A++ - D

NEW

Parson SPOT

No. 47110003 Black/Opal white

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

L: 36,5 cm, D: 25,5 cm,

Shade Ø: 11,5 cm, Base mount: Ø9 cm,

Cable: Excl. cable

E14, Max. 2X25W, Excl. light source

Fixture energy class A++ - D

NEW

Parson SPOT

No. 47120003 Black/Opal white

Master Box qty 3

Material: Glass/Metal

IP20, Class 2



L: 52,5 cm, D: 25,5 cm,

Shade Ø: 11,5 cm, Base mount: Ø9 cm,

Cable: Excl. cable

E14, Max. 3X25W, Excl. light source

Fixture energy class A++ - D



NEW

Pop wall

No. 45841001 White - White cable
 No. 45841003 Black - Black cable
 No. 45841006 Light blue - White cable
 No. 45841023 Green - White cable
 No. 45841050 Anthracite - White cable

Master Box qty 3
 Material: Metal
 IP20, Class 2
 H: 20 cm, W: 15,5 cm, D: 19 cm,
 Shade Ø: 15,5 cm, Pipe Ø: 1,3 cm,
 Base mount: Ø 11 cm,
 Cable: 180 cm replaceable
 Switch on the cable
 E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Pop PENDANT

No. 45833001 White - White cable
 No. 45833003 Black - Black cable
 No. 45833006 Light blue - White cable
 No. 45833023 Green - White cable
 No. 45833050 Anthracite - White cable

Master Box qty 3
 Material: Metal
 IP20, Class 2
 H: 23 cm, Shade Ø: 21,5 cm,
 Cable: 200 cm non replaceable
 E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Pop Maxi PENDANT

No. 45983001 White - White cable
 No. 45983003 Black - Black cable

Master Box qty 2
 Material: Metal
 IP20, Class 2
 H: 28,5 cm, Shade Ø: 35 cm,
 Cable: 200 cm non replaceable
 E27, Max. 60W, Excl. light source

Fixture energy class A++ - D







Vanila TABLE

No. 72695001 White - White cable
No. 72695003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 44 cm, Shade Ø: 14,5 cm,
Shade H: 23 cm, Pipe Ø: 1 cm,
Base: 18 cm

Cable: 200 cm non replaceable

Switch on the fixture

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D

Vanila FLOOR

No. 72704001 White - Clear cable
No. 72704003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 129 cm, Shade Ø: 14,5 cm,
Shade H: 23 cm, Pipe Ø: 1,5 cm,
Base: 24 cm

Cable: 210 cm non replaceable

Switch on the fixture

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D

Vanila WALL

No. 72711001 White - Clear cable
No. 72711003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 17 cm, W: 14,5 cm, D: 28,5 cm,
Shade Ø: 14,5 cm, Base mount: Ø 9.5 cm,
Cable: 210 cm replaceable

Switch on the fixture

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D



Cyclone WALL

No. 72991001 White
No. 72991003 Black

Master Box qty 6
Material: Metal
IP20, Class 1
H: 37 cm,
W: 12,5 cm, D: 37 cm, Shade Ø: 11 cm,
Pipe Ø: 1,1 cm, Base mount: Ø12,5 cm,
Cable: Excl. cable
Switch on the fixture
E14, Max. 15W, Excl. light source

Fixture energy class A++ - A

Cyclone TABLE

No. 73065001 White - White cable
No. 73065003 Black - Black cable

Master Box qty 3
Material: Metal
IP20, Class 2
H: 33 cm, Shade Ø: 11 cm, Flex
arm: 8,7 cm, Shade H: 14 cm,
Pipe Ø: 1,4 cm, Base: 15 cm
Cable: 155 cm non replaceable
Switch on the cable
E14, Max. 15W, Excl. light source

Fixture energy class A++ - A

Cyclone CLAMP SPOT

No. 73072001 White - White cable
No. 73072003 Black - Black cable

Master Box qty 3
Material: Metal
IP20, Class 2
H: 27 cm, Shade Ø: 11 cm, Flex
arm: 16 cm, Shade H: 17 cm,
Cable: 200 cm non replaceable
Switch on the cable
E14, Max. 15W, Excl. light source

Fixture energy class A++ - A



Siv TABLE

No. 45875001 White - White cable
 No. 45875003 Black - Black cable
 No. 45875023 Green - Black cable

Master Box qty 3

Material: Marble

IP20, Class 2

H: 10,3 cm, Ø: 6 cm,

Cable: 180 cm non replaceable

Switch on the cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Siv PENDANT

No. 45883001 White - White cable
 No. 45883003 Black - Black cable
 No. 45883023 Green - Black cable

Master Box qty 3

Material: Marble

IP20, Class 1

H: 10 cm, Ø: 6 cm,

Textile cable: 270 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Siv TABLE

No. 45895001 White/Clear - White cable
 No. 45895003 Black/Clear - Black cable
 No. 45895023 Green/Clear - Black cable

Master Box qty 3

Material: Marble/Glass

IP20, Class 2

H: 23 cm, Ø: 12 cm, Shade Ø: 9,8 cm,

Cable: 150 cm non replaceable

Switch on the cable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Break WALL

No. 19861003 Black - Clear cable

Master Box qty 3

Material: Metal/Plastic

IP20, Class 2

H: 34 cm, W: 29 cm, D: 53 cm, Shade Ø: 29 cm,

Pipe Ø: 1,2 cm, Base mount: Ø12 cm,

Cable: 170 cm non replaceable

Switch on the fixture

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Break FLOOR

No. 19874003 Black - Clear cable

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

H: 158 cm, Shade Ø: 44 cm, Shade H: 29 cm, Pipe Ø: 2 cm,

Base: 25,5 cm

Cable: 200 cm non replaceable

Switch on the cable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



NEW

Mason WALL

No. 47131001 White/Frosted glass -
White cable

No. 47131003 Black/Frosted glass - Black
cable

Master Box qty 3

Material: Plastic
IP20, Class 2

H: 56 cm, D: 35 cm, Shade Ø: 10 cm, Flex
arm: 25 cm, Base mount: 7 x 14,5 cm,
Cable: 180 cm replaceable

Switch on the cable

Fixed LED, Max. 5W LED, Incl. 5W LED,
Incl. 3-step dimmer

5 year LED guarantee

Light source: Lumen 360, Kelvin 3.000,
Candela 125, Life hours 30.000, RA 80,
Beam angle 120°, Dimmable

Fixture energy class A++ - A

NEW

Mercer TABLE

No. 46665001 White - White cable

No. 46665003 Black - Black cable

Master Box qty 3

Material: Metal
IP20, Class 2

H: 45 cm, Shade Ø: 15 cm, Base: 15 cm
Textile cable: 160 cm non replaceable

Switch on the cable

E14, Max. 10W, Excl. light source

Fixture energy class A++ - B

NEW

Halifax TABLE

No. 47635001 White/Opal white - Black
cable

Master Box qty 3

Material: Plastic
IP44, Class 3

H: 24,5 cm, Ø: 19,2 cm,

Cable: 120 cm

Fixed LED, Incl. 4W LED

5 year LED guarantee

Light source: Lumen 200, Kelvin
2.700, Life hours 20.000, RA 80,
Beam angle 230°, Not dimmable

Fixture energy class A++ - A



Photo SPOT

No. 59372029 Aluminium - Black cable

Master Box qty 6

Material: Metal

IP20, Class 2

H: 16 cm, D: 29 cm, Shade Ø: 9,5 cm,
Shade H: 16 cm,

Cable: 200 cm non replaceable

Switch on the cable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D

Dove TABLE

No. 84593103 Black - Black cable

Master Box qty 3

Material: Plastic/Metal

IP20, Class 2

H: 36,5 cm, Shade Ø: 10,5 cm,
Base: 14,3 cm

Cable: 160 cm non replaceable

Switch on the fixture

Fixed LED, Incl. 5.4W LED

5 year LED guarantee

Light source: Lumen 340, Kelvin
3.000, Life hours 20.000, RA 80,
Beam angle 100°, Not dimmable

Fixture energy class A++ - A

Lelio FLOOR

No. 75554003 Black - Black cable

Master Box qty 2

Material: Metal/Textile

IP20, Class 2

H: 155 cm, Shade Ø: 16 cm, Flex
arm: 30 cm, Shade H: 16 cm,

Pipe Ø: 1,5 cm, Base: 23 cm

Cable: 180 cm non replaceable

Switch on the cable

E14, Max. 2X40W, Excl. light source

Fixture energy class A++ - D

Pendants

Circus



Circus means circle and evokes memories of childhood circus performances, where fascination and ease were keywords. The clear, beautiful circular shapes have given the light fixture both its name and identity. The light fixture's simplicity leaves a little to the imagination and unites the soft curves and the tight expression elegantly. Circus consists of two pendant sizes, available in four colours; black, white, rose and petrol - which means the light fixture will look great in any decor.



**NEW**

Circus 21 PENDANT

No. 46403001 White - White cable
 No. 46403003 Black - Black cable
 No. 46403006 Blue - White cable
 No. 46403057 Rose - White cable

Master Box qty 3

Material: Metal

IP20, Class 2

Shade Ø: 21 cm, Shade H: 26.5 cm,

Textile cable: 300 cm non replaceable
 E27, Max. 40W, Excl. light source

Fixture energy class A++ - D

NEW

Circus 27 PENDANT

No. 46413001 White - White cable
 No. 46413003 Black - Black cable
 No. 46413006 Blue - White cable
 No. 46413057 Rose - White cable

Master Box qty 3

Material: Metal

IP20, Class 2

Shade Ø: 27 cm, Shade H: 30.5 cm,

Textile cable: 300 cm non replaceable
 E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



**NEW**

Skip 35 PENDANT

No. 46333001 White/Opal white - White cable
 No. 46333003 Black/Opal white - Black cable

Master Box qty 3

Material: Metal/Acrylic

IP20, Class 2

Shade Ø: 35 cm, Shade H: 17.3 cm,

Textile cable: 300 cm non replaceable

Fixed LED, Incl. 14W LED

5 year LED guarantee

Light source: Lumen 1.230, Kelvin 3.000, Life hours 30.000,

RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

NEW

Skip 57 PENDANT

No. 46343001 White/Opal white - White cable
 No. 46343003 Black/Opal white - Black cable

Master Box qty 1

Material: Metal/Acrylic

IP20, Class 2

Shade Ø: 57,8 cm, Shade H: 20 cm,

Textile cable: 300 cm non replaceable

Fixed LED, Incl. 14W LED

5 year LED guarantee

Light source: Lumen 1.230, Kelvin 3.000, Life hours 30.000,

RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A



NEW

Tribeca 24 PENDANT

No. 46423003 Black - Black cable

No. 46423014 Nature (brown) - Black cable

Master Box qty 3

Material: Wood/Plastic

IP20, Class 2

Shade Ø: 24 cm, Shade H: 30 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW

Tribeca 38 PENDANT

No. 46433003 Black - Black cable

No. 46433014 Nature (brown) - Black cable

Master Box qty 3

Material: Wood/Plastic

IP20, Class 2

Shade Ø: 38 cm, Shade H: 30 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



NEW

Ames PENDANT

No. 46533001 White - White cable
No. 46533003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 1

Shade Ø: 30 cm, Shade H: 33 cm,

Cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D

NEW

Kingston PENDANT

No. 46543001 White - White cable
No. 46543003 Black - Black cable

Master Box qty 3

Material: Metal


IP20, Class 1

H: 25 cm, Shade Ø: 30 cm,

Cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



NEW

Houston PENDANT

No. 46443003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 23 cm, Shade Ø: 30 cm,

Cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Black inside

Fixture energy class A++ - D

NEW

Houston PENDANT

No. 46453003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 24 cm, Shade Ø: 18 cm,

Cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Black inside

Fixture energy class A++ - D







NEW

Dillon PENDANT

No. 46473047 Smoked - Black cable

Master Box qty 3

Material: Glass

IP20, Class 2

H: 27,5 cm, Shade Ø: 20 cm,

Cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW

New York PENDANT

No. 46393001 White - White cable

No. 46393003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 1

H: 36 cm, Shade Ø: 16 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Embla PENDANT

No. 45703001 White - White cable
 No. 45703027 Amber - Black cable
 No. 45703047 Smoked - Black cable
 No. 45703054 Silver - Black cable
 No. 45703058 Gold color - Black cable

Master Box qty 3
 Material: Glass
 IP20, Class 2
 H: 30,5 cm, Shade Ø: 10 cm,
 Textile cable: 300 cm non replaceable
 E27, Max. 40W, Excl. light source

Fixture energy class A++ - D

Alrun PENDANT

No. 45263000 Clear - Black cable
 No. 45263027 Amber - Black cable
 No. 45263047 Smoked - Black cable

Master Box qty 2
 Material: Glass
 IP20, Class 2
 H: 20 cm, Shade Ø: 26 cm,
 Cable: 300 cm non replaceable
 E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Disa PENDANT

No. 45823000 Clear - Black cable
 No. 45823027 Amber - Black cable

Master Box qty 3
 Material: Glass
 IP20, Class 2
 H: 21,5 cm, Shade Ø: 18,5 cm,
 Cable: 300 cm non replaceable
 E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

**NEW****Chrystie 17 PENDANT**

No. 46493047 Smoked - Black cable

Master Box qty 3

Material: Glass/Wood

IP20, Class 1

H: 20,9 cm, Shade Ø: 17 cm,

Shade H: 14.9 cm,

Cable: 300 cm non replaceable

GU10, Max. 11W, Excl. light source

Fixture energy class A++ - A

NEW**Chrystie 20 PENDANT**

No. 46503047 Smoked - Black cable

Master Box qty 3

Material: Glass/Wood

IP20, Class 1

H: 19,7 cm, Shade Ø: 20 cm,

Shade H: 14 cm,

Cable: 300 cm non replaceable

GU10, Max. 11W, Excl. light source

Fixture energy class A++ - A

NEW**Chrystie 24 PENDANT**

No. 46513047 Smoked - Black cable

Master Box qty 3

Material: Glass/Wood

IP20, Class 1

H: 17,5 cm, Shade Ø: 24 cm,

Shade H: 11.4 cm,

Cable: 300 cm non replaceable

GU10, Max. 11W, Excl. light source

Fixture energy class A++ - A

**NEW****Step 17 PENDANT**

No. 46353003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

Shade Ø: 17 cm, Shade H: 20 cm,

Textile cable: 300 cm non replaceable
E27, Max. 40W, Excl. light source

Fixture energy class A++ - D

NEW**Step 27 PENDANT**

No. 46363003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

Shade Ø: 27 cm, Shade H: 20 cm,

Textile cable: 300 cm non replaceable
E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

NEW**Step 36 PENDANT**

No. 46373003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

Shade Ø: 36,5 cm, Shade H: 20 cm,

Textile cable: 300 cm non replaceable
E27, Max. 60W, Excl. light source

Fixture energy class A++ - D







Groa 30 PENDANT

No. 45683014 Nature (brown) - Black cable

Master Box qty 3

Material: Wood

IP20, Class 2

H: 35,5 cm, Shade Ø: 31 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Groa 40 PENDANT

No. 45693014 Nature (brown) - Black cable

Master Box qty 3

Material: Wood

IP20, Class 2

H: 47 cm, Shade Ø: 41,5 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Chino 25 PENDANT

No. 84823014 Nature (brown) - Black cable

Master Box qty 3

Material: Wood

IP20, Class 2

H: 23 cm, Shade Ø: 25 cm,

Textile cable: 250 cm non replaceable
E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Chino 30 PENDANT

No. 84833014 Nature (brown) - Black cable

Master Box qty 3

Material: Wood

IP20, Class 2

H: 26 cm, Shade Ø: 30 cm,

Textile cable: 250 cm non replaceable
E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Chino 40 PENDANT

No. 84843014 Nature (brown) - Black cable

Master Box qty 3

Material: Wood

IP20, Class 2

H: 34 cm, Shade Ø: 40 cm,

Textile cable: 250 cm non replaceable
E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Lyne PENDANT

No. 84813003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 20 cm, Shade Ø: 29 cm,

Textile cable: 250 cm non replaceable
E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Trude PENDANT

No. 45713001 White - White cable

No. 45713003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 22,5 cm, Shade Ø: 21,5 cm,

Cable: 300 cm non replaceable
E27, Max. 42W, Excl. light source

Fixture energy class A++ - D

Anniversary PENDANT

No. 76633001 White - White cable

No. 76633003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2



H: 16 cm, Shade Ø: 35 cm,

Shade H: 16 cm,

Cable: 210 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Eldr 25 PENDANT

No. 45803001 White - White cable
No. 45803003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 30 cm, Shade Ø: 24 cm,

Cable: 300 cm non replaceable

E27, Max. 42W, Excl. light source

Fixture energy class A++ - D

Eldr 30 PENDANT

No. 45813001 White - White cable
No. 45813003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 33 cm, Shade Ø: 29 cm,

Cable: 300 cm non replaceable

E27, Max. 42W, Excl. light source

Fixture energy class A++ - D

Bretagne PENDANT

No. 39489901 White - White cable

Master Box qty 3

Material: Metal

IP20, Class 1

H: 17 cm, Shade Ø: 38 cm,

Shade H: 17 cm,

Cable: 200 cm non replaceable

G9, Max. 40W, Excl. light source

Fixture energy class A++ - D



NEW

Milford 20 PENDANT

No. 46573001 Opal white - White cable

Master Box qty 3

Material: Glass

IP20, Class 2

H: 33,5 cm, Shade Ø: 20 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D

NEW

Milford 30 PENDANT

No. 46583001 Opal white - White cable

Master Box qty 2

Material: Glass

IP20, Class 2

H: 22,7 cm, Shade Ø: 30 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D





Tees PENDANT

No. 84863003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 34 cm, Shade Ø: 29 cm,

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Aire PENDANT

No. 84873003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 34 cm, Shade Ø: 28 cm,

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Esk PENDANT

No. 84883003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 27 cm, Shade Ø: 36 cm,

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Avra PENDANT

No. 84800003 Black/Chrome - Black cable

No. 84800025 Brass - Black cable

No. 84800030 Copper - Black cable

No. 84800033 Chrome - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 10,2 cm, Ø: 5,1 cm,

Textile cable: 200 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Cafe 15 PENDANT

No. 39553001 Opal white - Clear cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 28 cm, Shade Ø: 15 cm, Shade H: 15 cm,

Cable: 180 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



Cafe 20 PENDANT

No. 39563001 Opal white - Clear cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 33 cm, Shade Ø: 20 cm, Shade H: 20 cm,

Cable: 180 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Cafe 25 PENDANT

No. 39573001 Opal white - Clear cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 38 cm, Shade Ø: 25 cm, Shade H: 25 cm,

Cable: 180 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Cafe 30 PENDANT

No. 39583001 Opal white - Clear cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 44 cm, Shade Ø: 30 cm, Shade H: 30 cm,

Cable: 180 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Ripasso 15 PENDANT

No. 18443001 White - Clear cable
No. 18443002 Red - Clear cable

Master Box qty 3

Material: Glass

IP20, Class 2

H: 41 cm, Shade Ø: 15 cm,

Shade H: 37 cm,

Cable: 200 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Egg PENDANT

No. 84913001 White/Opal white - White cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 32 cm, Shade Ø: 20 cm,

Textile cable: 200 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - C

Trumpet PENDANT

No. 84903001 White/Opal white - White cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 35 cm, Shade Ø: 25,5 cm,

Textile cable: 200 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - C



Read 14 PENDANT

No. 73153010 Opal white - White cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 18 cm, Shade Ø: 14 cm,

Textile cable: 180 cm non replaceable

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D

Read 20 PENDANT

No. 73163001 White - White cable

No. 73163002 Red - Black cable

No. 73163003 Black - Red cable

No. 73163010 Opal white - White cable

Master Box qty 3

Material: Metal - Glass/Metal


IP20, Class 2

Shade Ø: 20 cm, Shade H: 22 cm,

Textile cable: 180 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Rispapir 35 PENDANT

No. 14093501 White

Master Box qty 12

Material: Paper

IP20, H: 35 cm, Shade Ø: 35 cm,
Shade H: 35 cm,

Cable: Excl. cable non replaceable
Max. 60W

Rispapir 40 PENDANT

No. 14094001 White

Master Box qty 12

Material: Paper

IP20, H: 40 cm, Shade Ø: 40 cm,
Shade H: 40 cm,

Cable: Excl. cable non replaceable
Max. 60W

We suggest used together with
suspension 010001

Rispapir 48 PENDANT

No. 14094801 White

Master Box qty 12

Material: Paper

IP20, H: 48 cm, Shade Ø: 48 cm,
Shade H: 48 cm,

Cable: Excl. cable non replaceable
Max. 60W

We suggest used together with
suspension 010001



Turid 8 PENDANT

No. 45853027 Amber - Black cable

Master Box qty 3

Material: Glass

IP20, Class 2

H: 34 cm, Shade Ø: 8 cm,

Textile cable: 300 cm non replaceable
G9, Max. 8W, Excl. light source

Fixture energy class A++ - A

Turid 10 PENDANT

No. 45863027 Amber - Black cable

Master Box qty 3

Material: Glass

IP20, Class 2

H: 29,5 cm, Shade Ø: 9,8 cm,

Textile cable: 300 cm non replaceable
G9, Max. 8W, Excl. light source

Fixture energy class A++ - A

Discos 39 PENDANT

No. 76799910 Opal white/Opal white -
White cable

Master Box qty 3

Material: Glass/Plastic

IP20, Class 2

H: 21,5 cm, Shade Ø: 39 cm,

Shade H: 9 cm,

Textile cable: 250 cm non replaceable
G9, Max. 40W, Excl. light source

Fixture energy class A++ - D



Pendant Suspension ACCESSORIES

No. 0100001 White - White cable

Master Box qty 12

Material: Plastic

IP20, Class 2

L: 200 cm,

Cable: 200 cm

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

Spiral Suspension ACCESSORIES

No. 0140001 White - White cable

Master Box qty 1

Material: Plastic



IP20, Class 2

L: 137 cm, Ø: 9 cm,

Cable: 120 cm

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Cable 4m ACCESSORIES

No. 73059901 White - White cable

No. 73059902 Red - Red cable

No. 73059903 Black - Black cable

Master Box qty 6

Material: Textile

Class 2

L: 400 cm,

Textile cable: 400 cm

Cable 25m ACCESSORIES

No. 73049901 White - White cable

No. 73049902 Red - Red cable

No. 73049903 Black - Black cable

No. 73049913 Black/White - Black/White cable

Master Box qty 1

Material: Textile

Class 2

Cable: 2500 cm replaceable

Fixit ACCESSORIES

No. 0130032 Brushed steel

Master Box qty 12



Material: Metal

H: 4,9 cm, Ø: 1,8 cm,

Cable: Excl. cable

Excl. light source

Spots

**NEW**

Chicago SPOT

No. 47440032 Brushed steel

Master Box qty 3

Material: Metal

IP20, Class 1

H: 10 cm, W: 8 cm, D: 14 cm,

Cable: Excl. cable

GU10, Max. 10W, Incl. 4,6W GU10

Light source: Lumen 345, Kelvin
2.700, Life hours 50.000, RA 80,

Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A

NEW

Chicago SPOT

No. 47450032 Brushed steel

Master Box qty 3

Material: Metal

IP20, Class 1

W: 10 cm, L: 35 cm, D: 16,8 cm,

Cable: Excl. cable

GU10, Max. 10W, Incl. 2X4,6W GU10

Light source: Lumen 2X345, Kelvin
2.700, Life hours 50.000, RA 80,

Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A

NEW

Chicago SPOT

No. 47460032 Brushed steel

Master Box qty 3

Material: Metal

IP20, Class 1

W: 12 cm, L: 64,5 cm, D: 16,8 cm,

Cable: Excl. cable



GU10, Max. 10W, Incl. 2X4,6W GU10

Light source: Lumen 2X345, Kelvin
2.700, Life hours 50.000, RA 80,

Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A



Alfdis SPOT

No. 45560133 Chrome/White - Clear cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 11 cm, D: 12 cm, Shade Ø: 6 cm,

Pipe Ø: 1,3 cm, Base mount: Ø8 cm,

Cable: 190 cm replaceable

Switch on the fixture

Fixed LED, Incl. 4W LED

5 year LED guarantee

Light source: Lumen 250, Kelvin 2.700, Life hours 20.000, RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A

Alfdis SPOT

No. 45570133 Chrome/White - Clear cable

Master Box qty 3

Material: Metal

IP20, Class 2

L: 57,4 cm, D: 12 cm, Shade Ø: 6 cm,

Pipe Ø: 1,3 cm,

Cable: 190 cm non replaceable

Fixed LED, Incl. 2X4W LED

5 year LED guarantee

Light source: Lumen 2X250, Kelvin

2.700, Life hours 20.000, RA 80,

Beam angle 120°, Not dimmable

Fixture energy class A++ - A

Alfdis SPOT

No. 45580133 Chrome/White - Clear cable

Master Box qty 3

Material: Metal

IP20, Class 2

L: 102,3 cm, D: 12 cm, Shade Ø: 6 cm,

Pipe Ø: 1,3 cm,

Cable: 190 cm non replaceable

Fixed LED, Incl. 3X4W LED

5 year LED guarantee

Light source: Lumen 3X250, Kelvin

2.700, Life hours 20.000, RA 80,

Beam angle 120°, Not dimmable

Fixture energy class A++ - A



Mainroad WALL

No. 20649933 Chrome - Clear cable

Master Box qty 6

Material: Metal

IP20, Class 2

H: 10 cm, W: 10 cm, D: 12,5 cm,

Shade Ø: 5,5 cm, Base mount: Ø 8,5 cm,

Cable: 200 cm replaceable

Switch on the fixture

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D

Mainroad WALL

No. 20659933 Chrome - Clear cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 10 cm,

L: 36 cm, D: 12,5 cm, Shade Ø: 5,5 cm,

Base mount: 28,5 x 5 cm,

Cable: 200 cm non replaceable

Switch on the fixture

GU10, Max. 2X35W, Excl. light source

Fixture energy class A++ - D

Mainroad SPOT

No. 20689933 Chrome

Master Box qty 3

Material: Metal

IP20, Class 1

W: 9 cm, L: 86 cm, D: 15 cm,

Shade Ø: 5,5 cm, Base mount: 81X5 cm,

Cable: Excl. cable

GU10, Max. 4X35W, Excl. light source

Fixture energy class A++ - D



Mainroad SPOT

No. 20679933 Chrome - Clear cable

Master Box qty 3

Material: Metal


IP20, Class 2

L: 102 cm, D: 12,5 cm, Shade Ø: 5,5 cm,

Cable: Excl. cable

GU10, Max. 3X35W, Excl. light source

Fixture energy class A++ - D



Mainroad SPOT

No. 20759933 Chrome - Clear cable

Master Box qty 3

Material: Metal


IP20, Class 2

L: 57 cm, D: 12,5 cm, Shade Ø: 5,5 cm,

Cable: Excl. cable non replaceable

GU10, Max. 2X35W, Excl. light source

Fixture energy class A++ - D



Mainroad SPOT

No. 20769933 Chrome

Master Box qty 3

Material: Metal

IP20, Class 1

L: 180 cm, D: 17 cm, Shade Ø: 5,5 cm,

Base mount: Ø11 cm,

Cable: Excl. cable

GU10, Max. 6X35W, Excl. light source

Fixture energy class A++ - D



Explore WALL

No. 72091001 White - Clear cable
No. 72091003 Black - Clear cable

Master Box qty 6

Material: Metal

IP20, Class 2

H: 8 cm, W: 5,5 cm, D: 14 cm,
Shade Ø: 5,5 cm, Pipe Ø: 1,3 cm,
Base mount: Ø8 cm,
Cable: 200 cm replaceable

Switch on the fixture

GU10, Max. 7W, Incl. 3W LED SMD

Light source: Lumen 200, Kelvin 2.700,
Candela 90, Life hours 25.000, RA 80,
Beam angle 110°, Not dimmable

Light source energy class A+
Fixture energy class A++ - A

Explore WALL

No. 74811001 White - Clear cable
No. 74811003 Black - Clear cable

Master Box qty 6

Material: Metal

IP20, Class 2

H: 12 cm, W: 8 cm, D: 24 cm,
Shade Ø: 5,5 cm, Flex arm: 21,5 cm,
Pipe Ø: 1 cm, Base mount: Ø8 cm,
Cable: 200 cm replaceable

Switch on the fixture

GU10, Max. 7W, Incl. 3W LED SMD

Light source: Lumen 200, Kelvin 2.700,
Candela 90, Life hours 25.000, RA 80,
Beam angle 110°, Not dimmable

Light source energy class A+
Fixture energy class A++ - A

Explore SPOT

No. 74830001 White
No. 74830003 Black

Master Box qty 3

Material: Metal

IP20, Class 1

H: 16,5 cm, L: 48 cm, D: 16,5 cm,
Shade Ø: 5,5 cm, Pipe Ø: 1,6 cm,
Base mount: Ø9 cm,
Cable: Excl. cable

GU10, Max. 3X7W, Incl. 3X3W LED

Light source: Lumen 3X200, Kelvin 2.700,
Candela 90, Life hours 25.000, RA 80,
Beam angle 110°, Not dimmable

Light source energy class A+
Fixture energy class A++ - A



Avenue LED WALL

No. 76551132 Brushed steel

Master Box qty 6

Material: Metal

IP20, Class 1

H: 10 cm, W: 8 cm, D: 13 cm,

Shade Ø: 3,8 cm, Base mount: Ø8 cm,

Cable: Excl. cable

GU10, Max. 3W, Incl. 3W LED

Light source: Kelvin 3.000,

Life hours 15.000, RA 80,

Beam angle 120°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D



Avenue WALL

No. 73561132 Brushed steel

Master Box qty 3

Material: Metal

IP20, Class 1

L: 38,5 cm, D: 12 cm,

Base mount: Ø9 cm,

Cable: Excl. cable

GU10, Max. 2X28W, Incl. 2X3W LED

Light source: Lumen 2X Kelvin

3.000, Life hours 15.000, RA 80,

Beam angle 120°, Not dimmable

Light source energy class A+



Avenue LED SPOT

No. 76570132 Brushed steel

Master Box qty 3

Material: Metal

IP20, Class 1

L: 56,5 cm, D: 13 cm, Shade Ø: 3,8 cm,

Base mount: Ø8,5 cm,

Cable: Excl. cable

GU10, Max. 3X35W, Incl. 3X3W LED


Light source: Lumen 3X Kelvin

3.000, Life hours 15.000, RA 80,

Beam angle 120°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D



NEW

Avenue SPOT

No. 47490032 Brushed steel

Master Box qty 2

Material: Metal

IP20, Class 2

L: 119 cm, D: 13 cm, Shade Ø: 3,8 cm,

Base mount: Ø9 cm,

Cable: Excl. cable

GU10, Max. 6X35W, Incl. 6X3W LED

Light source: Lumen 6X230, Kelvin

3.000, Life hours 15.000, RA 80,

Beam angle 120°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D

Avenue LED SPOT

No. 76560132 Brushed steel

Master Box qty 3

Material: Metal

IP20, Class 1

D: 13 cm, Shade Ø: 3,8 cm,

Base mount: Ø25 cm,

Cable: Excl. cable

GU10, Max. 3X3W, Incl. 3X3W LED

Light source: Lumen 3X Kelvin

3.000, Life hours 15.000, RA 80,

Beam angle 120°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D

Drop WALL

No. 320130 Black - White cable

No. 320131 White - White cable

Master Box qty 3

Material: Aluminium

IP20, Class 2

D: 51,7 cm, Shade Ø: 3,5 cm, Flex

arm: 32 cm, Base mount: Ø 5,5 cm,

Cable: 180 cm replaceable

Switch on the fixture

Fixed LED, Incl. 3W LED

5 year LED guarantee

Light source: Lumen 130, Kelvin 3.000,

Candela 500, Life hours 20.000, RA 80,

Beam angle 120°, Not dimmable

Fixture energy class A++ - A



Eye wall

No. 302763 Anthracite - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 11,5 cm, D: 16 cm, Shade Ø: 12 cm,

Base mount: Ø 7,3 cm,

Cable: 180 cm replaceable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D



Fez TABLE

No. 86165001 White - White cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 48 cm, Shade Ø: 9 cm,

Pipe Ø: 1,15 cm, Base: 13,8 cm

Cable: 175 cm non replaceable

Switch on the fixture

GU10, Max. 25W, Excl. light source,

Incl. Rotate dimmer

Fixture energy class A++ - D



Sleeky wall

No. 86151001 White/Mattwhite - White cable

Master Box qty 3

Material: Aluminium/Plastic

IP20, Class 2

H: 19,5 cm, D: 20 cm, Shade Ø: 9 cm,

Base mount: Ø9 cm,

Cable: 175 cm replaceable

Switch on the fixture

Fixed LED, Incl. 4W LED

5 year LED guarantee

Light source: Lumen 200, Kelvin

3.000, Life hours 20.000, RA 80,

Beam angle 130°, Dimmable

Fixture energy class A++ - A



Mento TABLE

No. 75525001 White - Black cable

No. 75525003 Black - Black cable

Master Box qty 6

Material: Metal

IP20, Class 3

H: 37 cm, Shade Ø: 3,5 cm, Flex arm: 40 cm, Shade H: 8 cm,
Base: 11 cm

Cable: 180 cm non replaceable

Switch on the fixture

Fixed LED, Incl. 3W LED

5 year LED guarantee

Light source: Lumen 130, Kelvin 3.000, Candela 500,
Life hours 30.000, RA 80, Beam angle 60°, Not dimmable

Fixture energy class A++ - A

Mento WALL

No. 75531001 White - White cable

No. 75531003 Black - Black cable

Master Box qty 6

Material: Metal

IP20, Class 2

H: 30 cm, W: 5 cm, D: 19 cm, Shade Ø: 3,5 cm, Flex
arm: 23 cm, Base mount: 2 x 12 cm,

Cable: 180 cm replaceable

Switch on the fixture

Fixed LED, Incl. 3W LED

5 year LED guarantee

Light source: Lumen 130, Kelvin 3.000, Candela 500,
Life hours 30.000, RA 80, Beam angle 60°, Not dimmable

Fixture energy class A++ - A



Mento CLAMP SPOT

No. 75582001 White - Black cable
No. 75582003 Black - Black cable

Master Box qty 6

Material: Metal

IP20, Class 3

H: 40 cm, W: 6,5 cm, Shade Ø: 3,5 cm,

Flex arm: 30 cm, Shade H: 8 cm,

Cable: 180 cm non replaceable

Switch on the fixture

Fixed LED, Incl. 3W LED

5 year LED guarantee

Light source: Lumen 130, Kelvin 3.000,

Candela 500, Life hours 30.000, RA 80,

Beam angle 60°, Not dimmable

Fixture energy class A++ - A

Mento FLOOR

No. 75594003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 3

H: 140 cm, Shade Ø: 3,5 cm, Flex

arm: 38 cm, Shade H: 8 cm, Base: 25 cm

Cable: 180 cm non replaceable

Switch on the fixture

Fixed LED, Incl. 3W LED

5 year LED guarantee

Light source: Lumen 130, Kelvin 3.000,

Candela 500, Life hours 30.000, RA 80,

Beam angle 60°, Not dimmable

Fixture energy class A++ - A

Bath



Marina WALL BATH

No. 62329903 Black/Sandblasted
No. 62329933 Chrome/Sandblasted

Master Box qty 3
Material: Metal/Glass
IP44, Class 2
H: 14 cm,
W: 8,6 cm, D: 15 cm, Shade Ø: 5,5 cm,
Base mount: 5,5 x 5,5 cm,
Cable: Excl. cable non replaceable
G9, Max. 40W, Excl. light source

Fixture energy class A++ - D

Tangens WALL BATH

No. 17131032 Brushed steel/Opal white

Master Box qty 3
Material: Glass/Metal
IP44, Class 2
H: 18,5 cm, W: 6 cm, D: 9,5 cm,
Shade Ø: 6 cm, Base mount: 6 x 6 cm,
Cable: Excl. cable
E14, Max. 40W, Excl. light source

Fixture energy class A++ - D

Tangens WALL BATH


No. 17141029 Chrome/Opal white
No. 17141032 Brushed steel/Opal white

Master Box qty 3
Material: Glass/Metal
IP44, Class 2
H: 6 cm, W: 31 cm, D: 9,5 cm,
Shade Ø: 6 cm, Base mount: 6 x 6 cm,
Cable: Excl. cable
E14, Max. 2X25W, Excl. light source

Fixture energy class A++ - D



Outdoor



NEW

Akron 11 WALL

No. 46961003 Black/Opal white

Master Box qty 3

Material: Aluminium/Plastic

IP54, Class 1

H: 10,7 cm, W: 11,5 cm, D: 5,2 cm,

Base mount: 8,5 x 5,5 cm,

Cable: Excl. cable

Fixed LED, Incl. 2x3W LED

5 year LED guarantee

Light source: Lumen 2X244, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°,

Not dimmable

Fixture energy class A++ - A

NEW

Akron 17 WALL

No. 46971003 Black/Opal white

Master Box qty 3

Material: Aluminium/Plastic

IP54, Class 1

H: 10,7 cm, W: 17,5 cm, D: 5,2 cm,

Base mount: 14,5 x 5,5 cm,

Cable: Excl. cable

Fixed LED, Incl. 2x6W LED



5 year LED guarantee

Light source: Lumen 460, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°,

Not dimmable

Fixture energy class A++ - A



NEW

Flint WALL

No. 46941003 Black/Opal white

Master Box qty 3

Material: Aluminium/Plastic

IP54, Class 1

D: 5 cm, Shade Ø: 15 cm,

Cable: Excl. cable

Fixed LED, Incl. 10W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 468, Kelvin 3.000,

Life hours 20.000, RA 82, Beam angle 120°,

Not dimmable

Fixture energy class A++ - A

NEW

Flint WALL

No. 46951003 Black/Opal white

Master Box qty 3

Material: Aluminium/Plastic

IP54, Class 1

H: 15 cm, W: 15 cm, D: 5 cm,

Cable: Excl. cable

Fixed LED, Incl. 10W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 484, Kelvin 30.000,


Life hours 20.000, RA 81, Beam angle 120°,

Not dimmable

Fixture energy class A++ - A







Birk WALL

No. 45521001 White/Clear
No. 45521003 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic
IP44, Class 1

H: 17,2 cm, D: 15,5 cm, Ø: 9 cm,
Pipe Ø: 3 cm, Base mount: Ø 11 cm,
Cable: Excl. cable
GU10, Max. 28W, Excl. light source
Parallel connection possible

Fixture energy class A++ - D

Birk WALL

No. 45501001 White/Clear
No. 45501003 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic
IP44, Class 1

H: 23,5 cm, D: 15,5 cm, Ø: 9 cm,
Pipe Ø: 3 cm, Base mount: Ø 11 cm,
Cable: Excl. cable
GU10, Max. 2X28W, Excl. light source
Parallel connection possible

Fixture energy class A++ - D

Birk GARDEN

No. 45518001 White/Clear
No. 45518003 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic
IP44, Class 2

H: 80 cm, Ø: 9 cm, Base: 13,2 cm
Cable: Excl. cable
E27, Max. 40W, Excl. light source
Parallel connection possible

Fixture energy class A++ - D



Avon WALL

No. 84111003 Black

Master Box qty 3

Material: Metal

IP44, Class 1

H: 4 cm, W: 15 cm, D: 15 cm, Base mount: 3,7 x 14,7 cm,

Cable: Excl. cable

Fixed LED, Incl. 5W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 210, Kelvin 3.000, Life hours 25.000,

RA 80, Beam angle 180°, Not dimmable

Incl. base

Fixture energy class A++ - A

Avon GARDEN

No. 84128003 Black

Master Box qty 3

Material: Metal

IP44, Class 1

H: 45 cm, W: 4 cm, D: 15 cm,

Cable: Excl. cable

Fixed LED, Incl. 5W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 210, Kelvin 3.000, Life hours 25.000,

RA 80, Beam angle 180°, Not dimmable

Incl. base/spear

Fixture energy class A++ - A




Sensor: Adjustable sensor

Time 10 sec. - 4 min. Angle 90°

Lights 1 min.

Manual override mode min. 3 hours



Darwin WALL

No. 71971003 Black/Opal white

Master Box qty 3

Material: Aluminium

IP44, Class 1

H: 24 cm, W: 11 cm, D: 15 cm, Ø: 9 cm,

Base mount: Ø11 cm,

Cable: Excl. cable

E27, Max. 18W, Excl. light source

Parallel connection possible

Fixture energy class A++ - B

Darwin Sensor WALL

No. 71972003 Black/Opal white

Master Box qty 3

Material: Aluminium

IP44, Class 1

H: 24 cm, W: 11 cm, D: 16,5 cm,

Ø: 9 cm, Base mount: Ø11 cm,

Cable: Excl. cable

E27, Max. 18W, Excl. light source

Parallel connection possible

Fixture energy class A++ - B

Darwin GARDEN

No. 71988003 Black/Opal white

No. 71988031 Galvanized/Opal white

- 15 year anti corrosion guarantee

Master Box qty 3

Material: Aluminium - Galvanized steel

IP44, Class 2

H: 80 cm, Ø: 9 cm, Base: 13 cm


Cable: Excl. cable

E27, Max. 18W, Excl. light source

Parallel connection possible

Suitable for Base no. 22039931

Fixture energy class A++ - B



Phoenix WALL

No. 24381030 Copper/Satinated
No. 24381031 Galvanized/Satinated

Master Box qty 2

Material: Copper/Plastic - Galvanized
steel/Plastic

IP54, Class 2

H: 22 cm, D: 42,5 cm, Shade Ø: 39 cm,

Base mount: Ø 11,7 cm,

Cable: Excl. cable

E27, Max. 16W, Incl. 14W E27

Parallel connection possible

15 year anti corrosion guarantee

Light source: Lumen 799, Kelvin
2.700, Life hours 10.000, RA 80,
Beam angle 270°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D

Phoenix Mini WALL

No. 24421030 Copper/Satinated
No. 24421031 Galvanized/Satinated

Master Box qty 3

Material: Copper/Plastic - Galvanized
steel/Plastic

IP54, Class 2

H: 24 cm, D: 34,5 cm, Shade Ø: 30,5 cm,

Base mount: Ø11,5 cm,

Cable: Excl. cable

E27, Max. 16W, Incl. 14W E27

Parallel connection possible

15 year anti corrosion guarantee

Light source: Lumen 799, Kelvin
2.700, Life hours 10.000, RA 80,
Beam angle 270°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D

Phoenix Mini GARDEN

No. 24448030 Copper/Satinated
No. 24448031 Galvanized/Satinated

Master Box qty 3

Material: Copper/Plastic - Galvanized
steel/Plastic

IP54, Class 2

H: 113 cm, Shade Ø: 30,5 cm,

Pipe Ø: 5 cm, Base: 14,5 cm

Cable: Excl. cable

E27, Max. 16W, Incl. 14W E27



Parallel connection possible

15 year anti corrosion guarantee

Suitable for Base no. 22039931
Light source: Lumen 799, Kelvin
2.700, Life hours 10.000, RA 80,
Beam angle 270°, Not dimmable

Light source energy class A+


Fixture energy class A++ - D



Sensor: Pre-defined
sensor mode

100-110°, Lights for 1 minute

Manual override mode:
5 hours



Agger WALL

No. 74481031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 2

H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm,

Base mount: Ø 11 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

Agger sensor WALL

No. 74501031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 2

H: 20 cm, D: 29,5 cm, Shade Ø: 25,5 cm,

Base mount: Ø 11 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

Agger GARDEN

No. 74528031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 2

H: 83 cm, Shade Ø: 26 cm,

Pipe Ø: 3,8 cm, Base: 15 cm

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Suitable for Base no. 22039931

Fixture energy class A++ - D



Cardiff WALL

No. 74371003 Black/Clear

Master Box qty 3

Material: Aluminium/Glass

IP44, Class 1

H: 40 cm, W: 22,5 cm, D: 27 cm,

Base mount: 12,5 x 20 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Cardiff WALL

No. 74381003 Black/Clear

Master Box qty 3

Material: Aluminium/Glass

IP44, Class 1

H: 40 cm, W: 21 cm, D: 27 cm,

Base mount: 12,5 x 20 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



Cardiff GARDEN

No. 74398003 Black/Clear

Master Box qty 3

Material: Aluminium/Glass

IP44, Class 1

H: 100 cm, W: 21 cm, Shade Ø: 22 cm,

Pipe Ø: 4 cm, Base: 15 cm

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D



Mino WALL

No. 879623 Black

Master Box qty 2

Material: Aluminium

IP54, Class 1

D: 16 cm, Ø: 9 cm,

Base mount: Ø 8,7 cm,

Cable: Excl. cable

Fixed LED, Incl. 7W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 650, Kelvin 3.000,

Candela 326, Life hours 30.000, RA 80,

Beam angle 27°, Not dimmable

Fixture energy class A++ - A

Mino 45 GARDEN

No. 879723 Black

Master Box qty 2

Material: Aluminium

IP54, Class 1

H: 45 cm, Ø: 9 cm,

Cable: Excl. cable

Fixed LED, Incl. 7W LED

Parallel connection possible

Suitable for Base no. 22039931

5 year LED guarantee

Light source: Lumen 650, Kelvin 3.000,

Candela 326, Life hours 30.000, RA 80,

Beam angle 27°, Not dimmable

Fixture energy class A++ - A

Mino 70 GARDEN

No. 879823 Black

Master Box qty 2

Material: Aluminium

IP54, Class 1

H: 70 cm, Ø: 9 cm,

Cable: Excl. cable

Fixed LED, Incl. 7W LED

Parallel connection possible

Suitable for Base no. 22039931

5 year LED guarantee

Light source: Lumen 650, Kelvin 3.000,

Candela 326, Life hours 30.000, RA 80,

Beam angle 27°, Not dimmable

Fixture energy class A++ - A



Kinver WALL

No. 84181001 White
No. 84181003 Black

Master Box qty 3

Material: Metal

IP54, Class 1

H: 9 cm, W: 17,5 cm, D: 3 cm, Base mount: 14,5 x 5,5 cm,

Cable: Excl. cable

Fixed LED, Incl. 2x6W LED

5 year LED guarantee

Light source: Lumen 570, Kelvin 3.000, Life hours 25.000,

RA 80, Beam angle 120°, Not dimmable

Fixture energy class A++ - A

Tamar Clips WALL

No. 872223 Black

No. 872263 Anthracite

Master Box qty 3

Material: Metal/Plastic

IP44, Class 1

H: 23 cm, W: 21 cm, D: 5,2 cm,

Cable: Excl. cable

Fixed LED, Incl. 12W LED

Parallel connection possible

5 year LED guarantee


Light source: Lumen 500, Kelvin 3.000, Life hours 25.000,

RA 80, Beam angle 320°, Not dimmable


Fixture energy class A++ - A







Sensor: Pre-defined
sensor mode
100-110°, Lights for 1 minute
Manual override mode:
5 hours



Lønstrup 22 Sensor WALL

No. 71432031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP44, Class 1

H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm,

Pipe Ø: 1,9 cm, Base mount: Ø 9,4 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

Lønstrup 22 WALL

No. 71431003 Black/Clear

No. 71431031 Galvanized/Clear

- 15 year anti corrosion guarantee

Master Box qty 3

Material: Galvanized steel/Glass

IP44, Class 1

H: 26,5 cm, D: 26,5 cm, Shade Ø: 22 cm, Pipe Ø: 1,9 cm,


Base mount: Ø 9,4 cm,

Cable: Excl. cable



E27, Max. 60W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D



Sensor: Pre-defined
sensor mode
100-110°, Lights for 1 minute
Manual override mode:
5 hours



Lønstrup 32 Sensor WALL Lønstrup 32 WALL

No. 71412031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP44, Class 2

H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm,

Pipe Ø: 1,9 cm, Base mount: Ø 10,8 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

No. 71411001 White/Clear

No. 71411003 Black/Clear

No. 71411031 Galvanized/Clear

- 15 year anti corrosion guarantee

Master Box qty 3

Material: Galvanized steel/Glass

IP44, Class 2

H: 28,5 cm, D: 36 cm, Shade Ø: 32 cm,

Pipe Ø: 1,9 cm, Base mount: Ø 10,8 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D

Lønstrup 32 GARDEN

No. 71428001 White/Clear

No. 71428003 Black/Clear

No. 71428031 Galvanized/Clear

- 15 year anti corrosion guarantee

Master Box qty 3

Material: Galvanized steel/Glass

IP44, Class 2

H: 116 cm, Shade Ø: 32 cm,

Pipe Ø: 5 cm, Base: 15 cm

Cable: Excl. cable

E27, Max. 60W, Excl. light source


Parallel connection possible

Suitable for Base no. 22039931

Fixture energy class A++ - D



Sensor: Pre-defined
sensor mode
100-110°, Lights for 1 minute
Manual override mode:
5 hours



Vejers WALL

No. 25091001 White/Clear
No. 25091003 Black/Clear
No. 25091031 Galvanized/Clear
- 15 year anti corrosion guarantee
No. 25091034 Stainless steel/Clear

Master Box qty 3
Material: Galvanized steel/Glass -
Stainless steel/Glass
IP54, Class 1
H: 23 cm, D: 26 cm, Shade Ø: 22 cm,
Base mount: Ø 9.5 cm,
Cable: Excl. cable
E27, Max. 60W, Excl. light source
Parallel connection possible


Fixture energy class A++ - D

Vejers Sensor WALL

No. 25101003 Black/Clear
No. 25101031 Galvanized/Clear
- 15 year anti corrosion guarantee

Master Box qty 3
Material: Galvanized steel/Glass
IP54, Class 1
H: 23 cm, D: 26 cm, Shade Ø: 22 cm, Base mount: Ø 9.5 cm,
Cable: Excl. cable
E27, Max. 60W, Excl. light source
Parallel connection possible

Fixture energy class A++ - D



Vejers WALL

No. 74461031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1

H: 23 cm, D: 26 cm, Shade Ø: 22 cm,

Base mount: Ø 9,5 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

Vejers WALL

No. 74471003 Black/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1

H: 23 cm, D: 26 cm, Shade Ø: 22 cm,

Base mount: Ø 9,5 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D



Vejers GARDEN

No. 25118003 Black/Clear

No. 25118031 Galvanized/Clear

- 15 year anti corrosion guarantee

No. 25118034 Stainless steel/Clear

Master Box qty 3

Material: Galvanized steel/Glass - Stainless steel/Glass
IP54, Class 2

H: 92 cm, Shade Ø: 22 cm, Pipe Ø: 3,5 cm, Base: 15 cm

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

Suitable for Base no. 22039931

Fixture energy class A++ - D

Vejers 2M GARDEN

No. 25168031 Galvanized/Clear

Master Box qty 2

Material: Galvanized steel/Glass
IP54, Class 2

H: 215 cm, Shade Ø: 39 cm,

Pipe Ø: 7,4 cm, Base: 15 cm

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Suitable for Base no. 22039931

Adjustable height: 125-215 cm

Fixture energy class A++ - D



Aalborg 2002 WALL

No. 24621031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 2

H: 24 cm, D: 31 cm, Shade Ø: 28 cm, Base mount: Ø 11 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D



Aalborg 2002 GARDEN

No. 24728031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 2

H: 118 cm, Shade Ø: 27 cm, Pipe Ø: 5 cm, Base: 15 cm

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee


Suitable for Base no. 22039931

Fixture energy class A++ - D



Twilight switch
Turn on light Level:
<60 Lux
Turn off light Level:
<110 Lux

Sensor: Adjustable sensor
Time 5 sec. - 14 min.
Angle 120°
Manual override
mode min. 3 hours



NEW

Marina Flatline WALL

No. 46821001 White/Opal white
No. 46821003 Black/Opal white

Master Box qty 3
Material: Aluminium/Plastic
IP44, Class 1
H: 20 cm, W: 13,5 cm, D: 18 cm,
Base mount: 8,8 x 8,9 cm,
Cable: Excl. cable
Fixed LED, Incl. 10W LED
Parallel connection possible
5 year LED guarantee
Light source: Lumen 750, Kelvin
3.000, Life hours 25.000, RA 80,
Beam angle 120°, Not dimmable

Fixture energy class A++ - A

NEW

Marina Flatline WALL

No. 46831001 White/Opal white
No. 46831003 Black/Opal white

Master Box qty 3
Material: Aluminium/Plastic
IP44, Class 1
H: 20 cm, W: 13,5 cm, D: 18 cm,
Base mount: 8,8 x 8,9 cm,
Cable: Excl. cable
Fixed LED, Incl. 10W LED
Parallel connection possible
5 year LED guarantee
Light source: Lumen 750, Kelvin
3.000, Life hours 25.000, RA 80,
Beam angle 120°, Not dimmable

Fixture energy class A++ - A

NEW

Marina Flatline WALL

No. 46841001 White/Opal white
No. 46841003 Black/Opal white

Master Box qty 3
Material: Aluminium/Plastic
IP44, Class 1
H: 20 cm, W: 13,5 cm, D: 18 cm,
Base mount: 8,8 x 8,9 cm,
Cable: Excl. cable
Fixed LED, Incl. 10W LED
Parallel connection possible
5 year LED guarantee
Light source: Lumen 750, Kelvin
3.000, Life hours 25.000, RA 80,
Beam angle 120°, Not dimmable

Fixture energy class A++ - A



Arn WALL

No. 45471001 White/Clear
No. 45471003 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic
IP44, Class 1

H: 17,5 cm, W: 10,5 cm, D: 11 cm, Base mount: 9 x 12 cm,
Cable: Excl. cable

GU10, Max. 28W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D

Arn WALL

No. 45481001 White/Clear
No. 45481003 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic
IP44, Class 1

H: 22,5 cm, W: 10,5 cm, D: 11 cm, Base mount: 9 x 12 cm,
Cable: Excl. cable

GU10, Max. 2X28W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D





2A



Blokhus WALL

No. 25051031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1

H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base mount: Ø 9,7 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

Blokhus WALL

No. 25011003 Black/Clear

No. 25011030 Copper/Clear - 15 year anti corrosion guarantee

No. 25011031 Galvanized/Clear

- 15 year anti corrosion guarantee

No. 25011034 Stainless steel/Clear

Master Box qty 3

Material: Galvanized steel/Glass - Copper/Glass - Stainless steel/Glass

IP54, Class 1

H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base mount: Ø 9,7 cm,

Cable: Excl. cable


E27, Max. 60W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D



Sensor: Pre-defined
sensor mode
100-110°, Lights for 1 minute
Manual override mode:
5 hours



Blokhus Sensor WALL

No. 25031003 Black/Clear
No. 25031030 Copper/Clear - 15 year anti corrosion guarantee
No. 25031031 Galvanized/Clear
- 15 year anti corrosion guarantee
No. 25031034 Stainless steel/Clear

Master Box qty 3
Material: Galvanized steel/Glass - Copper/Glass - Stainless
steel/Glass
IP54, Class 1
H: 23 cm, D: 25 cm, Shade Ø: 22 cm, Base mount: Ø 9,7 cm,
Cable: Excl. cable
E27, Max. 60W, Excl. light source
Parallel connection possible

Fixture energy class A++ - D

Blokhus GARDEN

No. 25078030 Copper/Clear - 15 year anti corrosion guarantee
No. 25078031 Galvanized/Clear
- 15 year anti corrosion guarantee
No. 25078034 Stainless steel/Clear

Master Box qty 3
Material: Copper/Glass - Galvanized steel/Glass - Stainless
steel/Glass
IP54, Class 2
H: 92 cm, Shade Ø: 22 cm, Pipe Ø: 3,5 cm, Base: 15 cm
Cable: Excl. cable
E27, Max. 60W, Excl. light source
Parallel connection possible
Suitable for Base no. 22039931

Fixture energy class A++ - D



FOCUS WALL

No. 874023 Black/Clear
 No. 874031 White/Clear
 No. 874063 Anthracite/Clear
 No. 874093 Aluminium/Clear

Master Box qty 3
 Material: Metal/Plastic
 IP44, Class 1
 H: 23,5 cm, W: 11 cm, D: 11 cm,
 Base mount: 15 x 11 cm,
 Cable: Excl. cable
 GU10, Max. 2X35W, Excl. light source
 Parallel connection possible

Fixture energy class A++ - D

*Only for Scandinavia

FOCUS WALL

No. 874123 Black/Clear
 No. 874131 White/Clear
 No. 874163 Anthracite/Clear
 No. 874193 Aluminium/Clear

Master Box qty 3
 Material: Metal/Plastic
 IP44, Class 1
 H: 15 cm, W: 11 cm, D: 11 cm,
 Base mount: 15 x 11 cm,
 Cable: Excl. cable
 GU10, Max. 35W, Excl. light source
 Parallel connection possible

Fixture energy class A++ - D

*Only for Scandinavia


FOCUS PLAFOND

No. 874223 Black/Clear
 No. 874231 White/Clear
 No. 874263 Anthracite/Clear

Master Box qty 3
 Material: Metal/Plastic
 IP44, Class 1
 D: 10,5 cm, Shade Ø: 10 cm,
 Cable: Excl. cable
 GU10, Max. 35W, Excl. light source
 Parallel connection possible

Fixture energy class A++ - D

*Only for Scandinavia



FOCUS 37 GARDEN

No. 874523 Black/Clear
No. 874563 Anthracite/Clear

Master Box qty 2
Material: Metal/Plastic
IP44, Class 1
H: 40 cm, Ø: 10 cm, Base: 16 cm
Cable: Excl. cable
E27, Max. 60W, Excl. light source
Incl. base/spear

Fixture energy class A++ - D

*Only for Scandinavia

FOCUS 65 GARDEN

No. 874823 Black/Clear
No. 874863 Anthracite/Clear

Master Box qty 2
Material: Metal/Plastic
IP44, Class 1
H: 65 cm, Ø: 10 cm, Base: 16 cm
Cable: Excl. cable
E27, Max. 60W, Excl. light source
Incl. base/spear

Fixture energy class A++ - D

*Only for Scandinavia



Tin WALL

No. 21269903 Black/Clear

No. 21269930 Copper/Clear - 15 year anti corrosion guarantee

Master Box qty 3

Material: Metal/Glass - Copper/Glass

IP54, Class 1

H: 12 cm, D: 11,5 cm, Ø: 6 cm, Base mount: 3.1 x 9.3 cm,

Cable: Excl. cable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D

Tin WALL

No. 21279134 Stainless steel/Clear

No. 21279903 Black/Clear

No. 21279930 Copper/Clear - 15 year anti corrosion guarantee

Master Box qty 3

Material: Stainless steel/Glass - Metal/Glass - Copper/Glass

IP54, Class 1

H: 17 cm, D: 10,5 cm, Ø: 6 cm, Base mount: 3,6 x 9,8 cm,


Cable: Excl. cable

GU10, Max. 2X35W, Excl. light source

Fixture energy class A++ - D



Sensor: Adjustable sensor
 Time: 10 sec. - 5 min.
 Lux: 10-2000 and
 sensitivity, 110°



Tin Maxi WALL

No. 21509901 White/Clear
 No. 21509903 Black/Clear
 No. 21509929 Aluminium/Clear

Master Box qty 3
 Material: Metal/Glass
 IP54, Class 1
 H: 10,5 cm, W: 7,6 cm, D: 12,5 cm, Base mount: 4,3 x 7,4 cm,
 Cable: Excl. cable
 GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D

Tin Sensor WALL


No. 21279934 Stainless steel/Clear

Master Box qty 3
 Material: Stainless steel/Glass
 IP54, Class 1
 H: 22 cm, W: 6 cm, D: 10,5 cm, Base mount: 5,9 x 15,2 cm,
 Cable: Excl. cable
 GU10, Max. 2X35W, Excl. light source


Fixture energy class A++ - D



Sensor: Adjustable sensor
Time: 10 sec. - 5 min.
Lux: 10-2000 and sensitivity, 110°



Sensor: Adjustable sensor
Time: 10 sec. - 5 min.
Lux: 10-2000 and sensitivity, 110°



Tin Maxi Sensor WALL

No. 21509103 Black/Clear
No. 21509129 Aluminium/Clear

Master Box qty 3
Material: Metal/Glass
IP54, Class 1
H: 16 cm, D: 12,5 cm, Ø: 7,6 cm,
Base mount: 6,6 x 16 cm,
Cable: Excl. cable
GU10, Max. 35W, Excl. light source
Parallel connection possible

Fixture energy class A++ - D

Tin Maxi WALL

No. 21519901 White/Clear
No. 21519903 Black/Clear
No. 21519929 Aluminium/Clear
No. 21519934 Stainless steel/Clear

Master Box qty 3
Material: Metal/Glass - Stainless steel/
Glass
IP54, Class 1
H: 19 cm, D: 12,5 cm, Ø: 7,6 cm,
Base mount: 4 x 7 cm,
Cable: Excl. cable
GU10, Max. 2X35W, Excl. light source

Fixture energy class A++ - D

Tin Maxi Sensor WALL

No. 21519103 Black/Clear
No. 21519129 Aluminium/Clear

Master Box qty 3
Material: Aluminium/Glass
IP54, Class 1
H: 22 cm, D: 12,5 cm, Ø: 7,6 cm,
Base mount: 7,3 x 16 cm,
Cable: Excl. cable
GU10, Max. 2X35W, Excl. light source
Parallel connection possible

Fixture energy class A++ - D



Castor Maxi wall

No. 71371131 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1

H: 12,5 cm, D: 12,5 cm, Ø: 7,5 cm, Base mount: 8 x 4 cm,

Cable: Excl. cable

GU10, Max. 28W, Incl. 3W LED

Parallel connection possible

15 year anti corrosion guarantee

Light source: Lumen 200, Kelvin 2.700, Candela 90,

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D

Castor Maxi wall

No. 71381131 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1

H: 20,5 cm, D: 12,5 cm, Ø: 7,5 cm, Base mount: 8 x 4 cm,

Cable: Excl. cable

GU10, Max. 2X28W, Incl. 2X3W LED

Parallel connection possible



15 year anti corrosion guarantee

Light source: Lumen 2X200, Kelvin 2.700, Candela 90,

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

Light source energy class A+

Fixture energy class A++ - D



Bowler WALL

No. 28601131 Galvanized/Satinated

Master Box qty 3

Material: Galvanized steel/Plastic

IP44, Class 1

H: 13 cm, W: 26 cm, D: 14,5 cm,

Cable: Excl. cable

E27, Max. 60W, Incl. 14W E27

Parallel connection possible

15 year anti corrosion guarantee

Light source: Lumen 799, Kelvin 2.700, Life hours 10.000,

RA 80, Beam angle 270°, Not dimmable

Light source energy class A

Fixture energy class A++ - B

Scorpius WALL

No. 21651001 White/Satinated

No. 21651003 Black/Satinated

No. 21651030 Copper/Satinated

- 15 year anti corrosion guarantee

No. 21651031 Galvanized/Satinated

- 15 year anti corrosion guarantee

Master Box qty 6

Material: Galvanized steel/Plastic - Copper/Plastic

IP23, Class 1



H: 10 cm, W: 20 cm, D: 10 cm,

Cable: Excl. cable

E14, Max. 40W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D



Scorpius Maxi WALL

No. 21751001 White/Satinated
 No. 21751003 Black/Satinated
 No. 21751030 Copper/Satinated
 - 15 year anti corrosion guarantee
 No. 21751031 Galvanized/Satinated
 - 15 year anti corrosion guarantee

Master Box qty 3
 Material: Galvanized steel/Plastic - Copper/Plastic
 IP23, Class 1
 H: 14 cm, W: 27 cm, D: 14,5 cm,
 Cable: Excl. cable
 E27, Max. 60W, Excl. light source
 Parallel connection possible

Fixture energy class A++ - D

Scorpius Maxi GARDEN

No. 21769931 Galvanized

Master Box qty 3
 Material: Galvanized steel
 H: 100 cm, W: 26 cm, Pipe Ø: 3,2 cm,
 Cable: Excl. cable

Parallel connection possible
 15 year anti corrosion guarantee







Rold wall

No. 84141003 Black/Clear

Master Box qty 3

Material: Metal/Glass

IP44, Class 1

H: 16 cm, W: 9 cm, D: 5,5 cm,

Base mount: 8 x 14,3 cm,

Cable: Excl. cable

Fixed LED, Incl. 2X5W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 2X750, Kelvin

3.000, Life hours 25.000, RA 80,

Beam angle 125°, Not dimmable

Fixture energy class A++ - A

Rold wall

No. 84151003 Black/Clear

Master Box qty 3

Material: Metal/Glass

IP44, Class 1

H: 16 cm, W: 9 cm, D: 5,5 cm,

Base mount: 8 x 14,3 cm,

Cable: Excl. cable

Fixed LED, Incl. 2X5W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 2X750, Kelvin

3.000, Life hours 25.000, RA 80,

Beam angle 125°, Not dimmable

Fixture energy class A++ - A

Norma wall

No. 77611010 Grey/Clear

Master Box qty 3

Material: Metal/Glass

IP54, Class 1

H: 17,2 cm, W: 7,9 cm, D: 10,8 cm,

Base mount: 16 x 6,5 cm,

Cable: Excl. cable

Fixed LED, Incl. 2X3W LED

5 year LED guarantee

Light source: Lumen 2X166, Kelvin

3.000, Life hours 20.000, RA 82,

Beam angle 120°, Not dimmable

Fixture energy class A++ - A



Can Maxi wall

No. 28819929 Aluminium/Clear

Master Box qty 3

Material: Aluminium/Glass

IP54, Class 1

H: 23 cm, D: 12,5 cm, Ø: 7,5 cm,

Base mount: 7.5X4.5 cm,

Cable: Excl. cable

GU10, Max. 2X35W, Excl. light source

Fixture energy class A++ - D

Square Maxi wall

No. 22911031 Galvanized/Satinated

Master Box qty 3

Material: Galvanized steel/Plastic

IP44, Class 1

H: 8 cm, W: 32 cm, D: 12 cm,

Cable: Excl. cable

E27, Max. 8W, Incl. 14W E27

Parallel connection possible

15 year anti corrosion guarantee

Light source: Lumen 900, Kelvin

2.700, Life hours 10.000, RA 80,

Beam angle 180°, Not dimmable

Light source energy class A

Fixture energy class A++ - B

Pisa wall

No. 872623 Black

No. 872663 Anthracite

Master Box qty 2

Material: Aluminium

IP44, Class 2

H: 13 cm, W: 26,5 cm, D: 14 cm,

Cable: Excl. cable

E27, Max. 23W, Excl. light source

Parallel connection possible

Fixture energy class A++ - B



Momento WALL

No. 871023 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic

IP44, Class 1

H: 21,5 cm, W: 15 cm, D: 8,2 cm,

Cable: Excl. cable

GU10, Max. 6W SMD LED, Excl. light source

Parallel connection possible

Fixture energy class A++ - A



Momento WALL

No. 871123 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic

IP44, Class 1

H: 15,5 cm, W: 29,5 cm, D: 9,5 cm,

Cable: Excl. cable

GU10, Max. 6W SMD LED, Excl. light source

Parallel connection possible

Fixture energy class A++ - A



Momento GARDEN

No. 871423 Black/Clear

Master Box qty 2

Material: Aluminium/Plastic

IP44, Class 1

H: 70,8 cm, Ø: 13,8 cm, Base: 22 cm


Cable: Excl. cable

GU10, Max. 6W SMD LED, Excl. light source

Parallel connection possible

Incl. base/spear

Fixture energy class A++ - A



Nene WALL

No. 872723 Black/Clear

Master Box qty 3

Material: Metal/Glass

IP54, Class 1

H: 6,4 cm, W: 14 cm, D: 8,85 cm, Base mount: 5,5 x 13 cm,

Cable: Excl. cable

Fixed LED, Incl. 6W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 480, Kelvin 3.000, Candela 306,

Life hours 25.000, RA 80, Beam angle 42°, Not dimmable

Up and down light

Fixture energy class A++ - A

City WALL

No. 881123 Black/Clear

No. 881163 Anthracite/Clear

Master Box qty 3

Material: Metal/Plastic

IP44, Class 2


H: 35 cm, W: 12 cm, D: 11 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

*Only for Scandinavia



Delta Mini WALL

No. 873923 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic

IP44, Class 1

H: 16 cm, W: 16 cm, D: 16,6 cm, Base mount: 16 x 16 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D

*Only for Scandinavia

Delta WALL

No. 873023 Black/Clear

No. 873031 White/Clear

No. 873063 Anthracite/Clear

Master Box qty 3

Material: Aluminium/Plastic

IP54, Class 1

H: 21 cm, W: 21 cm, D: 21 cm, Base mount: 21 x 21 cm,

Cable: Excl. cable

E27, Max. 75W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D

*Only for Scandinavia



Nibe WALL

No. 24981030 Copper/Clear

No. 24981031 Galvanized/Clear

Master Box qty 6

Material: Copper/Glass - Galvanized steel/Glass
IP54, Class 1

H: 24 cm, D: 34 cm, Shade Ø: 27,5 cm,

Base mount: Ø 10,8 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

Virum WALL

No. 24111031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP44, Class 2

H: 22 cm, D: 38 cm, Shade Ø: 32 cm,

Base mount: Ø 10,5 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

**NEW****Aspen WALL**

No. 46981003 Black/Opal white

Master Box qty 3

Material: Aluminium/Plastic

IP44, Class 1

H: 20 cm, W: 11 cm, D: 6,3 cm,

Cable: Excl. cable

Fixed LED, Incl. 6W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 300, Kelvin 3.000, Life hours 25.000, RA 80, Beam angle 170°, Not dimmable

Fixture energy class A++ - A

NEW**Asbol WALL**

No. 84971003 Black/Clear

Master Box qty 6

Material: Aluminium/Glass

IP44, Class 1

H: 15 cm, W: 6,7 cm, D: 9,5 cm,

Base mount: 5,5 x 14 cm,

Cable: Excl. cable

Fixed LED, Incl. 2X5W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 2X370, Kelvin 3.000, Candela 182, Life hours 15.000, RA 80, Beam angle 97°, Not dimmable
Up and down light

Fixture energy class A++ - A

NEW**Dalton WALL**

No. 46901003 Black/Clear

Master Box qty 3

Material: Stainless steel/Glass

IP44, Class 1

H: 29,6 cm, W: 20 cm, D: 24,8 cm,

Cable: Excl. cable

E27, Max. 40W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D

**NEW****Elm WALL**

No. 45321003 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic

IP44, Class 1

H: 18 cm, W: 11 cm, D: 15,5 cm,

Cable: Excl. cable

GU10, Max. 20W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D

NEW**Elm WALL**

No. 45331003 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic

IP44, Class 1

H: 23,5 cm, W: 11 cm, D: 15,5 cm,

Pipe Ø: 2,9 cm,

Cable: Excl. cable

GU10, Max. 2X20W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D

NEW**Elm GARDEN**

No. 45348003 Black/Clear

Master Box qty 3

Material: Aluminium/Plastic

IP44, Class 2

H: 80 cm, W: 13 cm,

Cable: Excl. cable

E27, Max. 40W, Excl. light source

Parallel connection possible


Fixture energy class A++ - D







Sensor: Pre-defined
sensor mode
100-110°, Lights for 1 minute
Manual override mode:
5 hours



Luxembourg Sensor WALL

No. 22661031 Galvanized/Clear

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1

H: 27 cm, D: 47 cm, Shade Ø: 26 cm, Base mount: Ø11,5 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

Luxembourg WALL

No. 22671003 Black/Clear

No. 22671009 Rusty/Clear

No. 22671030 Copper/Clear - 15 year anti corrosion guarantee

No. 22671031 Galvanized/Clear
- 15 year anti corrosion guarantee

Master Box qty 3

Material: Galvanized steel/Glass - Copper/Glass

IP54, Class 2

H: 27 cm, D: 39 cm, Shade Ø: 26 cm, Base mount: Ø11,5 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D



Luxembourg PENDANT

No. 72805009 Rusty/Clear - Black cable

Master Box qty 3

Material: Galvanized steel/Glass

IP23, Class 2

H: 24 cm, Shade Ø: 27,5 cm, Base mount: Ø11 cm,

Cable: 110 cm

E27, Max. 60W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D

Skotlampe WALL

No. 17051001 White

No. 17051003 Black

Master Box qty 4

Material: Plastic/Glass

IP44, Class 2

W: 10 cm, L: 18 cm, D: 11 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D



Moon WALL

No. 83571001 White/Opal white

Master Box qty 3

Material: Plastic

IP65, Class 2

D: 8 cm, Shade Ø: 22,1 cm,

Base mount: Ø21,1 cm,

Cable: Excl. cable

Fixed LED, Incl. 20W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 1.600, Kelvin 2.700,

Candela 500, Life hours 25.000, RA 80,

Beam angle 100°, Not dimmable

Fixture energy class A++ - A

Moon WALL

No. 83581001 White/Opal white

Master Box qty 3

Material: Plastic

IP65, Class 2

H: 17,6 cm, W: 27,1 cm, D: 8 cm,

Base mount: 26,1 x 16,6 cm,

Cable: Excl. cable

Fixed LED, Incl. 20W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 1.600, Kelvin 2.700,

Candela 500, Life hours 25.000, RA 80,

Beam angle 100°, Not dimmable

Fixture energy class A++ - A

Moss Maxi WALL

No. 28309931 Galvanized/Opal white

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1

D: 7 cm, Ø: 20 cm,

Cable: Excl. cable

G9, Max. 2X25W, Excl. light source

15 year anti corrosion guarantee

Fixture energy class A++ - D



Malte wall

No. 21841031 Galvanized/Satinated

Master Box qty 3

Material: Galvanized steel/Plastic

IP54, Class 1

D: 9,5 cm, Ø: 24 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

Malte wall

No. 21861031 Galvanized/Satinated

Master Box qty 3

Material: Galvanized steel/Plastic

IP54, Class 1

D: 9,5 cm, Ø: 24 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

Mono spot

No. 83698003 Black - Black cable

Master Box qty 3

Material: Aluminium

IP44, Class 1


H: 57,7 cm, Shade Ø: 7 cm,

Cable: 190 cm replaceable

GU10, Max. 35W, Excl. light source

Incl. schuko plug

Fixture energy class A++ - D



Spotlight SPOT

No. 20789903 Black/Clear - Black cable

Master Box qty 3

Material: Aluminium/Glass

IP54, Class 1

H: 38 cm, D: 14 cm, Ø: 10 cm,

Cable: 150 cm non replaceable

GU10, Max. 35W, Excl. light source

Incl. schuko plug

Fixture energy class A++ - D

Spotlight LED SPOT

No. 20788303 Black/Clear - Black cable

Master Box qty 3

Material: Aluminium/Glass

IP54, Class 1

H: 40 cm, D: 14 cm, Ø: 10 cm,

Cable: 200 cm non replaceable

GU10, Max. 35W, Incl. 3W LED SMD

Light source: Lumen 200, Kelvin 2.700,

Candela 90, Life hours 25.000, RA 80,

Beam angle 110°, Not dimmable

Incl. schuko plug

Light source energy class A+

Fixture energy class A++ - D

Taurus SPOT

No. 77029934 Stainless steel/Clear -
Black cable

Master Box qty 3

Material: Stainless steel

IP54, Class 1


H: 31 cm, Ø: 10 cm,

Cable: 150 cm non replaceable

GU10, Max. 28W, Excl. light source

Incl. schuko plug

Fixture energy class A++ - D



Base ACCESSORIES

No. 22039931 Galvanized

Master Box qty 3

Material: Galvanized steel

H: 50 cm, Ø: 15 cm, Pipe Ø: 5 cm,

Cable: Excl. cable

15 year anti corrosion guarantee

Staldglas Frostet ACCESSORIES

No. 2440888 Sandblasted/Sandblasted

No. 2440999 Clear/Clear

Master Box qty 3

Material: Glass

H: 16 cm, Ø: 9,5 cm,

Cable: Excl. cable

Excl. light source

Staldglas Gasket ACCESSORIES

No. 2444999 Black

Master Box qty 12

Material: Plastic

Cable: Excl. cable



Nordlux is one of Scandinavia's leading suppliers of lighting. We design and manufacture lighting with great knowledge of, and consideration for, how light affects us humans and our wellbeing. It is an essential part of our product development. With manufacturing and product development also comes responsibility – a responsibility to protect the resources we have available, and the people we work with.

At the immediate level, this mainly concerns investing in continuous improvement, including via our product development. By focusing on low prices, we commit ourselves to looking at new, simple solutions and processes that use less material, as well as long-life technology. Basically, this means that we take into account many more elements than just that a design should be nice to look at. We assess whether a design can be made more appropriate and less costly through small adjustments. For example, it makes sense for the installation of our lamps to be as simple as possible, ensuring that no additional resources are required for installation. That is why we have more than 60 dedicated engineers, each with more than 10 years of experience in lighting technology, in our development department, all constantly working with this focus.

We are at the forefront when it comes to the development of energy-saving LED technology. You no longer need to compromise between the desire for a warm, pleasant light, innovative design, and the desire to keep power consumption down. Development in this area moves quickly, and new solutions and processes are constantly emerging, making it possible to combine aesthetics with greener technology.

We see sustainability as a task involving everyone associated with Nordlux – from the owners, board and management to employees and suppliers.

**In a gentle
way we can
shake the world**

IP

Første ciffer
First number
Erste Nummer
Premier chiffre
Första ciffer

Andet ciffer
Andra ciffer
Zweite Nummer
Second number
Deuxième chiffre

IP kapselklasser

IP kapselklasser

Degree and protection

Degré de protection

Schutzgrad

0 Ikke beskyttet
 Ej beskyddad
 Nicht geschützt
 Not protected
 Non protégé

0 Ikke beskyttet
 Ej beskyddad
 Nicht geschützt
 Not protected
 Non protégé

Beskyttet mod

Beskyddad mot

Geschützt gegen

Protected against

Protégé contre

1 Faste genstande større end 50 mm
 Fast föremål större än 50 mm
 Eindringen von Fremdkörpern grösser als 50 mm
 Solid objects larger than 50 mm
 Les corps solides de plus de 50 mm

1 Lodret dryppende vand
 Lodrätt droppande vatten
 Senkrecht tropfendes Wasser
 Vertically dripping water
 Les chutes verticales de gouttes d'eau

Beskyttet mod

Beskyddad mot

Geschützt gegen

Protected against

Protégé contre

2 Faste genstande større end 12 mm
 Fast föremål större än 12 mm
 Eindringen von Fremdkörpern grösser als 12 mm
 Solid objects larger than 12 mm
 Les corps solides de plus de 12 mm

2 Dryppende vand ved en hældning på indtil 15° grader
 Droppande vatten, vid en lutning på upp till 15° grader
 Tropfendes Wasser bei einer Neigung bis zu 15° Grad
 Vertically dripping water at an inclination of 15° degrees
 Les chutes d'eau avec inclinaison maximale de 15°

Beskyttet mod

Beskyddad mot

Geschützt gegen

Protected against

Protégé contre

3 Faste genstande større end 2,5 mm
 Fast föremål större än 2,5 mm
 Eindringen von Fremdkörpern grösser als 2,5 mm
 Solid objects larger than 2,5 mm
 Les corps solides de plus de 2,5 mm

3 Vandsprøjt i en vinkel på indtil 60° grader
 Vattenstänk i en vinkel på upp till 60° grader
 Spritzwasser in einem Winkel bis zu 60° Grad
 Splashes of water at an angle of up to 60° degrees
 Les chutes d'eau avec inclinaison maximale de 60°

Beskyttet mod

Beskyddad mot

Geschützt gegen

Protected against

Protégé contre

4 Faste genstande større end 1,0 mm
 Fast föremål större än 1,0 mm
 Eindringen von Fremdkörpern grösser als 1,0 mm
 Solid objects larger than 1,0 mm
 Les corps solides de plus de 1,0 mm

4 Oversprøjtning
 Nedstänkning
 Übersprühen
 Sprinkling of water
 Les projections d'eau

5 Støvskaermet
 Avskärmad mot damm
 Staubgeschützt
 Dust protected
 Protégé contre la poussière

5 Beskyttet mod vandstråler
 Beskyddad mot vattenstrålar
 Geschützt gegen Wasserstrahlen
 Protected against water jets
 Protégé contre les jets d'eau

6 Støvtæt
 Dammtät
 Staubdicht
 Dust-proof
 Etanche à la poussière

6 Beskyttet mod kraftige bølger
 Beskyddad mot kraftiga vågor
 Geschützt gegen kräftigen Wellen
 Protected against strong waves
 Protégé contre les paquets de mer

7 Beskyttet mod følgerne af forbigående nedsenkning i vand
 Beskyddad mot följderna av kortvarig nedsänkning i vatten
 Geschützt gegen Folgen durch zeitweises Unterwassertauchen
 Protected against the effects of temporary immersion in water
 Protégé contre les suites d'un plongement occasionnel dans l'eau



LUMEN

(lm) is the measurement unit for lousinous flux.Louminous flux is the total amount of light that the light source submits.



KELVIN

(K) is the colour temperature of the light source- the higher number the colder light.
3000 K = warm white
4000 K = neutral white
6500 K = daylight white



RA

is the colour rendering that the light source provides.



CANDELA

(cd) is the measurement amount for brightness per angle that is submitted from a light source.

GB - The LED technology is constantly undergoing major development which contributes to continuous arrival of new and better LED bulbs on the market. Nordlux always strives to deliver the latest LED technology to our customers, which is why when purchasing lighting or bulbs, the new bulbs can seem different, with improved colour/light output/design.

*For additional bulb info please go to www.nordlux.com.

DK - LED er til stadighed under en betydelig udviklingsproces, som bevirker, at der med stor hyppighed kommer nye og bedre LED pærer på markedet. Nordlux bestræber sig på altid at levere den nyeste LED teknik til vores kunder, hvorfor man ved genkøb af lamper og ved tilkøb af pærer kan opleve, at de nye pærer har anderledes og forbedret farve/lysudbytte/udformning.

*For supplerende pæreoplysninger gå venligst til www.nordlux.com

SE - LED är fortfarande under en betydande utvecklingsprocess, som bidrar till att det i snabb takt kommer nya och bättre LED lampor på marknaden. Nordlux strävar efter att leverera den senaste LED-tekniken till sina kunder, därför kan man vid återköp eller vid köp av nya lampor uppleva att de nya lamporna har en annorlunda och förbättrad färg/ljusflöde/utformning.

*För ytterligare information angående ljuskälla vänligen gå till www.nordlux.com

FR - LED est constamment en développement important, ce qui a pour effet d'amener très fréquemment de nouvelles ampoules LED améliorées sur le marché. Nordlux s'efforce de toujours fournir la dernière technologie LED à nos clients ; c'est pourquoi, lorsque vous rachetez des lampes et acquérez des ampoules, vous pouvez trouver que les nouvelles ampoules ont une couleur/une sortie de lumière/un design différents et améliorés.

*Pour plus d'informations concernant l'ampoule merci de visiter www.nordlux.com.

DE - LED unterliegt ständig einem bedeutenden Entwicklungsprozess, durch den mit großer Geschwindigkeit neue und bessere LED-Lampen auf den Markt kommen. Nordlux ist bestrebt, Ihren Kunden immer die neueste LED-Technik anzubieten, wodurch man beim Neukauf von Leuchten und Nachkauf von Leuchtmitteln erleben kann, dass die neuen Leuchtmittel eine andere und verbesserte Farbe, Lichtausbeute und Form haben.

*Für weitere Informationen gehen Sie bitte zu Leuchtmittel www.nordlux.com.

VEDLIGEHOEDSE MAINTENANCE PFLEGE UNDERHÅLL ENTRETIEN

Galvaniseret stål | Meget vejrbestandig. Kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring. Nordlux giver 15 års garanti på alle udendørslamper i galvaniseret stål. Denne garanti gælder rustangreb med gennemtæring og er gældende mod fremvisning af købskvittering. Der ydes ingen garanti på dele som er beskadiget ved slidtage eller på fejlbehandling af lamperne.

Kobber | Meget vejrbestandig. Kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring. Nordlux giver 15 års garanti på alle udendørslamper i kobber. Denne garanti gælder rustangreb med gennemtæring og er gældende mod fremvisning af købskvittering. Der ydes ingen garanti på dele som er beskadiget ved slidtage eller på fejlbehandling af lamperne.

Plast | Meget vejrbestandig. Kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring.

Rustfrit stål | Velegnet til udendørs brug, når undtages aggressive miljøer. Vedligeholdelse: Behandles med syrefri olie inden opsætning med efterfølgende aftørring med blød klud. Denne behandling gentages 3-4 gange om året.

Aluminium | Aluminiumsprodukterne kan opdeles i følgende: Ekstruderet og anodiseret aluminium er meget vejrbestandig og kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring. Støbt aluminium i øvrigt er velegnet til udendørs brug, når undtages aggressive miljøer. Vedligeholdelse: Behandles med syrefri olie inden opsætning med efterfølgende aftørring med blød klud. Denne behandling gentages 3-4 gange om året.

Corten | Corten stål er en ståltype der er konstrueret med et indhold af kobber, fosfor, nikkel og chrom i et forhold der gør stålet rusttrægt på en måde, hvor den "færdige" rustne overflade beskytter stålet mod tæring 6-8 gange bedre end ved "normalt" rustent stål. Vær opmærksom på eventuel rustafsmitning i hærideperioden. Hvis stålet nedgraves vil korrosionshastigheden være den samme som for almindeligt stål. Ordet Corten stål kommer af eng. "CORrosion resistant high TENSile steel".

Galvanized steel | Very resistant to weather. Can be placed in any environment. Maintenance: wipe off at regular intervals. Nordlux offers up to 15 year anti-corrosion warranty on lights in galvanized steel. This guarantee applies to extensive corrosion in the form of holes in the metal caused by rust. The guarantee is subject to presentation of receipt. There is no guarantee on components which have been affected by wear and tear or mistreatment of the lights.

Copper | Very resistant to weather. Can be placed in any environment. Maintenance: wipe off at regular intervals. Nordlux offers up to 15 year warranty on lights in copper. This guarantee applies to extensive corrosion in the form of holes in the metal caused by rust. The guarantee is subject to presentation of receipt. There is no guarantee on components which have been affected by wear and tear or mistreatment of the lights.

Plastic | Very resistant to weather. Can be placed in any environment. Maintenance: wipe off at regular intervals.

Stainless steel | Suitable for outdoor use, except for aggressive environments. Must be treated with acid-free oil prior to mounting. After mounting wipe off the fitting with a dry and soft cloth. This treatment should be repeated 3-4 times a year.

Aluminium | The aluminium products can be divided into two groups: Extruded and anodized aluminium is very resistant to weather and can be placed in any environment. Maintenance: wipe off at regular intervals. Cast aluminium is suitable for outdoor use, except for aggressive environments. Maintenance: must be treated with acid-free oil prior to mounting. After mounting wipe-off the fitting with a dry and soft cloth. This treatment should be repeated 3-4 times a year.

Corten | Corten steel is a type of steel which contains copper, phosphorus, nickel and chrome in a ratio that makes the steel weathering steel so that the "ready" rusty surface protects the steel against corrosion 6-8 times better than the "standard" rusty steel. Be aware of any rust staining in the curing period. If the steel is buried, its corrosion rate will be the same as for standard steel. The word "Corten" from "Corten steel" originates from "CORrosion resistant high TENSile steel".

Verzinkte Leuchten | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen. Nordlux leistet bis zu 15 Jahre Garantie für alle Aussenleuchten in feuerverzinkter Ausführung. Diese Garantie gilt für Rostbildung in Form von Angriff der Metal und gilt nur gegen Quittungsleistung. Nordlux leistet keine Garantie für Ersatzteile, die beschädigt sind durch Abnutzung oder Fehlbehandlung der Leuchten.

Kupfer | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen. Nordlux leistet bis zu 15 Jahre Garantie für alle Aussenleuchten in kupfer. Diese Garantie gilt für Rostbildung in Form von Angriff der Metal und gilt nur gegen Quittungsleistung. Nordlux leistet keine Garantie für Ersatzteile, die beschädigt sind durch Abnutzung oder Fehlbehandlung der Leuchten.

Kunststoff | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen.

Edelstahl | Geeignet für den Außenbereich – jedoch nicht in aggressiver Umgebung. Pflege: Vor Montage muss die Leuchte mit säurefreiem Öl behandelt und mit einem weichen Tuch getrocknet werden. Dieses sollte 3-4 Mal im Jahr wiederholt werden.

Aluminium | Aluminiumleuchten unterscheiden sich wie folgt: Extrudiertes und eloxiertes Aluminium ist sehr wetterbeständig und ist überall einsetzbar. Pflege: Normales Reinigen. Gegossenes Aluminium ist ebenfalls für den Außenbereich geeignet – jedoch nicht in aggressiver Umgebung. Pflege: Vor Montage muss die Leuchte mit säurefreiem Öl behandelt und mit einem weichen Tuch getrocknet werden. Dieses sollte 3-4 Mal im Jahr wiederholt werden.

Corten | Corten Stahl ist ein Stahltyp, der mit Anteilen an Kupfer, Phosphor, Nickel und Chrom in einem Verhältnis hergestellt wird, das den Stahl auf eine Weise rostträge macht, durch die die „fertige“ rostige Oberfläche den Stahl 6 bis 8 mal so gut vor Korrosion schützt als bei normalem rostigen Stahl. Bitte beachten Sie, dass es im Härtungsprozess zu Rostabfärbungen kommen kann. Wenn der Stahl vergraben wird, ist die Korrosionsgeschwindigkeit genau so wie bei normalem Stahl. Das Wort Cortenstahl ist aus dem englischen „CORrosion resistant high TENSile steel“ abgeleitet.

Galvaniserat stål | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning. Nordlux ger 15 års garanti på alla utomhuslampor i galvaniserat stål. Denna garanti gäller rostangrepp som har genomträngt och gäller mot uppvisande av inköpskvitto. Det lämnas ingen garanti på delar som har skadats vid slitage eller av felbehandling av lamporna.

Koppar | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning.

Plast | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning.

Rostfritt stål | Lämpligt för utomhusbruk, utom i aggressiva miljöer. Underhåll: Behandlas med syrafri olja och torkas av med en mjuk trasa före uppsättning. Behandlingen upprepas 3-4 gånger om året.

Aluminium | Aluminiumprodukterna kan delas upp i följande typer: Extruderad och anodiserad aluminium är mycket väderbeständig och kan användas i alla miljöer. Underhåll: Normal avtorkning. Övrig gjuten aluminium är lämplig för utomhusbruk, utom i aggressiva miljöer. Underhåll: Behandlas med syrafri olja och torkas av med en mjuk trasa före uppsättning. Behandlingen upprepas 3-4 gånger om året.

Corten | Cortenstål är en ståltyp som är framställd med ett innehåll av koppar, fosfor, nickel och krom i ett förhållande som gör att stålet rostar långsamt och på ett sätt där den "färdigrostade" ytan skyddar stålet mot mod frätning 6-8 gånger bättre än "vanligt" rostigt stål. Var uppmärksam på eventuell rostavfärgning under härdningsperioden. Om stålet grävs ner kommer korrosionshastigheten att vara densamma som för vanligt stål. Ordet Cortenstål kommer av engelskans "CORrosion resistant high TENSile steel".

Acier galvanisé | Très résistant aux intempéries. Peut être utilisé dans tous les environnements. Entretien: séchage général. Les lampes Nordlux en galvanisation bénéficient d'une garantie de 15 ANS à compter de la date d'achat sur le bon d'achat. La garantie couvre formation de rouille (la surface est entamée) et n'est que si la date d'achat figure sur le bon d'achat. La garantie ne couvre pas les composants, endommagés par l'usure normale ou un emploi abusif.

Cuivre | Très résistant aux intempéries. Peut être utilisé dans tous les environnements. Entretien: séchage général. Les lampes Nordlux en cuivre d'une garantie de 15 ANS à compter de la date d'achat sur le bon d'achat. La garantie couvre formation de rouille (la surface est entamée) et n'est que si la date d'achat figure sur le bon d'achat. La garantie ne couvre pas les composants, endommagés par l'usure normale ou un emploi abusif.

Matière plastique | Très résistant aux intempéries. Peut être utilisé dans tous les environnements. Entretien : séchage général.

Acier inoxydable | Convient parfaitement pour l'utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

Aluminium | Les produits en aluminium peuvent être subdivisés comme suit: L'aluminium extrudé et anodisé est très résistant aux intempéries et peut être utilisé dans tous les environnements. Entretien: séchage général. La fonte d'aluminium convient également pour une utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

Corten | L'acier Corten est un acier conçu avec une teneur en cuivre, phosphore, nickel et chrome, dans une proportion qui rend l'acier résistant à la corrosion, d'une façon où le surface « finie » rouillée protège l'acier contre la corrosion 6 à 8 fois mieux que l'acier rouillé « normal ». Merci de faire attention aux tâches rouillées dans la période du trempé! Si l'acier est enfoui, le taux de corrosion doit être le même que pour l'acier ordinaire. Le mot « acier Corten » vient de l'anglais « CORrosion resistant high TENSile steel » (acier résistant à la corrosion à haute résistance).

MANAGEMENT



Peter G. Terkelsen
CEO

T +45 96 34 54 08
jt@nordlux.com



Kasper Granat
CPMO

T + 45 60 63 60 63
kg@nordlux.com



Klaus Graven Nielsen
CCO

T + 45 31 63 16 11
kgn@nordlux.com



Niels S. Jakobsen
CFO

T +45 40 82 07 00
nj@nordlux.com



Betina Kowalski
Executive assistant

bk@nordlux.com
T +45 22 21 16 11

PR & MARKETING



Julie Kindberg
Marketing Manager
Sales operation marketing

T + 45 20 97 20 17
jki@nordlux.com



Lone Bødker
Public relation Coordinator
Sales operation marketing

T +45 96 34 54 23
lb@nordlux.com



Anna-Mette H. Rasmussen
Graphic Designer
Sales operation marketing

T +45 96 34 54 01
ar@nordlux.com



Andreas From Bock
Graphic Designer
Sales operation marketing

T +45 96 34 54 11
af@nordlux.com

SEGMENT SALES



Lene Egelund Hanghøj
Category Coordinator

T + 45 96 34 54 09
leh@nordlux.com



Mia Rasmussen
Product Manager

T + 45 96 34 55 20
mir@nordlux.com



Jean-Louis Cornu
Export Manager

M + 45 29 92 13 05
jlc@nordlux.com



Ronni Mark Nielsen
Project Sales Manager

M + 45 42 80 16 11
rmn@nordlux.com

SALES DENMARK



Jan Madsen
Nordic Sales Manager

M + 45 31 50 16 11
jm@nordlux.com



Jan Bo Jensen
Key Account Manager
Sales operation | Jutland

M +45 27 11 60 48
jb@nordlux.com



Jan Peter Rantzau-Bartens
Sales Consultant
Sales operation | Seeland

M +45 81 77 10 82
jrb@nordlux.com



Carsten Johnsen
Sales Consultant
Sales operation | Seeland

M +45 20 71 16 11
cj@nordlux.com



Hans Aamand Nielsen
Sales Consultant
Sales operation | Jutland

M +45 22 71 66 11
haa@nordlux.com



Kurt Kristensen
Team Leader Merchandiser
Sales operation | Denmark

M +45 20 66 16 11
kk@nordlux.com



Jesper Bach-Kristensen
Sales Merchandiser
Sales operation | Denmark

M +45 42 56 16 11
jbk@nordlux.com



Peter Nielsen
Sales Merchandiser
Sales operation | Jutland

M +45 21 22 36 11
pn@nordlux.com



Nicolai Niemann-Nielsen
Sales Merchandiser
Sales operation | Jutland

M +45 22 72 16 11
nn@nordlux.com



Ticho Lohmann
Sales Merchandiser
Sales operation | Seeland

M +45 40 82 61 11
tl@nordlux.com



Jesper Staalgaard
Sales Merchandiser
Sales operation | Seeland

M +45 40 70 16 11
jps@nordlux.com

SALES SWEDEN



Ulf Linderum
Team & Key Account Manager
Sales operation | Sweden

T +46 (0) 72 31 21 947
ul@nordlux.com



Jonas Björkman
Sales Consultant
Sales operation | Sweden

M +46 (0) 72 31 25 181
jbj@nordlux.com



Daniel Grynning
Sales Consultant
Sales operation | Sweden

M + 46 (0) 70 65 72 126
dg@nordlux.com



Stefan Peterson
Sales Consultant
Sales operation | Sweden

M + 46 (0) 70 37 95 182
spe@nordlux.com

SALES NORWAY



Henning Mjåtveit
Team & Key Account Manager
Sales operation | Norway

M +47 91 39 54 31
hmt@nordlux.com



Jan Olav Gjelsnes
Sales Consultant
Sales operation | Norway

M +47 92 89 91 23
jog@nordlux.com



Leif Christian Olsen
Sales Consultant
Sales operation | Norway

M +47 91 90 13 20
lco@nordlux.com



Odd-Ivar Jenskaug
Sales Consultant
Sales operation | Norway

M +47 400 11 491
oij@nordlux.com

SALES UK


John Griffiths
Managing Director UK

T + 01200 422777
jg@nordlux.com



Phil Edwards
Account Manager UK

T + 44 (0) 7921 47 76 46
pe@nordlux.com



Hester Wood
Key Account Sales Admin

T + 01200 422777
hw@nordlux.com



Adam Thornber
Sales Admin

T + 01200 422777
at@nordlux.com



Ellie Hunter
Marketing Executive UK

T + 01200 422777
eh@nordlux.com

SALES FRANCE


Gildas Juestz de Mire
Country Director France

T + 33 6 26 25 18 10
gjm@nordlux.com



Nicolas Warin
Sales Manager France

T + 33 6 87 55 74 42
nw@nordlux.com



Ronald Mulder
Sales Manager NL

T + 31 (0) 630 74 51 03
rm@nordlux.com



Fabian Dermaut
Sales Manager BELUX

T + 32 (0) 497 41 03 73
fd@nordlux.com

SALES BENELUX

SALES GERMANY


Franz Kiefer
Key Account Manager
Sales operation | Germany

M +49 (0)175 567 56 04
fk@nordlux.com



Matthias Kasperek
Sales Agent
Northern Germany

M +49 (0)172 53 34 780
m.kasperek1@yahoo.de



Udo Koch
Sales Agent
Western Germany

M +49 (0)174 89 94 502
F +49 (0)321 21 191 755
info@koch-lichtdesign.de



Jan Schwuchow
Sales Agent
Eastern Germany

M +49 (0)178 52 91 173
jan.schwuchow@online.de



Roland Pichl
Sales Agent
Southern Germany,
Austria, South Tyrol

M +49 (0)171 54 76 999
pi-rol@t-online.de

BACK OFFICE



Jørg Serup
Sales organization/
Backoffice Manager

T + 45 96 34 54 07
M + 45 22 15 96 11
js@nordlux.com



Birgitte Fjeldgaard Hvalsøe
Team & Sales Coordinator
Sales operation | World

T +45 96 34 54 19
bh@nordlux.com



Dorthe G. Jørgensen
Team & Sales Coordinator
Sales operation |
SE, NO & FI
T +45 96 34 54 06
dgj@nordlux.com



Jette Jensen
Team & Sales Coordinator
Sales operation | Denmark

T +45 96 34 54 27
jj@nordlux.com



Sussi Buchholdt Steen
Sales Assistant
Sales operation | Denmark,
Sweden & FOB Business
T +45 96 34 54 13
sbs@nordlux.com



Hanne M. Jensen
Sales Assistant
Sales operation | Denmark

T +45 96 34 54 02
hmj@nordlux.com



Helle Iversen
Sales Assistant
Sales operation | Denmark

T +45 96 34 54 10
hi@nordlux.com



Gitte Visse
Sales Assistant
Sales operation | Denmark

T +45 96 34 54 03
gv@nordlux.com



Allan Carol Nicolajsen
Sales Trainee
Sales operation | Denmark

T +45 96 34 54 30
acn@nordlux.com



Sonja Treumann
Sales Assistant
Sales operation | Germany

T + 49 21 52 89 87 37
st@nordlux.com



Katrin Løkke
Sales Assistant
Sales operation | Germany

T +45 96 34 54 36
kl@nordlux.com



Lene K. Kristensen
Sales Assistant
Sales operation | Germany

T +45 96 34 54 05
lkk@nordlux.com



Berit Støve
Sales Assistant
Sales operation
SE, NO & FI
T +45 9634 5433
bst@nordlux.com



Kine Marie Strand
Sales Assistant
Sales operation
SE, NO & FI
T + 47 51 88 63 18
kms@nordlux.com



Rikke Giese
Sales Assistant
Sales operation | Export

T + 45 96 34 54 12
rg@nordlux.com



Jannet Schenkel Høgh
Sales Assistant
Sales operation | Export

T + 45 96 34 54 28
jsh@nordlux.com

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Agger	Wall	Galvanized steel, Glass	Galvanized	74481031	5701581210776	5353049	3		110
Agger	Garden	Galvanized steel, Glass	Galvanized	74528031	5701581211179	5353053	3		110
Agger Sensor	Wall	Galvanized steel, Glass	Galvanized	74501031	5701581210974	5353051	3		110
Aire	Pendant	Metal	Black	84873003	5701581346680	1850671	3		74
Akron 11	Wall	Aluminium, Plastic	Black	46961003	5701581410381	1975356	3		102
Akron 17	Wall	Aluminium, Plastic	Black	46971003	5701581410480	1975357	3		102
Alfdis	Spot	Metal	Chrome	45560133	5701581374782	1910012	3	On fixture	87
Alfdis	Spot	Metal	Chrome	45570133	5701581374881	1910015	3		87
Alfdis	Spot	Metal	Chrome	45580133	5701581374980	1910016	3		87
Alrun	Pendant	Glass		45263000	5701581366985	1902334	2		63
Alrun	Pendant	Glass		45263027	5701581367081	1902335	2		63
Alrun	Pendant	Glass		45263047	5701581367180	1902336	2		63
Alton	Table	Glass, Metal	White	47645001	5701581416987	1975427	3		11
Alton 23	Pendant	Glass, Metal	White	47303001	5701581413788	1975393	3		10
Alton 25	Pendant	Glass, Metal	White	47313001	5701581413887	1975394	3		10
Alton 40	Pendant	Glass, Metal	White	47323001	5701581413986	1975395	3		11
Ames	Pendant	Metal	White	46533001	5701581406186	1975320	2		58
Ames	Pendant	Metal	Black	46533003	5701581406285	1975321	2		58
Anniversary	Pendant	Metal	White	76633001	5701581231986	1557531	3		70
Anniversary	Pendant	Metal	Black	76633003	5701581232082	1557532	3		70
Arn	Wall	Aluminium, Plastic	White	45471001	5701581388581	1920428	3		123
Arn	Wall	Aluminium, Plastic	Black	45471003	5701581363687	1896577	3		123
Arn	Wall	Aluminium, Plastic	White	45481001	5701581388680	1920429	3		123
Arn	Wall	Aluminium, Plastic	Black	45481003	5701581363786	1896578	3		123
Asbol	Wall	Aluminium, Glass	Black	84971003	5701581401389	1976422	6		144
Aslak	Wall	Metal	White	45721001	5701581368880	1902409	3	On cable	19
Aslak	Wall	Metal	Black	45721003	5701581368989	1902410	3	On cable	19
Aslak	Spot	Metal	White	45730101	5701581369085	1902453	3		19
Aslak	Spot	Metal	Black	45730103	5701581369184	1902456	3		19
Aslak	Spot	Metal	White	45740101	5701581369283	1902459	3		19
Aslak	Spot	Metal	Black	45740103	5701581369382	1902463	3		19
Aslak	Pendant	Metal	White	46553001	5701581406582	1975324	3		18
Aslak	Pendant	Metal	Black	46553003	5701581406681	1975325	3		18
Aslak	Table	Metal	White	46685001	5701581408883	1975341	3	On cable	18
Aslak	Table	Metal	Black	46685003	5701581408982	1975342	3	On cable	18
Aslak	Floor	Metal	White	46724001	5701581409682	1975349	3	On cable	18
Aslak	Floor	Metal	Black	46724003	5701581409781	1975350	3	On cable	18
Aspen	Wall	Aluminium, Plastic	Black	46981003	5701581410589	1975358	3		144
Aud	Pendant	Metal	Black	45643003	5701581367982	1902337	3		35
Aud	Table	Metal	Black	45655003	5701581390287	1937013	6	On cable	35
Aud	Wall		Black	45661003	5701581390386	1937014	6	On fixture	35
Avenue	Rail	Metal	Brushed steel	47490032	5701581443488	1991557	2		164
Avenue	Wall	Metal	Brushed steel	73561132	5701581201972	5274275	3		91

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Avenue LED	Wall	Metal	Brushed steel	76551132	5701581232488	1557525	6		91
Avenue LED	Spot	Metal	Brushed steel	76560132	5701581232587	1557526	3		92
Avenue LED	Spot	Metal	Brushed steel	76570132	5701581232686	1557527	3		91
Avon	Wall	Metal	Black	84111003	5701581342088	1850691	3		107
Avon	Garden	Metal	Black	84128003	5701581342187	1850700	3		107
Avra	Pendant	Metal	Black/Chrome	84800003	5701581345683	1850659	3		75
Avra	Pendant	Metal	Brass	84800025	5701581345782	1850660	3		75
Avra	Pendant	Metal	Copper	84800030	5701581345881	1850661	3		75
Avra	Pendant	Metal	Chrome	84800033	5701581345980	1850662	3		75
Base	Accessories	Galvanized steel	Galvanized	22039931	5701581292048	5118498	3		153
Birk	Wall	Aluminium, Plastic	White	45501001	5701581383081	1920430	3		106
Birk	Wall	Aluminium, Plastic	Black	45501003	5701581363885	1896579	3		106
Birk	Garden	Aluminium, Plastic	White	45518001	5701581383180	1920529	3		106
Birk	Garden	Aluminium, Plastic	Black	45518003	5701581363984	1896580	3		106
Birk	Wall	Aluminium, Plastic	White	45521001	5701581383289	1920431	3		106
Birk	Wall	Aluminium, Plastic	Black	45521003	5701581383388	1920527	3		106
Blokhuis	Wall	Galvanized steel, Glass	Black	25011003	5701581204072	5303901	3		126
Blokhuis	Wall	Copper, Glass	Copper	25011030	5701581115040	5061468	3		126
Blokhuis	Wall	Galvanized steel, Glass	Galvanized	25011031	5701581116047	5061442	3		126
Blokhuis	Wall	Stainless steel, Glass	Stainless steel	25011034	5701581117044	5061469	3		126
Blokhuis	Wall	Galvanized steel, Glass	Galvanized	25051031	5701581122048	5061467	3		126
Blokhuis	Garden	Copper, Glass	Copper	25078030	5701581123045	5061465	3		127
Blokhuis	Garden	Galvanized steel, Glass	Galvanized	25078031	5701581124042	5061464	3		127
Blokhuis	Garden	Stainless steel, Glass	Stainless steel	25078034	5701581125049	5061466	3		127
Blokhuis Sensor	Wall	Galvanized steel, Glass	Black	25031003	5701581219274	5383816	3		127
Blokhuis Sensor	Wall	Copper, Glass	Copper	25031030	5701581118041	5061471	3		127
Blokhuis Sensor	Wall	Galvanized steel, Glass	Galvanized	25031031	5701581119048	5061470	3		127
Blokhuis Sensor	Wall	Stainless steel, Glass	Stainless steel	25031034	5701581120044	5061472	3		127
Bowler	Wall	Galvanized steel, Plastic	Galvanized	28601131	5701581215061	5208844	3		134
Break	Wall	Metal, Plastic	Black	19861003	5701581226180	1544196	3	On fixture	47
Break	Floor	Metal, Plastic	Black	19874003	5701581226289	1544197	2	On cable	47
Bretagne	Pendant	Metal	White	39489901	5701581330788	1836698	3		71
Cable 25m	Accessories	Textile	White	73049901	5701581235779	1304438	1		83
Cable 25m	Accessories	Textile	Red	73049902	5701581235878	1304352	1		83
Cable 25m	Accessories	Textile	Black	73049903	5701581234079	1304457	1		83
Cable 25m	Accessories	Textile	Black/White	73049913	5701581234475	1304442	1		83
Cable 4m	Accessories	Textile	White	73059901	5701581204270	5303897	6		83
Cable 4m	Accessories	Textile	Red	73059902	5701581204379	5303898	6		83
Cable 4m	Accessories	Textile	Black	73059903	5701581204478	5303899	6		83
Cafe 15	Pendant	Glass, Metal		39553001	5701581101012	5927002	3		76
Cafe 20	Pendant	Glass, Metal		39563001	5701581102019	5927039	3		76
Cafe 25	Pendant	Glass, Metal		39573001	5701581103016	5927037	3		77
Cafe 30	Pendant	Glass, Metal		39583001	5701581104013	5926935	3		77

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Can Maxi	Wall	Aluminium, Glass	Aluminium	28819929	5701581323889	1824815	3		139
Cardiff	Wall	Aluminium, Glass	Black	74371003	5701581256774	1382552	3		111
Cardiff	Wall	Aluminium, Glass	Black	74381003	5701581256873	1382549	3		111
Cardiff	Garden	Aluminium, Glass	Black	74398003	5701581256972	1382547	3		111
Castor Maxi	Wall	Galvanized steel, Glass	Galvanized	71371131	5701581267473	1392877	3		133
Castor Maxi	Wall	Galvanized steel, Glass	Galvanized	71381131	5701581267374	1392876	3		133
Chicago	Spot	Metal	Brushed steel	47440032	5701581414389	1975399	3		86
Chicago	Spot	Metal	Brushed steel	47450032	5701581414488	1975400	3		86
Chicago	Spot	Metal	Brushed steel	47460032	5701581414587	1975401	3		86
Chino 25	Pendant	Wood	Nature (brown)	84823014	5701581346284	1850667	3		69
Chino 30	Pendant	Wood	Nature (brown)	84833014	5701581346383	1850668	3		69
Chino 40	Pendant	Wood	Nature (brown)	84843014	5701581346482	1850669	3		69
Chrystie 17	Pendant	Glass, Wood		46493047	5701581405684	1975317	3		64
Chrystie 20	Pendant	Glass, Wood		46503047	5701581405783	1975318	3		64
Chrystie 24	Pendant	Glass, Wood		46513047	5701581405882	1975319	3		64
Circus 21	Pendant	Metal	White	46403001	5701581403888	1973660	3		54
Circus 21	Pendant	Metal	Black	46403003	5701581403987	1973661	3		54
Circus 21	Pendant	Metal	Blue	46403006	5701581404083	1973663	3		54
Circus 21	Pendant	Metal	Rose	46403057	5701581404182	1973665	3		54
Circus 27	Pendant	Metal	White	46413001	5701581404281	1973666	3		54
Circus 27	Pendant	Metal	Black	46413003	5701581404380	1973667	3		54
Circus 27	Pendant	Metal	Blue	46413006	5701581404489	1973668	3		54
Circus 27	Pendant	Metal	Rose	46413057	5701581404588	1973669	3		54
City	Wall	Metal, Plastic	Black	881123	7057388811233	1935307	3		141
City	Wall	Metal, Plastic	Anthracite	881163	7057388811639	1913042	3		141
Cyclone	Wall	Metal	White	72991001	5701581259775	1392800	6	On fixture	45
Cyclone	Wall	Metal	Black	72991003	5701581259973	1392802	6	On fixture	45
Cyclone	Table	Metal	White	73065001	5701581220379	5387137	3	On cable	45
Cyclone	Table	Metal	Black	73065003	5701581220478	5387140	3	On cable	45
Cyclone	Clamp Spot	Metal	White	73072001	5701581220676	5387142	3	On cable	45
Cyclone	Clamp Spot	Metal	Black	73072003	5701581220775	5387145	3	On cable	45
Dalton	Wall	Stainless steel, Glass	Black	46901003	5701581410084	1975353	3		144
Darwin	Wall	Aluminium	Black	71971003	5701581260870	1392811	3		108
Darwin	Garden	Aluminium	Black	71988003	5701581260771	1392810	3		108
Darwin	Garden	Galvanized steel	Galvanized	71988031	5701581277571	1483333	3		108
Darwin Sensor	Wall	Aluminium	Black	71972003	5701581276079	1450411	3		108
Dean	Pendant	Metal	Black	46523003	5701581405981	1973674	3		15
Dean	Table	Metal	Black	46605003	5701581407282	1973685	3	On cable	14
Dean	Table	Metal	Brass	46605025	5701581407381	1973684	3	On cable	14
Dean Disc	Table	Metal	Black	46625003	5701581407688	1973681	3	On cable	15
Dean Disc	Table	Metal	Brass	46625025	5701581407787	1973679	3	On cable	15
Dean Halo	Table	Metal	Black	46615003	5701581407480	1973683	3	On cable	14
Dean Halo	Table	Metal	Brass	46615025	5701581407589	1973682	3	On cable	14

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Delta	Wall	Aluminium, Plastic	Black	873023	7057388730237	1630075	3		142
Delta	Wall	Aluminium, Plastic	White	873031	7057388730312	1630076	3		142
Delta	Wall	Aluminium, Plastic	Anthracite	873063	7057388730633	1630077	3		142
Delta Mini	Wall	Aluminium, Plastic	Black	873923	7057388739230	1417091	3		142
Dillon	Pendant	Glass		46473047	5701581405288	1973672	3		62
Disa	Pendant	Glass		45823000	5701581370487	1902353	3		63
Disa	Pendant	Glass		45823027	5701581370586	1902354	3		63
Discos 39	Pendant	Glass, Plastic	Opal white	76799910	5701581334885	1902366	3		81
Dove	Table	Plastic, Metal	Black	84593103	5701581343085	1850680	3	On fixture	49
Drop	Wall	Aluminium	Black	320130	7057383201305	1617070	3	On fixture	92
Drop	Wall	Aluminium	White	320131	7057383201312	1617071	3	On fixture	92
Egg	Pendant	Glass, Metal	White	84913001	5701581338388	1854812	3		78
Eik	Wall	Metal	White	45761001	5701581369481	1902422	3	On cable	39
Eik	Wall	Metal	Grey	45761010	5701581369580	1902425	3	On cable	39
Eik	Spot	Metal	White	45770101	5701581369689	1902466	3		39
Eik	Spot	Metal	Grey	45770110	5701581369788	1902469	3		39
Eik	Spot	Metal	White	45780101	5701581369887	1902473	3		39
Eik	Spot	Metal	Grey	45780110	5701581369986	1902477	3		39
Eik	Pendant	Metal	White	46563001	5701581406780	1975326	3		38
Eik	Pendant	Metal	Grey	46563010	5701581406889	1975327	3		38
Eik	Table	Metal	White	46695001	5701581409088	1975343	3	On cable	38
Eik	Table	Metal	Grey	46695010	5701581409187	1975344	3	On cable	38
Eik	Floor	Metal, Plastic	White	46734001	5701581409880	1975351	3	On cable	38
Eik	Floor	Metal, Plastic	Grey	46734010	5701581409989	1975352	3	On cable	38
Eldr 25	Pendant	Metal	White	45803001	5701581370081	1902349	3		71
Eldr 25	Pendant	Metal	Black	45803003	5701581370180	1902350	3		71
Eldr 30	Pendant	Metal	White	45813001	5701581370289	1902351	3		71
Eldr 30	Pendant	Metal	Black	45813003	5701581370388	1902352	3		71
Elm	Wall	Aluminium, Plastic	Black	45321003	5701581382589	1975309	3		145
Elm	Wall	Aluminium, Plastic	Black	45331003	5701581382787	1975310	3		145
Elm	Garden	Aluminium, Plastic	Black	45348003	5701581382985	1975311	3		145
Embla	Pendant	Glass		45703001	5701581368286	1902340	3		63
Embla	Pendant	Glass		45703027	5701581374386	1902341	3		63
Embla	Pendant	Glass		45703047	5701581368385	1902344	3		63
Embla	Pendant	Glass		45703054	5701581368484	1902345	3		63
Embla	Pendant	Glass		45703058	5701581368583	1902346	3		63
Esk	Pendant	Metal	Black	84883003	5701581346789	1850672	3		75
Explore	Wall	Metal	White	72091001	5701581246577	1305148	6	On fixture	90
Explore	Wall	Metal	Black	72091003	5701581246775	1305150	6	On fixture	90
Explore	Wall	Metal	White	74811001	5701581261174	1392814	6	On fixture	90
Explore	Wall	Metal	Black	74811003	5701581261679	1392819	6	On fixture	90
Explore	Spot	Metal	White	74830001	5701581262270	1392825	3		90
Explore	Spot	Metal	Black	74830003	5701581262478	1392827	3		90

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Eye	Wall	Metal	Anthracite	302763	7057383027639	1702616	3		93
Fez	Table	Metal	White	86165001	5701581357983	1884974	3	On fixture	93
Fixit	Accessories	Metal	Brushed steel	0130032	5701581011076	1246924	12		83
Flint	Wall	Aluminium, Plastic	Black	46941003	5701581410183	1975354	3		103
Flint	Wall	Aluminium, Plastic	Black	46951003	5701581410282	1975355	3		103
Focus	Wall	Metal, Plastic	Black	874023	7057388740236	1417093	3		128
Focus	Wall	Metal, Plastic	White	874031	7057388740311	1905344	3		128
Focus	Wall	Metal, Plastic	Anthracite	874063	7057388740632	1527810	3		128
Focus	Wall	Metal, Plastic	Aluminium	874093	7057388740939	1527810	3		128
Focus	Wall	Metal, Plastic	Black	874123	7057388741233	1417095	3		128
Focus	Wall	Metal, Plastic	White	874131	7057388741318	1935341	3		128
Focus	Wall	Metal, Plastic	Anthracite	874163	7057388741639	1417096	3		128
Focus	Wall	Metal, Plastic	Aluminium	874193	7057388741936	1935334	3		128
Focus	Plafond	Metal, Plastic	Black	874223	7057388742230	1527815	3		128
Focus	Plafond	Metal, Plastic	White	874231	7057388742315	1527817	3		128
Focus	Plafond	Metal, Plastic	Anthracite	874263	7057388742636	1912525	3		128
Focus 37	Garden	Metal, Plastic	Black	874523	7057388745231	1672964	2		129
Focus 37	Garden	Metal, Plastic	Anthracite	874563	7057388745637	1935490	2		129
Focus 65	Garden	Metal, Plastic	Black	874823	7057388748232	1418903	2		129
Focus 65	Garden	Metal, Plastic	Anthracite	874863	7057388748638	1418898	2		129
Grant	Table	Metal, Glass	Black	46635003	5701581407886	1975331	3	On cable	28
Grant	Table	Metal, Glass	Brass	46635025	5701581407985	1975332	3	On cable	28
Grant	Wall	Metal, Glass	Black	47091003	5701581411685	1975370	3		28
Grant	Wall	Metal, Glass	Brass	47091025	5701581411784	1975371	3		28
Groa 30	Pendant	Wood	Nature (brown)	45683014	5701581368088	1902338	3		68
Groa 40	Pendant	Wood	Nature (brown)	45693014	5701581368187	1902339	3		68
Halifax	Table	Plastic	White	47635001	5701581416888	1975426	3		48
Hollywood	Pendant	Glass, Metal		46483000	5701581405387	1975314	3		22
Hollywood	Pendant	Glass, Metal		46483027	5701581405486	1975315	3		22
Hollywood	Pendant	Glass, Metal		46483047	5701581405585	1975316	3		22
Hollywood	Table	Glass, Plastic		46645000	5701581408081	1975333	3	On cable	22
Hollywood	Table	Glass		46645027	5701581408180	1975334	3	On cable	22
Hollywood	Table	Glass, Plastic		46645047	5701581408289	1975335	3	On cable	22
Houston	Pendant	Metal	Black	46443003	5701581405080	1973670	3		59
Houston	Pendant	Metal	Black	46453003	5701581405189	1973671	3		59
Kingston	Pendant	Metal	White	46543001	5701581406384	1975322	3		58
Kingston	Pendant	Metal	Black	46543003	5701581406483	1975323	3		58
Kinver	Wall	Metal	White	84181001	5701581342781	1850698	3		113
Kinver	Wall	Metal	Black	84181003	5701581342880	1850699	3		113
Largo	Table	Metal	White	46655001	5701581408388	1975336	3		26
Largo	Table	Metal	Black	46655003	5701581408487	1975337	3		26
Largo	Floor	Metal	White	46704001	5701581409286	1975345	2		26
Largo	Floor	Metal	Black	46704003	5701581409385	1975346	2		26

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Largo	Wall	Metal	White	47051001	5701581411081	1975363	3		27
Largo	Wall	Metal	Black	47051003	5701581411180	1975364	3		27
Largo	Spot	Metal	White	47060001	5701581411289	1975365	3		27
Largo	Spot	Metal	Black	47060003	5701581411388	1975367	3		27
Largo	Spot	Metal	White	47070001	5701581411487	1975368	3		27
Largo	Spot	Metal	Black	47070003	5701581411586	1975369	3		27
Lelio	Floor	Metal, Textile	Black	75554003	5701581286276	1484058	2	On cable	49
Luxembourg	Wall	Galvanized steel, Glass	Black	22671003	5701581004047	5062672	3		148
Luxembourg	Wall	Galvanized steel, Glass	Rusty	22671009	5701581233171	1246804	3		148
Luxembourg	Wall	Copper, Glass	Copper	22671030	5701581083011	5659290	3		148
Luxembourg	Wall	Galvanized steel, Glass	Galvanized	22671031	5701581035010	5927026	3		148
Luxembourg	Pendant	Galvanized steel, Glass	Rusty	72805009	5701581233270	1246811	3		149
Luxembourg Sensor	Wall	Galvanized steel, Glass	Galvanized	22661031	5701581020054	5133097	3		148
Lyne	Pendant	Metal	Black	84813003	5701581346086	1850664	3		70
Lønstrup 22	Wall	Galvanized steel, Glass	Black	71431003	5701581232389	1557519	3		116
Lønstrup 22	Wall	Galvanized steel, Glass	Galvanized	71431031	5701581232181	1557520	3		116
Lønstrup 22 Sensor	Wall	Galvanized steel, Glass	Galvanized	71432031	5701581232280	1557521	3		116
Lønstrup 32	Wall	Galvanized steel, Glass	White	71411001	5701581277878	1475181	3		117
Lønstrup 32	Wall	Galvanized steel, Glass	Black	71411003	5701581277977	1475183	3		117
Lønstrup 32	Wall	Galvanized steel, Glass	Galvanized	71411031	5701581253773	1361813	3		117
Lønstrup 32	Garden	Galvanized steel, Glass	White	71428001	5701581278172	1475199	3		117
Lønstrup 32	Garden	Galvanized steel, Glass	Black	71428003	5701581278271	1475200	3		117
Lønstrup 32	Garden	Galvanized steel, Glass	Galvanized	71428031	5701581253674	1362133	3		117
Lønstrup 32 Sensor	Wall	Galvanized steel, Glass	Galvanized	71412031	5701581278073	1469105	3		117
Mainroad	Wall	Metal	Chrome	20649933	5701581365582	1877261	6	On fixture	88
Mainroad	Wall	Metal	Chrome	20659933	5701581329881	1877262	3	On fixture	88
Mainroad	Spot	Metal	Chrome	20679933	5701581329980	1877265	3		89
Mainroad	Spot	Metal	Chrome	20689933	5701581365681	1877267	3		88
Mainroad	Spot	Metal	Chrome	20759933	5701581389182	1877268	3		89
Mainroad	Spot	Metal	Chrome	20769933	5701581330580	1877271	3		89
Malte	Wall	Galvanized steel, Plastic	Galvanized	21841031	5701581099043	5061479	3		151
Malte	Wall	Galvanized steel, Plastic	Galvanized	21861031	5701581100046	5061480	3		151
Marina Flatline	Wall	Aluminium, Plastic	White	46821001	5701581399181	1958105	3		122
Marina Flatline	Wall	Aluminium, Plastic	Black	46821003	5701581399280	1958106	3		122
Marina Flatline	Wall	Aluminium, Plastic	White	46831001	5701581399389	1958107	3		122
Marina Flatline	Wall	Aluminium, Plastic	Black	46831003	5701581399488	1958108	3		122
Marina Flatline	Wall	Aluminium, Plastic	White	46841001	5701581399587	1958109	3		122
Marina Flatline	Wall	Aluminium, Plastic	Black	46841003	5701581399686	1958110	3		122
Mason	Wall	Plastic	White	47131001	5701581412187	1975375	3	On cable	48
Mason	Wall	Plastic	Black	47131003	5701581412286	1975376	3	On cable	48
Mento	Table	Metal	White	75525001	5701581285675	1479988	6	On fixture	94
Mento	Table	Metal	Black	75525003	5701581285774	1479989	6	On fixture	94
Mento	Wall	Metal	White	75531001	5701581285972	1479991	6	On fixture	94

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Mento	Wall	Metal	Black	75531003	5701581286078	1479992	6	On fixture	94
Mento	Clamp Spot	Metal	White	75582001	5701581211780	1544213	6	On fixture	95
Mento	Clamp Spot	Metal	Black	75582003	5701581211889	1544214	6	On fixture	95
Mento	Floor	Metal	Black	75594003	5701581212381	1544219	2	On fixture	95
Mercer	Table	Metal	White	46665001	5701581408586	1975338	3	On cable	48
Mercer	Table	Metal	Black	46665003	5701581408685	1975339	3	On cable	48
Milford 20	Pendant	Glass		46573001	5701581406988	1975328	3		72
Milford 30	Pendant	Glass		46583001	5701581407084	1975329	2		72
Mino	Wall	Aluminium	Black	879623	7057388796233	1923254	2		112
Mino 45	Garden	Aluminium	Black	879723	7057388797230	1922179	2		112
Mino 70	Garden	Aluminium	Black	879823	7057388798237	1922180	2		112
Momento	Wall	Aluminium, Plastic	Black	871023	7057388710239	1624420	3		140
Momento	Wall	Aluminium, Plastic	Black	871123	7057388711236	1624422	3		140
Momento	Garden	Aluminium, Plastic	Black	871423	7057388714237	1624429	2		140
Mono	Spot	Aluminium	Black	83698003	5701581306585	1761255	3		151
Moon	Wall	Plastic	White	83571001	5701581305786	1761176	3		150
Moon	Wall	Plastic	White	83581001	5701581305885	1761181	3		150
Moss Maxi	Wall	Galvanized steel, Glass	Galvanized	28309931	5701581330184	1840872	3		150
Nene	Wall	Metal, Glass	Black	872723	7057388727237	1935357	3		141
New York	Pendant	Metal	White	46393001	5701581403680	1975312	3		62
New York	Pendant	Metal	Black	46393003	5701581403789	1975313	3		62
Nibe	Wall	Copper, Glass	Copper	24981030	5701581121010	5672386	6		143
Nibe	Wall	Galvanized steel, Glass	Galvanized	24981031	5701581122017	5672385	6		143
Norma	Wall	Metal, Glass	Grey	77611010	5701581250680	1624385	3		138
Staldglas Gasket	Accessories	Plastic	Black	2444999	5701581200388	1492969	12		153
Parson	Wall	Glass, Metal	Black	47101003	5701581411883	1975372	3	On cable	40
Parson	Spot	Glass, Metal	Black	47110003	5701581411982	1975373	3		40
Parson	Spot	Glass, Metal	Black	47120003	5701581412088	1975374	3		40
Pendant Suspension	Accessories	Plastic	White	0100001	5701581168886	3451606	12		82
Phoenix	Wall	Copper, Plastic	Copper	24381030	5701581033030	5788056	2		109
Phoenix	Wall	Galvanized steel, Plastic	Galvanized	24381031	5701581034037	5788055	2		109
Phoenix Mini	Wall	Copper, Plastic	Copper	24421030	5701581146044	5061487	3		109
Phoenix Mini	Wall	Galvanized steel, Plastic	Galvanized	24421031	5701581092044	5058925	3		109
Phoenix Mini	Garden	Copper, Plastic	Copper	24448030	5701581147041	5061485	3		109
Phoenix Mini	Garden	Galvanized steel, Plastic	Galvanized	24448031	5701581093041	5058924	3		109
Photo	Spot	Metal	Aluminium	59372029	5701581123014	5686212	6	On cable	49
Pisa	Wall	Aluminium	Black	872623	7057388726230	1549623	2		139
Pisa	Wall	Aluminium	Anthracite	872663	7057388726636	1549624	2		139
Pop	Pendant	Metal	White	45833001	5701581370685	1902355	3		41
Pop	Pendant	Metal	Black	45833003	5701581370784	1902356	3		41
Pop	Pendant	Metal	Light blue	45833006	5701581370883	1902357	3		41
Pop	Pendant	Metal	Green	45833023	5701581370982	1902358	3		41
Pop	Pendant	Metal	Anthracite	45833050	5701581371088	1902359	3		41

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Pop	Wall	Metal	White	45841001	5701581371286	1902427	3	On cable	41
Pop	Wall	Metal	Black	45841003	5701581371385	1902431	3	On cable	41
Pop	Wall	Metal	Light blue	45841006	5701581371484	1902434	3	On cable	41
Pop	Wall	Metal	Green	45841023	5701581371583	1902436	3	On cable	41
Pop	Wall	Metal	Anthracite	45841050	5701581371682	1902439	3	On cable	41
Pop Maxi	Pendant	Metal	White	45983001	5701581390485	1943150	2		41
Pop Maxi	Pendant	Metal	Black	45983003	5701581390584	1943151	2		41
Ray	Wall	Metal	Black	63191003	5701581344884	1850681	3	On fixture	34
Ray	Wall	Metal, Glass	Chrome	63191033	5701581253483	1629151	3	On fixture	34
Ray	Table	Metal	Black	63201003	5701581344983	1850679	3	On cable	34
Ray	Table	Metal, Glass	Chrome	63201033	5701581253582	1629152	3	On cable	34
Ray	Floor	Metal	Black	63214003	5701581345089	1850676	2	On cable	32
Ray	Floor	Metal, Glass	Chrome	63214033	5701581239289	1576766	2	On cable	32
Ray	Floor	Metal	Black	63224003	5701581345188	1850677	2	On cable	32
Ray	Floor	Metal, Glass	Chrome	63224033	5701581239388	1576767	2	On cable	32
Ray 2-Kit	Pendant	Glass, Metal	White	63233001	5701581372887	1902364	3		33
Ray 2-Kit	Pendant	Metal	Black	63233003	5701581345287	1850657	3		33
Ray 2-Kit	Pendant	Glass, Metal	Black	63233013	5701581372986	1902365	3		33
Ray 2-Kit	Pendant	Glass, Metal	Chrome	63233033	5701581239487	1576768	3		33
Ray Dimmable	Floor	Metal	Black	72224003	5701581345386	1850678	2	On cable	32
Ray Dimmable	Floor	Metal, Glass	Chrome	72224033	5701581249479	1319175	2	On cable	32
Read 14	Pendant	Glass, Metal		73153010	5701581265479	1392857	3		79
Read 20	Pendant	Metal	White	73163001	5701581092075	5266274	3		79
Read 20	Pendant	Metal	Red	73163002	5701581093072	5266275	3		79
Read 20	Pendant	Metal	Black	73163003	5701581094079	5266276	3		79
Read 20	Pendant	Glass, Metal		73163010	5701581265578	1392858	3		79
Ripasso 15	Pendant	Glass		18443001	5701581162068	5208817	3		78
Ripasso 15	Pendant	Glass		18443002	5701581163065	5208818	3		78
Rispapir 35	Pendant	Paper	White	14093501	5708715730001	5693008	12		80
Rispapir 40	Pendant	Paper	White	14094001	5708715740000	5693009	12		80
Rispapir 48	Pendant	Paper	White	14094801	5708839002442	5693010	12		80
Rold	Wall	Metal, Glass	Black	84141003	5701581342385	1850692	3		138
Rold	Wall	Metal, Glass	Black	84151003	5701581342484	1850695	3		138
Scorpius	Wall	Galvanized steel, Plastic	White	21651001	5701581301979	5746797	6		134
Scorpius	Wall	Galvanized steel, Plastic	Black	21651003	5701581011021	5715378	6		134
Scorpius	Wall	Copper, Plastic	Copper	21651030	5701581916951	8574857	6		134
Scorpius	Wall	Galvanized steel, Plastic	Galvanized	21651031	5701581917958	8574865	6		134
Scorpius Maxi	Wall	Galvanized steel, Plastic	White	21751001	5701581303973	5746813	3		135
Scorpius Maxi	Wall	Galvanized steel, Plastic	Black	21751003	5701581012028	5715379	3		135
Scorpius Maxi	Wall	Copper, Plastic	Copper	21751030	5701581240964	7767296	3		135
Scorpius Maxi	Wall	Galvanized steel, Plastic	Galvanized	21751031	5701581241961	7767288	3		135
Scorpius Maxi	Garden	Galvanized steel	Galvanized	21769931	5701581228375	5387478	3		135
Siv	Table	Marble	White	45875001	5701581371880	1902481	3	On cable	46

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Siv	Table	Marble	Black	45875003	5701581371989	1902482	3	On cable	46
Siv	Table	Marble	Green	45875023	5701581372085	1902483	3	On cable	46
Siv	Pendant	Marble	White	45883001	5701581372184	1902361	3		46
Siv	Pendant	Marble	Black	45883003	5701581372283	1902362	3		46
Siv	Pendant	Marble	Green	45883023	5701581372382	1902363	3		46
Siv	Table	Marble, Glass	White	45895001	5701581372481	1902484	3	On cable	46
Siv	Table	Marble, Glass	Black	45895003	5701581372580	1902485	3	On cable	46
Siv	Table	Marble, Glass	Green	45895023	5701581372689	1902486	3	On cable	46
Skip 35	Pendant	Metal, Acrylic	White	46333001	5701581398283	1953171	3		56
Skip 35	Pendant	Metal, Acrylic	Black	46333003	5701581398382	1953174	3		56
Skip 57	Pendant	Metal, Acrylic	White	46343001	5701581398481	1953175	1		56
Skip 57	Pendant	Metal, Acrylic	Black	46343003	5701581398580	1953176	1		56
Skotlampe	Wall	Plastic, Glass	White	17051001	4017506013324	5909318	4		149
Skotlampe	Wall	Plastic, Glass	Black	17051003	4017506013331	5909319	4		149
Sleeky	Wall	Aluminium, Plastic	White	86151001	5701581357785	1884971	3	On fixture	93
Spiral Suspension	Accessories	Plastic	White	0140001	5701581197886	3485323	1		82
Spotlight	Spot	Aluminium, Glass	Black	20789903	5701581326781	1827304	3		152
Spotlight LED	Spot	Aluminium, Glass	Black	20788303	5701581278370	1475396	3		152
Square Maxi	Wall	Galvanized steel, Plastic	Galvanized	22911031	5701581245877	1305137	3		139
Staldglas Frostet	Accessories	Glass	Sandblasted	2440888	5701581289475	1491098	3		153
Staldglas	Accessories	Glass	Clear	2440999	5701581347960	7766835	3		153
Step 17	Pendant	Metal	Black	46353003	5701581398689	1953177	3		65
Step 27	Pendant	Metal	Black	46363003	5701581398788	1953179	3		65
Step 36	Pendant	Metal	Black	46373003	5701581398887	1953180	3		65
Tamar Clips	Wall	Metal, Plastic	Black	872223	7057388722232	1935373	3		113
Tamar Clips	Wall	Metal, Plastic	Anthracite	872263	7057388722638	1935372	3		113
Taurus	Spot	Stainless steel	Stainless steel	77029934	5701581324183	1824818	3		152
Tees	Pendant	Metal	Black	84863003	5701581346581	1850670	3		74
Texas	Floor	Metal	White	46714001	5701581409484	1975347	2	On cable	29
Texas	Floor	Metal	Black	46714003	5701581409583	1975348	2	On cable	29
Texas	Wall	Metal	White	47141001	5701581412385	1975377	3	On fixture	29
Texas	Wall	Metal	Black	47141003	5701581412484	1975378	3	On fixture	29
Texas	Table	Metal	White	47615001	5701581416482	1975421	3	On cable	29
Texas	Table	Metal	Black	47615003	5701581416581	1975422	3	On cable	29
Tin	Wall	Metal, Glass	Black	21269903	5701581322684	1824803	3		130
Tin	Wall	Copper, Glass	Copper	21269930	5701581327481	1839544	3		130
Tin	Wall	Stainless steel, Glass	Stainless steel	21279134	5701581327986	1833824	3		130
Tin	Wall	Metal, Glass	Black	21279903	5701581327788	1827977	3		130
Tin	Wall	Copper, Glass	Copper	21279930	5701581327887	1827279	3		130
Tin Maxi	Wall	Metal, Glass	White	21509901	5701581322882	1824805	3		131
Tin Maxi	Wall	Metal, Glass	Black	21509903	5701581322981	1824807	3		131
Tin Maxi	Wall	Metal, Glass	Aluminium	21509929	5701581323087	1824806	3		131
Tin Maxi	Wall	Metal, Glass	White	21519901	5701581328884	1836665	3		132

Model	Type	Materiale	Color	Number	Ean	DB	Pack unit	Switch	Page
Tin Maxi	Wall	Metal, Glass	Black	21519903	5701581323186	1824808	3		132
Tin Maxi	Wall	Metal, Glass	Aluminium	21519929	5701581329089	1828018	3		132
Tin Maxi	Wall	Stainless steel, Glass	Stainless steel	21519934	5701581329188	1828007	3		132
Tin Maxi Sensor	Wall	Metal, Glass	Black	21509103	5701581328686	1840880	3		132
Tin Maxi Sensor	Wall	Metal, Glass	Aluminium	21509129	5701581328785	1827284	3		132
Tin Maxi Sensor	Wall	Aluminium, Glass	Black	21519103	5701581329287	1828002	3		132
Tin Maxi Sensor	Wall	Aluminium, Glass	Aluminium	21519129	5701581329386	1828004	3		132
Tin Sensor	Wall	Stainless steel, Glass	Stainless steel	21279934	5701581322783	1824804	3		131
Tribeca 24	Pendant	Wood, Plastic	Black	46423003	5701581404687	1973650	3		57
Tribeca 24	Pendant	Wood, Plastic	Nature (brown)	46423014	5701581404786	1973652	3		57
Tribeca 38	Pendant	Wood, Plastic	Black	46433003	5701581404885	1973653	3		57
Tribeca 38	Pendant	Wood, Plastic	Nature (brown)	46433014	5701581404984	1973656	3		57
Trude	Pendant	Metal	White	45713001	5701581368682	1902347	3		70
Trude	Pendant	Metal	Black	45713003	5701581368781	1902348	3		70
Trumpet	Pendant	Glass, Metal	White	84903001	5701581337985	1854810	3		78
Turid 10	Pendant	Glass		45863027	5701581375185	1910021	3		81
Turid 8	Pendant	Glass		45853027	5701581375086	1910019	3		81
Vanila	Table	Metal	White	72695001	5701581271579	1415823	2	On fixture	44
Vanila	Table	Metal	Black	72695003	5701581243170	1305220	2	On fixture	44
Vanila	Floor	Metal	White	72704001	5701581268173	1392884	2	On fixture	44
Vanila	Floor	Metal	Black	72704003	5701581268272	1392885	2	On fixture	44
Vanila	Wall	Metal	White	72711001	5701581268371	1392886	3	On fixture	44
Vanila	Wall	Metal	Black	72711003	5701581268470	1392887	3	On fixture	44
Vejers	Wall	Galvanized steel, Glass	White	25091001	5701581029071	5255784	3		118
Vejers	Wall	Galvanized steel, Glass	Black	25091003	5701581030077	5255785	3		118
Vejers	Wall	Galvanized steel, Glass	Galvanized	25091031	5701581092068	5188246	3		118
Vejers	Wall	Stainless steel, Glass	Stainless steel	25091034	5701581053076	5268522	3		118
Vejers	Garden	Galvanized steel, Glass	Black	25118003	5701581032071	5255787	3		120
Vejers	Garden	Galvanized steel, Glass	Galvanized	25118031	5701581093065	5188245	3		120
Vejers	Garden	Stainless steel, Glass	Stainless steel	25118034	5701581052079	5268523	3		120
Vejers	Wall	Galvanized steel, Glass	Galvanized	74461031	5701581210578	5353047	3		119
Vejers	Wall	Galvanized steel, Glass	Black	74471003	5701581210677	5353048	3		119
Vejers 2M	Garden	Galvanized steel, Glass	Galvanized	25168031	5701581228573	1246806	2		120
Vejers Sensor	Wall	Galvanized steel, Glass	Black	25101003	5701581176072	5269476	3		118
Vejers Sensor	Wall	Galvanized steel, Glass	Galvanized	25101031	5701581174078	5269474	3		118
Virum	Wall	Galvanized steel, Glass	Galvanized	24111031	5701581027046	5044133	3		143
Aalborg 2002	Wall	Galvanized steel, Glass	Galvanized	24621031	5701581075993	5928349	3		121
Aalborg 2002	Garden	Galvanized steel, Glass	Galvanized	24728031	5701581079991	5928346	3		121

- Der tages forbehold for ændringer m.h.t. tekniske specifikationer, design og collistørrelser.
- Vi förbehåller oss för ändring med hänsyn till tekniske specifikationer, design och collistorlek.
- We reserve the right to changes as to technical specifications, design and number of packages.
- Wir nehmen Vorbehalt für Änderungen bezgl. technischer Spezifikationen, Design und Verpackungseinheiten.
- Nous nous réservons le droit de modifier toute documentation technique, design et colisage.





Nordlux Group Headoffice

Østre Havnegade 34
DK 9000 Aalborg
T + 45 98 18 16 11
nordlux@nordlux.com
nordlux.com

Germany

T +49 (0) 21 52 89 87 37
F +49 (0) 21 52 14 85 54
germany@nordlux.com

Sweden

T +46 (0) 20 14 00 054
sweden@nordlux.com

Norway

T +47 51 88 63 18
norway@nordlux.com

UK & Eire

T +44 (0) 12 00 42 27 77
uk@nordlux.com

France

france@nordlux.com

Benelux

T +32 (0) 15 25 76 41
benelux@nordlux.com

