

design<sup>®</sup>  
for the  
people

nordlux<sup>®</sup>



reddot design award  
winner 2018

COLLECTION 2018 - 2019  
DESIGNED IN DENMARK



# TABLE OF CONTENTS

## RED DOT AWARD WINNER 2018

See our award-winning product p. 9

## MEET OUR DESIGNERS

From idea to enthusiasm p. 6

## INDOOR

Indoor decorative p. 10

Ceiling light p. 106

Bath light - IP series p. 110

## OUTDOOR

Wall light p. 122

Outdoor series p. 142

FSC & Responsibility p. 152

Degree and protection p. 154

Light source info p. 155

Maintenance p. 156

Sales department p. 158

Index p. 162

## FOLLOW US

[www.nordlux.com](http://www.nordlux.com)

[nordlux@nordlux.com](mailto:nordlux@nordlux.com)

[facebook.com/nordluxglobal](https://facebook.com/nordluxglobal)

[instagram.com/nordlux](https://instagram.com/nordlux)

[pinterest.com/nordlux](https://pinterest.com/nordlux)

[linkedin.com/company/nordlux-a-s](https://linkedin.com/company/nordlux-a-s)

## DESIGN SHAPED LIGHT

Good lighting and innovation are in focus, and our 2018 collection offers further development of some of our most popular designs. In addition, the core of the collection is the selection of exquisite materials such as coloured glass and brass, surfaces, material blends and designs that are both functional and balance tradition with innovation. Because light is not just light. Light is an evocative element that affects us both physically and mentally, and it is therefore important to have the right light for everyday situations

Beautiful high-quality design is what has brought Design For The People to where we are today. Behind every Design For The People lamp is one or more recognised Danish designers who strive to create lamps which unite beauty, functionality and innovation. The combination of the collaboration with talented designers and our drive throughout the entire design process is crucial in order for us to be able to work in a focused manner, creating timeless and innovative design – for people all over the world.

Danish design enjoys great respect around the world. We have felt this in the form of being honoured with prestigious international design awards. Recently, we received one of the coveted Red Dot Awards 2018 for Belly Ø38, designed by Bønnelycke mdd.

**We proudly present the 2018 collection.**





design<sup>®</sup>  
for the  
people

nordlux<sup>®</sup>

## FROM IDEA TO ENTHUSIASM

*Creating something is not art  
creating enthusiasm is*

This is our credo at Nordlux and with this in mind we create innovative design products that are both exciting and advanced. We can not help it, because we love the process of advancing from an idea to enthusiasm.

Fortunately, we are surrounded by people who prefer to go all the way rather than compromise. People who are not afraid to use some elbow grease as well as some mental grease, and for whom innovation is nothing new. Because at Nordlux every success story starts with innovation. Only in this way we can make sure that our products are in line with the global impulses - and maybe even one step ahead of them.

Design For The People is for all who appreciate classic as well as innovative lighting design. We are guided by our vision to create design products at a price that everyone can afford. Design with a Nordic twist, intended for people worldwide. Therefore we invest in the form and functionality of each and every design we produce, just as we think about people and the environment in connection with each and every solution.

Behind every Design For The People design there are a number of recognized Danish designers who endeavour to create lighting that embellish and seduce, where beauty and functionality go hand in hand.



### **BØNNELYCKE MDD**

Bønnelycke is driven by an unsurpressable urge and desire to work constructively and innovatively. He started his career in 1988 with the design of lighting, furniture and interior spaces. Quickly, he became known as an unconventional architect with no whims and fancies. "It could be fun" and "of course it can be done" – are phrases often used in his company. Bønnelycke mdd is a multi disciplinary design company with both national and international experience. We are perfectionists with professional curiosity. We provide a wide variety of design disciplines encompassing architecture and interior design, furniture design and product design to communication assignments, graphic design and web design.



### **BJØRN + BALLE**

The design duo BJØRN+BALLE, based in Copenhagen, consists of designers Christian Bjørn and Rune Balle. Both have carried out a large number of design tasks for both national and international clients, such as product design, furniture design, interior design, identity programs and exhibitions. Together they have had great success with lighting design. BJØRN+BALLE combines the Scandinavian design tradition and international trends. The overall identity of the product is its form, function, structure and materials, the product's name contributes. A product never stands alone - it is part of an environment - the story that is told supports the design. BJØRN+BALLE have delivered a wide range of innovative technical solutions for the industry, as well as beautifully designed products for the consumer market.



### **SEBASTIAN HOLMBÄCK**

Aesthetics, the notion of beauty, and how we perceive it, has run as a red thread throughout Sebastian Holmbäcks career. Beyond the technical understanding of material and manufacturing, which he loves, is a deep fascination of how we as humans experience the shape, colour and functionality of an object. Over the years, this curiosity and interest for both the technical and psychological side of design have accumulated into a broad experience and deep understanding for what it takes to create a successful product. Today his work as designer is divided between the creation of products for Danish and international clients, and his work as consultant for companies in search for a clear mapping of the ties between customers, products, manufacturing capabilities and company identity.



### **CARLO VOLF**

'Light is precious, and it must not be wasted. Good light is essential for our well-being and therefore the lamp must give an optimal light output,' Carlo Volf explains. Therefore Carlo Volf works very deliberately with the covering of the light source. Like the master of detail that he is, he works a lot with every single bend in the distribution of the light so the lamp has the best light properties.



### **ANTONIO SENA - SEIDENFADEN DESIGN**

The Italian designer, Antonio Sena, is living in Copenhagen and is specialized in lifestyle products. His style is defined by soft lines with an intense focus on details and functionality. "I aspire to design honest objects that meet the needs in any given time and place." Antonio Sena is Design Manager at Seidenfaden Design Copenhagen, one of the leading design agencies in Denmark. Seidenfaden Design Copenhagen is specialized in the provision of design and product development for global lifestyle brands. Combining aesthetic, usability and functional aspects are essential – whether doing projects for high-end brands or solving needs in the consumer's everyday life.



### **MARIA BERNTSEN**

The Copenhagen based design duo, Mathias Kok and Maria Berntsen joint forces in 2015, after working together for some years. Mathias Kok is a newly graduated design professional, and Maria Berntsen, a well established name in the design industry, having multiple design classics on her resumé for brands such as Holmegaard, Georg Jensen and Stelton. "Working together, we experienced how we, and our design processes evolved beyond our individual capabilities through a rare mutual understanding, and how our different backgrounds and approaches contributed to it, making it even stronger". Kok og Berntsen aspire to create products that evoke emotions, facilitate great experiences, and offer uncompromising functionality while establishing strong relationships between user and object.





"It is unmistakably Danish design but inspired by the shape of a traditional Japanese teapot. That gives the lamp a strong, artisanal expression, because the shade is made by hand. That creates a special magic together with the very robust and yet visually light socket," says Danish designer Henrik Bønnelycke about his latest creation for Design For The People.



**reddot** award 2018  
winner

Statement by the jury:

The timeless aesthetic of this pendant luminaire provides rooms with a particular emphasis which goes far beyond merely being an aspect of lighting.



reddot award 2018  
winner



The relationship between Nordic and Japanese design is a close one. Both schools display an affection for simplicity of expression and honest materials. In giving shape to the Belly pendant, Bønnelycke mdd drew inspiration from the traditional, Japanese tea pot. If you look closely, you will see clear references to the cast iron stove or the archetypal sleigh bell. With its dominantly artisanal look, Belly combines weightlessness of shape with lightness of suspension.

---



## BØNNELYCKE MDD

"It is unmistakably Danish design but inspired by the shape of a traditional Japanese teapot. That gives the lamp a strong, artisanal expression, because the shade is made by hand. That creates a special magic together with the very robust and yet visually light socket," says designer Henrik Bønnelycke.

Belly 38 is the proud winner of a Red Dot Award 2018



### Belly 29

by Bønnelycke mdd

No. 45053003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 28 cm, Shade Ø: 29 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

### Belly 38

by Bønnelycke mdd

No. 45063003 Black - Black cable

Master Box qty 1

Material: Metal

IP20, Class 2

H: 33 cm, Shade Ø: 38 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

### Belly 46

by Bønnelycke mdd

No. 45073003 Black - Black cable

Master Box qty 1

Material: Metal

IP20, Class 2

H: 38 cm, Shade Ø: 46 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source


Fixture energy class A++ - D





# SpaceB

Designed by Bønnelycke mdd



## SpaceB

by Bønnelycke mdd

NEW

No. 46013001 White/Opal white - White cable

No. 46013003 Black/Opal white - Black cable

Master Box qty 3

Material: Aluminium/Plastic

IP20, Class 2

H: 5 cm, W: 8,5 cm, L: 120 cm,

Textile cable: 300 cm non replaceable

Switch on the fixture

Fixed LED, Incl. 22W LED, Incl. Multifunction

5 year LED guarantee

Light source: Lumen 983, Kelvin 2.200-3.000,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

3 different kelvin settings + dimmable

Fixture energy class A++ - A



**BØNNELYCKE MDD**

The simple and current design is given a particular twist of pleasant lighting through three different settings for temperature and brightness.



SpaceB realises the desire to create an extremely simple lamp in terms of expression. An illuminating surprise element which sets new standards for innovative lighting and contributes great functional value. The sculptural floor lamp can be tilted to all sides, and if you place it so that it shines its light against the wall, a decoration of light appears on the wall - particularly visual if you place several lights side by side, tilt them in different directions and choose different colour temperatures.



## SpaceB

by Bønnelycke mdd

NEW

No. 46034001 White/Opal white - White cable

No. 46034003 Black/Opal white - Black cable

Master Box qty 2

Material: Aluminium/Plastic

IP20, Class 2

H: 127,6 cm, Base: 15 cm

Textile cable: 250 cm non replaceable

Switch on the fixture

Fixed LED, Incl. 22W LED, Incl. Multifunction

5 year LED guarantee

Light source: Lumen 1.645, Kelvin 2.200-3.000,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

3 different kelvin settings + dimmable

Fixture energy class A++ - A



design  
for the  
people

Parker



## Manhattan

by Bønnelycke mdd

NEW

No. 46261003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 55 cm, W: 23,5 cm, D: 16 cm, Pipe Ø: 1,3 cm,

Base mount: Ø 10 cm,

Textile cable: 180 cm replaceable

Switch on the fixture

E27, Max. 40W, Incl. Rotate dimmer

Fixture energy class A++ - D

## Manhattan

by Bønnelycke mdd

NEW

No. 46253003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 44,5 cm, W: 6 cm, L: 85 cm, Pipe Ø: 1,3 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D





Dee in glass is the proud  
winner of a Red Dot Award 2017



reddot design award  
winner 2017



## Dee

by Bønnelycke mdd

No. 84383003 Black/Frosted glass - Black cable

Master Box qty 2

Material: Glass/Metal

IP20, Class 2

H: 39 cm, Shade Ø: 35 cm,

Textile cable: 300 cm non replaceable

Fixed LED, Incl. 12W LED

5 year LED guarantee

Light source: Lumen 980, Kelvin 3.000,

Life hours 30.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

## Dee 2.0

by Bønnelycke mdd

NEW

No. 84413001 White/Frosted glass - White cable

No. 84413003 Black/Frosted glass - Black cable

Master Box qty 2

Material: Glass/Metal

IP20, Class 2

H: 39 cm, Shade Ø: 35 cm,

Textile cable: 300 cm non replaceable

GU10, Max. 15W, Excl. light source

Fixture energy class A++ - A

## Dee 2.0

by Bønnelycke mdd

NEW

No. 84423001 White/Frosted glass - White cable

No. 84423003 Black/Frosted glass - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 23 cm, Shade Ø: 24,5 cm,

Textile cable: 300 cm non replaceable

GU10, Max. 15W, Excl. light source

Fixture energy class A++ - A

Dee is the first name of two pendants carrying the same name and the same metal top – but regarding design, there is a big difference. This is revealed by the last name. DEE GLASS is a contemporary pendant that looks impressive in a cluster. Although DEE GLASS loves good company, it is one of a kind and does well solo. With the frosted glass and organic shape, DEE provides plenty of light and atmosphere to the room. The dimmable LED technology ensures a perfect illumination. DEE 2.0 is available with a white or a black top.





## Dee 2.0

by Bønnelycke mdd

NEW

No. 84435001 White/Frosted glass - White cable

No. 84435003 Black/Frosted glass - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 24 cm, Shade Ø: 25 cm, Base: 14 cm

Textile cable: 180 cm non replaceable


Switch on the fixture

GU10, Max. 15W, Excl. light source,

Incl. Rotate dimmer

Fixture energy class A++ - A





## Sence 16

by Kok & Berntsen

NEW

---

No. 46073001 Opal white - White cable

No. 46073047 Smoked - Black cable

---

Master Box qty 3

Material: Glass

IP20, Class 2

Shade Ø: 16,5 cm, Shade H: 16.8 cm,

Textile cable: 300 cm non replaceable

E14, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---



## Sence 21

by Kok & Berntsen

NEW

---

No. 46083001 Opal white - White cable

No. 46083047 Smoked - Black cable

---

Master Box qty 3

Material: Glass

IP20, Class 2

Shade Ø: 21 cm, Shade H: 20.4 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---



**MARIA BERNTSEN**

The choice of materials and design makes the lamp's expression one of accomplished handicraft, while the tinted glass gives the light a beautiful glow.





## Sence

by Kok & Berntsen

NEW

No. 46125001 White/Opal white - White cable

No. 46125047 Black/Smoked - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 56,5 cm, Shade Ø: 21 cm, Pipe Ø: 1,57 cm,

Base: 17 cm

Cable: 250 cm non replaceable

Switch on the cable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D

## Sence

by Kok & Berntsen

NEW

No. 46101001 White/Opal white - White cable

No. 46101047 Black/Smoked - Black cable

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 21 cm, D: 30,65 cm, Shade Ø: 16,5 cm,

Pipe Ø: 1,6 cm, Base mount: Ø 11 cm,

Cable: 250 cm non replaceable

Switch on the fixture

E14, Max. 40W, Excl. light source

Fixture energy class A++ - D





## Brassy

by Bønnelycke mdd

NEW

No. 46283001 White - White cable

No. 46283003 Black - Black cable

Master Box qty 3

Material: Metal/Plastic

IP20, Class 2

H: 28,5 cm, Shade Ø: 30,4 cm,

Textile cable: 300 cm non replaceable

E27, Max. 25W, Excl. light source

Fixture energy class A++ - D

## Brassy

by Bønnelycke mdd

NEW

No. 46301001 White - White cable

No. 46301003 Black - Black cable

Master Box qty 3

Material: Metal/Plastic

IP20, Class 2

H: 48 cm, D: 68,6 cm, Shade Ø: 22 cm,

Shade H: 24 cm, Base mount: 5,2x13,3 cm,

Textile cable: 180 cm non replaceable


E27, Max. 25W, Excl. light source, Incl. Rotate dimmer

Fixture energy class A++ - D



## STRAP


Designed by Bjørn + Balle



**T**he name STRAP fits very much with the look of this light fixture. The pendant is suspended from a leather strap, and you have a choice between a strap in either black or a natural colour. In this way you determine the look of your light fixture. The combination of leather and metal/glass is both classic and modern, and visually it fits well with a modern interior, where the mixing of materials is one of today's biggest trends.

---





## Strap 16

by Bjørn + Balle



No. 84303001 White - White cable

No. 84303003 Black - Black cable

Master Box qty 3

Material: Metal/Leather

IP20, Class 2

H: 17 cm, Shade Ø: 16,5 cm,

Textile cable: 300 cm non replaceable

GU10, Max. 35W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

Fixture energy class A++ - D

## Strap 27

by Bjørn + Balle



No. 84333001 White - White cable

No. 84333003 Black - Black cable

No. 84333025 Brass - Black cable

No. 84333032 Brushed steel - Black cable

Master Box qty 3

Material: Metal/Leather

IP20, Class 2

H: 27 cm, Shade Ø: 27 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

Fixture energy class A++ - D



## Strap 27

by Bjørn + Balle



No. 84313001 White/Opal white - White cable

Master Box qty 3

Material: Glass/Leather

IP20, Class 2

H: 27 cm, Shade Ø: 27 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

Fixture energy class A++ - D

## Strap 36

by Bjørn + Balle



No. 84343001 White - White cable

No. 84343003 Black - Black cable

No. 84343025 Brass - Black cable

No. 84343032 Brushed steel - Black cable

Master Box qty 2

Material: Metal/Leather

IP20, Class 2

H: 37 cm, Shade Ø: 36 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

Fixture energy class A++ - D

Strap 36 in black is the proud winner of both  
iF Award and Red Dot Award 2017



reddot design award  
winner 2017



## Strap 48

by Bjørn + Balle



- 
- No. 84353001 White - White cable
  - No. 84353003 Black - Black cable
  - No. 84353025 Brass - Black cable
  - No. 84353032 Brushed steel - Black cable
- 

Master Box qty 1

Material: Metal/Leather

IP20, Class 2

H: 48 cm, Shade Ø: 48 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

---

Fixture energy class A++ - D

---



## Strap 68

by Bjørn + Balle



NEW

---

No. 84363001 White - White cable

No. 84363003 Black - Black cable

---

Master Box qty 1

Material: Metal/Leather

IP20, Class 2

H: 60,7 cm, Shade Ø: 68 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

---

Fixture energy class A++ - D

---







## Strap

by Bjørn + Balle



No. 46205001 White - White cable

No. 46205003 Black - Black cable

Master Box qty 3

Material: Metal/Leather

IP20, Class 2

H: 55 cm, Shade Ø: 25 cm, Pipe Ø: 1,57 cm,

Base: 17 cm

Textile cable: 180 cm non replaceable

Switch on the fixture

E27, Max. 40W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

Fixture energy class A++ - D

## Strap

by Bjørn + Balle



No. 46234001 White - White cable

No. 46234003 Black - Black cable

Master Box qty 2

Material: Metal/Leather

IP20, Class 2

H: 153,7 cm, Shade Ø: 36 cm, Pipe Ø: 1,57 cm,

Base: 30 cm

Textile cable: 180 cm non replaceable

Switch on the fixture

E27, Max. 40W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

Fixture energy class A++ - D





## Strap 15

by Bjørn + Balle



No. 84291001 White - White cable

No. 84291003 Black - Black cable

Master Box qty 3

Material: Metal/Leather

IP20, Class 2

H: 17 cm, D: 21,5 cm, Shade Ø: 16,5 cm,

Pipe Ø: 1,6 cm, Base mount: Ø 12,3 cm,

Cable: 180 cm replaceable

Switch on the fixture

GU10, Max. 8W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

Fixture energy class A++ - A

## Strap

by Bjørn + Balle



NEW

No. 46241001 White/Opal white - White cable

No. 46241003 Black/Opal white - Black cable

Master Box qty 3

Material: Glass/Leather

IP20, Class 2

H: 17 cm, D: 20 cm, Shade Ø: 16,5 cm,

Pipe Ø: 1,6 cm, Base mount: Ø 12,3 cm,

Cable: 200 cm replaceable

Switch on the fixture


G9, Max. 28W, Excl. light source

Incl. 2 pcs. of leather straps (brown and black)

Fixture energy class A++ - D



**REYKJAVIK**  
Designed by Sebastian Holmbäck



**A** trip to Iceland materialised into this beautifully simple porcelain light series with lots of Nordic attitude. The grooved surface, which lends to Reykjavik its particular character, is inspired by the corrugated sheets fitted to many Icelandic homes. The unique aspect of the light is the translucent porcelain, which allows a soft light through - this magically transforms the lights into a decorative bright spot.

---





## Reykjavik

by Sebastian Holmbäck

NEW

---

No. 46155001 White - White cable

---

Master Box qty 2

Material: Porcelain/Metal

IP20, Class 2

H: 34,2 cm, Shade Ø: 18,8 cm, Pipe Ø: 1 cm,

Base: 15.4 cm

Textile cable: 250 cm non replaceable

Switch on the cable

E14, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---

The unique aspect of the light  
is the translucent porcelain,  
which allows a soft light through





## Reykjavik 22

by Sebastian Holmbäck

---

No. 45173001 White - White cable

---

Master Box qty 2

Material: Porcelain

IP20, Class 2

H: 28 cm, Shade Ø: 22 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---

## Reykjavik 18

by Sebastian Holmbäck

---

No. 45163001 White - White cable

---

Master Box qty 2

Material: Porcelain

IP20, Class 2

H: 24,9 cm, Shade Ø: 18 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---

## Reykjavik 12

by Sebastian Holmbäck

---

No. 45153001 White - White cable

---

Master Box qty 2

Material: Porcelain

IP20, Class 2

H: 18,4 cm, Shade Ø: 12 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---



## KARMA

Designed by Seidenfaden Design



**M**etal, glass and wood comprise the perfect trinity when one is aiming for a distinctively Nordic design expression. With an intuitive feel for the coveted soft light and a functional design idiom, the Italian designer Antonia Sena from the Danish studio Seidenfaden Design has created the Karma light series, which consists of a pendant series and a wall lamp.

---





## Karma 14

by Seidenfaden Design

---

No. 43433012 **Nordic** Opal white - Ash wood - **NEW**

No. 78333012 Opal white - Walnut wood

---

Master Box qty 3

Material: Glass/Wood

IP20, Class 2

H: 21,5 cm, Shade Ø: 14 cm,

Textile cable: 300 cm non replaceable

E14, Max. 8W, Excl. light source

---

Fixture energy class A++ - A

---

## Karma 20

by Seidenfaden Design

---

No. 43443012 **Nordic** Opal white - Ash wood - **NEW**

No. 78343012 Opal white - Walnut wood

---

Master Box qty 3

Material: Glass/Wood

IP20, Class 2

H: 32 cm, Shade Ø: 20 cm,

Textile cable: 300 cm non replaceable

E27, Max. 23W, Excl. light source

---

Fixture energy class A++ - A

---



## Karma 24

by Seidenfaden Design

---

No. 78353047 Smoked - Black cable

---

Master Box qty 3

Material: Glass/Wood

IP20, Class 2

H: 37 cm, Shade Ø: 24 cm,

Textile cable: 300 cm non replaceable

E27, Max. 23W, Excl. light source

---

Fixture energy class A++ - A

---



## Karma 14

by Seidenfaden Design

---

No. 78321047 Black/Smoked - Black cable

---

Master Box qty 3

Material: Glass/Metal

IP20, Class 2

H: 24 cm, W: 14 cm, D: 21 cm, Shade Ø: 14 cm,

Base mount: Ø 14 cm,

Cable: 180 cm replaceable

Switch on the fixture

E14, Max. 8W, Excl. light source

---

Fixture energy class A++ - A

---



**BØNNELYCKE MDD**

## **PURE LINES**

PURE was first created as a pendant, and a star was born. It was a design with potential to expand to a family of designs, so today the PURE series consists of pendants, floor lamps and wall lamps. A family with clean lines and with unmistakable characteristics: the elegant slim top made of wood. PURE provides a stylish simple line in interior design, and with its sleek design it easily finds its place. Also in your heart.





## Pure 10

by Bønnelycke mdd

No. 43283001 **Nordic** White - Ash wood - **NEW**  
 No. 78283001 White - Walnut wood  
 o. 78283003 Black - Walnut wood  
 No. 78283011 Grey - Walnut wood

Master Box qty 3  
 Material: Metal/Wood  
 IP20, Class 2  
 H: 35 cm, Shade Ø: 10 cm,  
 Textile cable: 300 cm non replaceable  
 E27, Max. 40W, Excl. light source

Fixture energy class A++ - D

## Pure 20


by Bønnelycke mdd

NEW

No. 43293001 White - White cable  
 No. 43293003 Black - Black cable  
 No. 43293010 Grey - Grey cable

Master Box qty 3  
 Material: Metal/Wood  
 IP20, Class 2  
 H: 35 cm, Shade Ø: 20 cm,  
 Textile cable: 300 cm non replaceable  
 E27, Max. 40W, Excl. light source

Fixture energy class A++ - D



## Pure 10

by Bønnelycke mdd

No. 78271001 White - White cable

No. 78271003 Black - Black cable

No. 78271011 Grey - Grey cable

Master Box qty 3

Material: Metal/Wood

IP20, Class 2

H: 26 cm, D: 17 cm, Shade Ø: 7,5 cm,

Base mount: Ø10 cm,

Cable: 180 cm replaceable

Switch on the fixture

GU10, Max. 8W, Excl. light source

Fixture energy class A++ - A

## Pure 10

by Bønnelycke mdd

No. 78294001 White - Black cable

No. 78294003 Black - Black cable

No. 78294011 Grey - Black cable

Master Box qty 2

Material: Metal/Wood

IP20, Class 2

H: 149,5 cm, Shade Ø: 7,5 cm, Shade H: 26 cm,

Pipe Ø: 1,3 cm, Base: 30 cm

Cable: 180 cm non replaceable

Switch on the fixture

GU10, Max. 8W, Excl. light source

Fixture energy class A++ - A



## MIB 6

by Bønnelycke mdd

No. 71679901 White - White cable

No. 71679903 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 27 cm, Shade Ø: 6 cm, Shade H: 20 cm,

Pipe Ø: 1 cm,

Textile cable: 300 cm non replaceable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D

## MIB 6 Link

by Bønnelycke mdd

No. 71669901 White

No. 71669903 Black

Master Box qty 3

Material: Metal/Plastic

IP20, Class 2

H: 32 cm, Shade Ø: 6 cm, Shade H: 20 cm,

Pipe Ø: 1 cm,

Cable: Excl. cable

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D



## MIB 6

by Bønnelycke mdd

No. 71689901 White - White cable

No. 71689903 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 20 cm, D: 24 cm, Shade Ø: 6 cm, Pipe Ø: 1 cm,

Base mount: Ø 8,5 cm,

Cable: 200 cm replaceable

Switch on the fixture

GU10, Max. 35W, Excl. light source

Fixture energy class A++ - D



## MIB 3

by Bønnelycke mdd

No. 76681001 White - White cable

No. 76681003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 12 cm, D: 15 cm, Shade Ø: 3 cm, Pipe Ø: 1,3 cm,

Base mount: Ø 6 cm,

Cable: 180 cm

Switch on the cable

Fixed LED, Incl. 3W LED

5 year LED guarantee

Light source: Lumen 150, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 140°,

Not dimmable

Fixture energy class A++ - A

## MIB 3

by Bønnelycke mdd

No. 76690001 White

No. 76690003 Black

Master Box qty 3

Material: Metal

IP20, Class 2

L: 40 cm, D: 18 cm, Shade Ø: 3 cm, Shade H: 12 cm,

Pipe Ø: 1,3 cm, Base mount: 40 x 3,5 cm,

Cable: Excl. cable

Fixed LED, Incl. 3X3W LED


5 year LED guarantee

Light source: Lumen 3X150, Kelvin 3.000,


Life hours 20.000, RA 80, Beam angle 140°,

Not dimmable

Fixture energy class A++ - A



@karenmariemunk





## MIB 6

by Bønnelycke mdd

---

No. 71655001 White - White cable

No. 71655003 Black - Black cable

---

Master Box qty 3

Material: Metal

IP20, Class 2

H: 66 cm, Shade Ø: 6 cm, Pipe Ø: 1,27 cm,

Base: 20 cm

Cable: 250 cm non replaceable


Switch on the fixture

GU10, Max. 8W, Excl. light source

---

Fixture energy class A++ - A

---



## MIB 6

by Bønnelycke mdd

---

No. 71704001 White - White cable

No. 71704003 Black - Black cable

---

Master Box qty 2

Material: Metal

IP20, Class 2

H: 141 cm, Shade Ø: 6 cm, Shade H: 20 cm,

Pipe Ø: 1,27 cm, Base: 30 cm

Cable: 250 cm non replaceable

Switch on the fixture

GU10, Max. 8W, Excl. light source

---

Fixture energy class A++ - A


---



# pa tt on

designed by Bonneljcke mdd





## Patton

by Bønnelycke mdd

No. 84453001 White - White cable

No. 84453003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 33 cm, Shade Ø: 19 cm,

Textile cable: 300 cm non replaceable

E27, Max. 15W, Excl. light source

Fixture energy class A++ - A

## Patton

by Bønnelycke mdd

No. 84471001 White - White cable

No. 84471003 Black - Black cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 19 cm, D: 23,7 cm, Shade Ø: 12 cm,

Base mount: Ø 9,4 cm,

Cable: 180 cm replaceable

Switch on the fixture

E27, Max. 15W, Excl. light source, Incl. Rotate dimmer

Fixture energy class A++ - A

## Patton

by Bønnelycke mdd

No. 84464001 White - White cable

No. 84464003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 130 cm, Shade Ø: 12 cm, Shade H: 18.4 cm,

Base: 31.8 cm

Cable: 180 cm non replaceable

Switch on the fixture

E27, Max. 15W, Excl. light source, Incl. Rotate dimmer

Fixture energy class A++ - A

Sophisticated and Functional. PATTON is an exciting and elegant series of lamps consisting of a pendant, a wall lamp and a floor lamp. PATTON offers pure lines and functional details. The wall and floor lamps have a movable shade which can be placed according to need. Moreover, with the elegant dimmer, you can always vary (adjust) and optimize the light whether you need cozy light or work light. Furthermore, it is possible to tilt the stem and place it in two positions. PATTON is a sophisticated and timeless series of lamps that will suit any home.





NEXUS – the core of strong and subtil elegancy.  
The detailing is the story of lamp design surplus:  
The smooth transition from the shade to the cable,  
the reliable rocker switch, the solid brass coupling,  
and the refined interaction between the strong cast  
iron look of the shades and the stylish prism cover  
on the large pendant.





## Nexus 10

by Bønnelycke mdd

- No. 77253001 White - White cable
- No. 77253003 Black - Black cable
- No. 77253010 Grey - Grey cable
- No. 77253032 Brushed steel - Black cable


---

Master Box qty 3  
 Material: Metal/Plastic  
 IP20, Class 2  
 Shade Ø: 10 cm, Shade H: 15 cm,  
 Textile cable: 250 cm non replaceable  
 GU10, Max. 6W, Incl. 3W LED SMD  
 Light source: Lumen 200, Kelvin 2.700,  
 Candela 90, Life hours 25.000, RA 80,  
 Beam angle 110°, Not dimmable

---

Light source energy class A+  
 Fixture energy class A++ - A

---



## Nexus 20

by Bønnelycke mdd

- 
- No. 77243032 Brushed steel - Black cable

---

Master Box qty 1  
 Material: Metal/Plastic  
 IP20, Class 2  
 H: 25 cm, W: 5,5 cm, L: 113 cm, Shade Ø: 20 cm,  
 Shade H: 25 cm,  
 Textile cable: 250 cm replaceable  
 E27, Max. 3X40W, Excl. light source

---

Fixture energy class A++ - D

---



## Nexus 20

by Bønnelycke mdd

---

No. 77263001 White - White cable

No. 77263003 Black - Black cable

No. 77263010 Grey - Grey cable

No. 77263032 Brushed steel - Black cable

---

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

Shade Ø: 20 cm, Shade H: 25 cm,

Textile cable: 250 cm non replaceable

E27, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---



## Nexus 10

by Bønnelycke mdd

---

No. 77285001 White - White cable

No. 77285003 Black - Black cable

No. 77285010 Grey - Grey cable

No. 77285032 Brushed steel - Black cable

---

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

H: 63 cm, Shade Ø: 10 cm, Shade H: 15 cm,

Pipe Ø: 1,3 cm, Base: 20 cm

Cable: 250 cm non replaceable

Switch on the fixture

GU10, Max. 6W, Incl. 3W LED SMD

Light source: Lumen 200, Kelvin 2.700,

Candela 90, Life hours 25.000, RA 80,

Beam angle 110°, Not dimmable

---

Light source energy class A+

Fixture energy class A++ - A

---





## Nexus 10

by Bønnelycke mdd


- 
- No. 77271001 White - White cable
  - No. 77271003 Black - Black cable
  - No. 77271010 Grey - Black cable
  - No. 77271032 Brushed steel - Black cable
- 

Master Box qty 3  
Material: Metal/Plastic  
IP20, Class 2  
H: 22 cm, D: 21 cm,  
Shade Ø: 10 cm, Shade H: 15 cm, Pipe Ø: 1,3 cm,  
Base mount: Ø 12 cm,  
Cable: 180 cm replaceable  
Switch on the fixture  
GU10, Max. 6W, Incl. 3W LED SMD  
Light source: Lumen 200, Kelvin 2.700,  
Candela 90, Life hours 25.000, RA 80,  
Beam angle 110°, Not dimmable

---

Light source energy class A+  
Fixture energy class A++ - A

---



## Nexus 10

by Bønnelycke mdd

---

No. 77294001 White - White cable

No. 77294003 Black - Black cable

No. 77294010 Grey - Grey cable

---

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

H: 142 cm, Shade Ø: 10 cm, Shade H: 15 cm,

Pipe Ø: 1,3 cm, Base: 26 cm

Cable: 250 cm non replaceable

Switch on the fixture

GU10, Max. 6W, Incl. 3W LED SMD

Light source: Lumen 200, Kelvin 2.700,

Candela 90, Life hours 25.000, RA 80,

Beam angle 110°, Not dimmable

---

Light source energy class A+

Fixture energy class A++ - A

---



## Stripped

by Bjørn + Balle

---

No. 84373030 Copper - Black cable

---

Master Box qty 3

Material: Metal/Wood

IP20, Class 2

H: 20 cm, Ø: 5.7 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---

## Float 18

by Bjørn + Balle

---

No. 43203001 **Nordic** Opal white - Ash wood - **NEW**

No. 78203001 Opal white - Walnut wood

No. 78203030 Copper - Walnut wood

No. 78203032 Brushed steel - Walnut wood

---

Master Box qty 3

Material: Glass/Wood - Metal/Wood

IP20, Class 2

H: 26,5 cm, Shade Ø: 18 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---



## Float 27

by Bjørn + Balle

---

No. 43213001 **Nordic** Opal white - Ash wood - **NEW**

No. 78213001 Opal white - Walnut wood

No. 78213030 Copper - Walnut wood

No. 78213032 Brushed steel - Walnut wood

---

Master Box qty 3

Material: Glass/Wood - Metal/Wood

IP20, Class 2

H: 24,5 cm, Shade Ø: 27 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---



## Float 39

by Bjørn + Balle

---

No. 78223030 Copper - Black cable  
No. 78223032 Brushed steel - Black cable

---

Master Box qty 2  
Material: Metal/Wood  
IP20, Class 2  
H: 27 cm, Shade Ø: 39 cm,  
Textile cable: 300 cm non replaceable  
E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---



## Float

by Bjørn + Balle

---

No. 83001030 Copper - Black cable  
No. 83001032 Brushed steel - Black cable

---

Master Box qty 3  
Material: Metal/Wood  
IP20, Class 2  
H: 18,5 cm, D: 16,5 cm, Shade Ø: 12,5 cm,  
Base mount: Ø 12,5 cm,  
Cable: 180 cm replaceable  
Switch on the fixture  
GU10, Max. 8W, Excl. light source

---

Fixture energy class A++ - A

---





## Tippy

by Bønnelycke mdd

No. 45181001 White - White cable

No. 45181003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 19,4 cm, D: 22,5 cm, Shade Ø: 9,6 cm,

Base mount: Ø10 cm,

Cable: 180 cm replaceable

Switch on the fixture

E27, Max. 15W, Excl. light source, Incl. Rotate dimmer

Fixture energy class A++ - D

## Trooper

by Bønnelycke mdd

No. 45191001 White - White cable

No. 45191003 Black - Black cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 19,4 cm, D: 25,7 cm, Shade Ø: 16 cm,

Base mount: Ø10 cm,

Cable: 180 cm replaceable

Switch on the fixture

E27, Max. 15W, Excl. light source, Incl. Rotate dimmer

Fixture energy class A++ - D





## Cult

by Bønnelycke mdd

No. 78371003 Black - Black cable

No. 78371010 Grey - Grey cable

Master Box qty 3

Material: Metal

IP20, Class 2

H: 35 cm, D: 41 cm, Shade Ø: 14 cm,  
Shade H: 12 cm, Base mount: Ø12 cm,

Cable: 180 cm replaceable

Switch on the fixture

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D

## Cult

by Bønnelycke mdd

No. 78385003 Black - Black cable

No. 78385010 Grey - Grey cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 75 cm, Shade Ø: 14 cm, Shade H: 12 cm,

Pipe Ø: 3 cm, Base: 25 cm

Cable: 180 cm non replaceable

Switch on the fixture

E27, Max. 60W, Excl. light source

Incl. clamp- and table-fixture

Fixture energy class A++ - D



BØNNELYCKE MDD

## SPINNING HEADS

The CULT desktop and wall lamp series represents exactly what we mean when we state that decent, proper maybe even good design is merely a series of nice details put in the right order ... nothing more, nothing less and nothing much more to say, except off course – thank you Pixar!





## Arki

by Bønnelycke mdd

---

No. 75145001 White - White cable

No. 75145003 Black - Black cable

---

Master Box qty 2

Material: Metal

IP20, Class 2

H: 52 cm, Shade Ø: 20 cm, Shade H: 20 cm,

Base: 25 cm

Cable: 180 cm non replaceable

Switch on the fixture

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D



**incl. clamp-, table-  
and wall fixture**





## Artist 25

by Bønnelycke mdd

No. 83083003 Black - Black cable  
 No. 83083010 Grey - Grey cable  
 No. 83083030 Copper - Black cable  
 No. 83083054 Silver - Black cable

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

Shade Ø: 25 cm, Shade H: 6 cm,

Textile cable: 300 cm non replaceable

Fixed LED, Incl. 14W LED

5 year LED guarantee

Light source: Lumen 1.000, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

## Artist 40

by Bønnelycke mdd

No. 83093003 Black - Black cable  
 No. 83093010 Grey - Grey cable  
 No. 83093030 Copper - Black cable  
 No. 83093054 Silver - Black cable

Master Box qty 1

Material: Metal/Plastic

IP20, Class 2

Shade Ø: 40 cm, Shade H: 6 cm,

Textile cable: 300 cm non replaceable

Fixed LED, Incl. 24W LED

5 year LED guarantee

Light source: Lumen 1.460, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

Artist 40 in copper is the proud winner of both  
 iF Award and Red Dot Award 2017



reddot design award  
 winner 2017





## Askja

by Kok & Berntsen

- 
- No. 45100001 White - White cable
  - No. 45100003 Black - Black cable
  - No. 45100025 Brass - Black cable
  - No. 45100030 Copper - Black cable
  - No. 45100033 Matt chrome - Black cable
  - No. 45100043 Black/Chrome - Black cable
- 

Master Box qty 3

Material: Metal

IP20, Class 2

H: 8 cm, Ø: 9 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---



There is an abundant playfulness to the Askja pendant series, which lets you mix six different colours of suspensions with four different glass screens. This makes the number of creative combinations almost endless. With Askja, the designers created a whole new coupling between the light's components and turned the socket into a substantial and pivotal part of the design. They explored classic geometric shapes and set new standards for innovative lighting. The pendants look equally beautiful whether hung individually or together in a cluster.



## Askja Pipe 12

by Kok & Berntsen

No. 45113200 Clear  
No. 45113227 Amber  
No. 45113247 Smoked

Master Box qty 3  
Material: Glass  
H: 25,2 cm, Shade Ø: 12 cm,  
Cable: Excl. cable  
Excl. light source

## Askja Pipe 14

by Kok & Berntsen

No. 45123200 Clear  
No. 45123227 Amber  
No. 45123247 Smoked

Master Box qty 3  
Material: Glass  
H: 30,5 cm, Shade Ø: 14,2 cm,  
Cable: Excl. cable  
Excl. light source



## Askja Air

by Kok & Berntsen

No. 45133200 Clear  
No. 45133227 Amber  
No. 45133247 Smoked

Master Box qty 3  
Material: Glass  
H: 23,3 cm, Shade Ø: 24 cm,  
Cable: Excl. cable  
Excl. light source

## Askja Edge

by Kok & Berntsen

No. 45143200 Clear  
No. 45143227 Amber  
No. 45143247 Smoked

Master Box qty 3  
Material: Glass  
H: 27,2 cm, Shade Ø: 20,7 cm,  
Cable: Excl. cable  
Excl. light source





## Jubilee

by Bønnelycke mdd

---

No. 45013001 White - White cable

No. 45013003 Black - Black cable

No. 45013054 Silver - Black cable

No. 45013058 Gold - White cable

---

Master Box qty 2

Material: Metal

IP20, Class 2

H: 20 cm, Shade Ø: 40 cm,

Textile cable: 300 cm non replaceable


E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---





## Fascino

by Seidenfaden Design

---

No. 77213003 Black - Black cable

---

Master Box qty 2

Material: Metal

IP20, Class 2

Shade Ø: 30 cm, Shade H: 26.5 cm,

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---

## Grace 25

by HolmbäckNordentoft

---

No. 84223003 Black - Black cable

---

Master Box qty 3

Material: Metal

IP20, Class 2

H: 33 cm, Shade Ø: 25 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---

## Grace 32

by HolmbäckNordentoft

---

No. 84233003 Black - Black cable

---

Master Box qty 2

Material: Metal

IP20, Class 2

H: 42 cm, Shade Ø: 32 cm,

Textile cable: 300 cm non replaceable



E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---





## Slope 22

by Bønnelycke mdd

---

No. 71713001 Black/White - Black cable

---

Master Box qty 3

Material: Metal

IP20, Class 2

Shade Ø: 22 cm, Shade H: 30 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---

## Slope 35

by Bønnelycke mdd

---

No. 71723001 Black/White - Black cable

---

Master Box qty 2

Material: Metal

IP20, Class 2

Shade Ø: 35 cm, Shade H: 30 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---

## Slope 50

by Bønnelycke mdd

---

No. 71733001 Black/White - Black cable

---

Master Box qty 1

Material: Metal

IP20, Class 2

Shade Ø: 50 cm, Shade H: 30 cm,

Textile cable: 300 cm non replaceable

E27, Max. 75W, Excl. light source

---

Fixture energy class A++ - D

---





## Aver 30

by Carlo Volf

---

No. 84243003 Black - Black cable

---

Master Box qty 2

Material: Metal

IP20, Class 2

H: 35 cm, Shade Ø: 30 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---

## Aver 40

by Carlo Volf

---

No. 84253003 Black - Black cable

---

Master Box qty 1

Material: Metal

IP20, Class 2

H: 45,5 cm, Shade Ø: 40 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---

## Aver 50

by Carlo Volf

---

No. 84263003 Black - Black cable

---

Master Box qty 1

Material: Metal

IP20, Class 2

H: 54,5 cm, Shade Ø: 50 cm,

Textile cable: 300 cm non replaceable

E27, Max. 60W, Excl. light source

---

Fixture energy class A++ - D

---



**CARLO VOLF**

Aver is a pendant that breaks with tradition. With a visible bulb behind the curved metal wires, AVER provides a beautiful light and an interesting reflection. The design is simple, aesthetic and supported by the raw power of the metal. This sums to a strong visual design experience and a pendant that brings a unique life to the room. AVER comes in three sizes.



## Emition 17

by Carlo Volf

---

No. 72743003 Black - Clear cable

---

Master Box qty 3

Material: Metal

IP20, Class 2

Shade Ø: 17 cm, Shade H: 23 cm,

Cable: 300 cm non replaceable

E14, Max. 40W, Excl. light source

---

Fixture energy class A++ - D

---

## Emition 26

by Carlo Volf

---

No. 72753003 Black - Clear cable

---

Master Box qty 3

Material: Metal

IP20, Class 2

Shade Ø: 26 cm, Shade H: 34 cm,

Cable: 300 cm non replaceable

E27, Max. 75W, Excl. light source

---

Fixture energy class A++ - D

---





## Spider

by Bønnelycke mdd

---

No. 83213003 Black - Black cable

---

Master Box qty 2

Material: Metal

IP20, Class 2

H: 47,5 cm, Shade Ø: 27,5 cm,

Textile cable: 300 cm non replaceable

GU10, Max. 8W, Incl. 4X1.5W LED

Light source: Lumen 4X480, Kelvin 2.700,

Life hours 20.000, RA 80, Dimmable

Both included Fixed LED, 6W LED and GU10 socket

5 year LED guarantee

---

Light source energy class A+

Fixture energy class A++ - B GU10 socket



---



**BØNNELYCKE MDD**

This sculptural pendant lamp hangs as if on a silk thread, waiting for passersby. The inspiration for the design is evident from the name, otherwise there are no similarities with arachnids. With its gentle expression and dimmable LED lights, SPIDER is designed to grab the attention.





## Bloom 16

by Bjørn + Balle



---

No. 78163030 Opal white - White cable

---

Master Box qty 3  
Material: Glass/Metal  
IP20, Class 2  
Shade Ø: 16 cm, Shade H: 20 cm,  
Textile cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source  
Incl. 2 pcs. of covers in  
copper and brushed steel

---

Fixture energy class A++ - D

---

## Bloom 21

by Bjørn + Balle



---

No. 78173030 Opal white - White cable

---

Master Box qty 2  
Material: Glass/Metal  
IP20, Class 2  
Shade Ø: 21 cm, Shade H: 19 cm,  
Textile cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source  
Incl. 2 pcs. of covers in  
copper and brushed steel

---

Fixture energy class A++ - D

---

## Bloom 29

by Bjørn + Balle



---

No. 78183030 Opal white - White cable

---

Master Box qty 2  
Material: Glass/Metal  
IP20, Class 2  
Shade Ø: 29 cm, Shade H: 19 cm,  
Textile cable: 300 cm non replaceable  
E27, Max. 40W, Excl. light source  
Incl. 2 pcs. of covers in  
copper and brushed steel

---

Fixture energy class A++ - D

---





## LD 240

by Laterna Danica

No. LD240301 White - White cable

Master Box qty 1

Material: Metal/Glass

IP20, Class 2

H: 35 cm, Shade Ø: 40 cm,

Textile cable: 300 cm non replaceable

E27, Max. 75W, Excl. light source

Fixture energy class A++ - D

**INCL. 4 CHANGEABLE COLOURED RINGS**



## Saturn

by Seidenfaden Design

No. 83273001 White - White cable

Master Box qty 2

Material: Metal

IP20, Class 2

H: 32,5 cm, Shade Ø: 40,2 cm,

Textile cable: 300 cm non replaceable

E27, Max. 40W, Excl. light source

Fixture energy class A++ - D

## Motion 50

by Bønnelycke mdd

No. 78313001 White - White cable

Master Box qty 2

Material: Polycarbonate



IP20, Class 2

H: 40,5 cm, Shade Ø: 50 cm,

Textile cable: 400 cm non replaceable

E27, Max. 75W, Excl. light source

Fixture energy class A++ - D





## Funk

by Bønnelycke mdd

- No. 75470001 White - White cable
- No. 75470002 Red - Red cable
- No. 75470003 Black - Black cable
- No. 75470030 Copper - Copper cable
- No. 75470033 Black/Chrome - Black cable

Master Box qty 6

Material: Metal

IP20, Class 2

H: 10 cm, Shade Ø: 5,2 cm,

Textile cable: 250 cm non replaceable

E27, Max. 60W, Excl. light source

Fixture energy class A++ - D



## Monte 3

by Bønnelycke mdd

No. 79459901 White

No. 79459932 Brushed steel

Master Box qty 3


Material: Metal

IP20, Class 2

H: 3,3 cm, W: 5,2 cm, L: 113 cm,

Cable: Excl. cable

Excl. light source







## La Luna

by Bønnelycke mdd

---

No. 45306001 White/Opal white

---

Master Box qty 2

Material: Metal/Plastic

IP20, Class 2

D: 5 cm, Shade Ø: 41 cm,

Cable: Excl. cable

Fixed LED, Incl. 24W LED

5 year LED guarantee

Light source: Lumen 1.460, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

---

Fixture energy class A++ - A

---

## La Luna

by Bønnelycke mdd

---

No. 45316001 White/Opal white

---

Master Box qty 1

Material: Metal/Plastic

IP20, Class 2

D: 5,3 cm, Shade Ø: 60 cm,

Cable: Excl. cable

Fixed LED, Incl. 55W LED

5 year LED guarantee

Light source: Lumen 3.500, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

---

Fixture energy class A++ - A

---



The full moon and its reflected light inspired not only poets and painters to poetry and imagery, but also the designer behind the La Luna to this particular expression of creativity. With the La Luna, a ceiling light has been designed which ensures moonlight every night throughout the year. Available in two sizes, the two-dimensional moon appears as a uniform, luminous surface. If one is less poetic, and simply craves light, one might rather, according to the designer, imagine making a hole in the roof to let light flood in.

---





### Alba Pro 30

by Bønnelycke mdd



NEW

No. 77176001 White/Opal white

Master Box qty 3

Material: Aluminium/Acrylic

IP20, Class 2

D: 11,7 cm, Shade Ø: 30 cm, Base mount: Ø 10,6 cm,

Cable: Excl. cable

Fixed LED, Incl. 14W LED

5 year LED guarantee

Light source: Lumen 1.000, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

### Alba Pro 40

by Bønnelycke mdd



NEW

No. 77186001 White/Opal white

Master Box qty 3

Material: Aluminium/Acrylic

IP20, Class 2

D: 11,7 cm, Shade Ø: 38,5 cm,

Base mount: Ø 10,6 cm,

Cable: Excl. cable

Fixed LED, Incl. 24W LED

5 year LED guarantee

Light source: Lumen 1.600, Kelvin 2.700,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixture energy class A++ - A

### Alba

by Bønnelycke mdd



No. 77196001 White/Opal white

No. 77196010 Grey/Opal white

Master Box qty 3

Material: Metal/Plastic

IP20, Class 1

D: 13 cm, Shade Ø: 30 cm,

Cable: Excl. cable

Fixed LED, Incl. 12W LED

5 year LED guarantee

Light source: Lumen 840, Kelvin 3.000, Candela 245,

Life hours 50.000, RA 80, Beam angle 120°,

Not dimmable

Fixture energy class A++ - A





---

# IP SERIES

---

IP means International Protection and is used in connection with the material's protection class. IP is stated with 2 numbers (e.g. IP20) to say how safe the material is in connection with water penetration and the penetration of dust and solid objects. Materials are divided into protection classes that state – partly the protection of the material itself against penetration of foreign objects and water – and partly the protection of people who touch dangerous parts. The first number always states the degree of protection against foreign objects penetrating the material, but at the same time it states a certain smallest degree of protection of people who touch dangerous parts. The second number states the degree of protection from water penetrating the material.

---



## IP S4

by Bønnelycke mdd

No. 78511001 White/Frosted glass  
No. 78511032 Brushed steel/Frosted glass

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 2  
D: 11 cm, Ø: 10 cm, Base mount: Ø 9,8 cm,  
Cable: Excl. cable  
GU10, Max. 8W LED, Excl. light source

Fixture energy class A++ - A

## IP S5

by Bønnelycke mdd

No. 78521001 White/Frosted glass

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 2  
H: 11 cm, D: 15 cm, Ø: 10 cm,  
Base mount: 7,8 x 5,7 cm,  
Cable: Excl. cable  
GU10, Max. 8W LED, Excl. light source

Fixture energy class A++ - A

## IP S6

by Bønnelycke mdd

No. 78531001 White/Satinated  
No. 78531032 Brushed steel/Satinated

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 2  
H: 18 cm, D: 19 cm, Shade Ø: 12,1 cm,  
Shade H: 10.5 cm, Base mount: Ø 8,5 cm,  
Cable: Excl. cable  
GU10, Max. 8W SMD LED, Excl. light source

Fixture energy class A++ - A





## IP S9

by Bjørn + Balle

No. 78946001 White/Opal white

Master Box qty 3

Material: Plastic/Metal

IP44, Class 1

D: 7,7 cm, Ø: 25 cm,

Cable: Excl. cable

Fixed LED, Incl. 12W LED

5 year LED guarantee

Light source: Lumen 960, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°,

Not dimmable

Fixture energy class A++ - A

## IP S10

by Bønnelycke mdd

No. 78471001 White/Mirror - White cable

Master Box qty 3

Material: Metal/Glass

IP44, Class 2

D: 17 cm, Shade Ø: 30 cm, Base mount: Ø 14 cm,

Cable: 180 cm replaceable

Switch on the fixture

Fixed LED, Incl. 8W LED

5 year LED guarantee

Light source: Lumen 630, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°,

Not dimmable 3 x mirror magnification

Fixture energy class A++ - A

## IP S12

by Bønnelycke mdd

No. 83051001 White/Clear

No. 83051033 Chrome/Clear

Master Box qty 3

Material: Metal/Plastic

IP44, Class 2

H: 9 cm, W: 8,5 cm, D: 10,5 cm,

Base mount: 8,5 x 9 cm,

Cable: Excl. cable

Fixed LED, Incl. 5W LED

5 year LED guarantee


Light source: Lumen 400, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°,

Not dimmable

Fixture energy class A++ - A





## IP S13

by Bønnelycke mdd

No. 83061001 White

No. 83061032 Brushed steel

Master Box qty 3

Material: Metal/Plastic

IP44, Class 2

L: 40.3 cm, D: 11,8 cm, Base mount: Ø9 cm,

Cable: Excl. cable

Fixed LED, Incl. 5.6W LED


5 year LED guarantee

Light source: Lumen 406, Kelvin 3.000,

Life hours 30.000, RA 80, Beam angle 120°,

Not dimmable

Fixture energy class A++ - A



## IP S13

by Bønnelycke mdd

No. 83071001 White

No. 83071032 Brushed steel

Master Box qty 3

Material: Metal/Plastic

IP44, Class 2

L: 60.3 cm, D: 11,8 cm, Base mount: Ø9 cm,

Cable: Excl. cable

Fixed LED, Incl. 6.3W LED

5 year LED guarantee

Light source: Lumen 443, Kelvin 3.000,

Life hours 30.000, RA 80, Beam angle 120°,

Not dimmable

Fixture energy class A++ - A



Museum of Contemporary Art  
Museum of Modern Art  
**SCANDINAVIART**  
Museum of Contemporary Art  
Museum of Modern Art



## IP S16

by Bønnelycke mdd

---

No. 84531001 White

No. 84531033 Chrome

---

Master Box qty 3

Material: Metal/Plastic

IP44, Class 2

H: 7 cm, L: 59.5 cm, D: 6 cm,

Cable: Excl. cable

Fixed LED, Incl. 7W+9W LED

5 year LED guarantee

Light source: Lumen 1.100, Kelvin 3.000,

Life hours 20.000, RA 80, Beam angle 120°, Dimmable

Fixed LED, Top: 7W LED Dimmable

Fixed LED, Bottom: 9W LED Dimmable

Light source: Lumen 450 up and 650 down

---

Fixture energy class A++ - A

---


A modern bathroom with a textured white wall. A long, white, rectangular light fixture is mounted on the wall, emitting a warm glow. Below the light fixture, there is a white sink with a brass faucet and handles. To the right of the sink, there is a circular black object mounted on the wall. The overall aesthetic is minimalist and industrial.

The best solution for the bathroom can be just as good in other rooms. IP lamps are prepared for the bathroom and can withstand moisture and water. But many other spaces deserve that same great design and functionality. Think outside the box when you think about interior design and bring the IP lamps into the game.

## OUTDOOR

Outside in the open air is where you experience the seasons' temperaments in terms of changing light, sounds, odours and temperature. And here you will also witness an authentic cheerfulness, accompanied by leisurely chats, birdsongs and the murmuring of trees and shrubs. Here the sky is high and the air is fresh. So take your furniture out and design an oasis in the yard below an apple tree or on the terrace. Do not forget the fixtures that can complement the natural light or simply provide light when darkness falls.

---







## Maze Straight

by Bønnelycke mdd

NEW

No. 46871001 White/Opal white  
No. 46871003 Black/Opal white

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
H: 18 cm, W: 18 cm, D: 4 cm,  
Cable: Excl. cable  
Fixed LED, Incl. 10W LED  
Parallel connection possible  
5 year LED guarantee  
Light source: Lumen 700, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°,  
Not dimmable

Fixture energy class A++ - A

## Maze Bended

by Bønnelycke mdd

NEW

No. 46881001 White/Opal white  
No. 46881003 Black/Opal white

Master Box qty 3  
Material: Aluminium/Plastic  
IP44, Class 1  
H: 18 cm, W: 18 cm, D: 4 cm,  
Cable: Excl. cable  
Fixed LED, Incl. 10W LED  
Parallel connection possible  
5 year LED guarantee  
Light source: Lumen 700, Kelvin 3.000,  
Life hours 25.000, RA 80, Beam angle 120°,  
Not dimmable

Fixture energy class A++ - A





Front 36 in black is the proud winner of both  
iF Award and Red Dot Award 2017



## Front Single

by Sebastian Holmbäck

NEW

No. 46801001 White/Frosted glass  
No. 46801003 Black/Frosted glass

Master Box qty 3  
Material: Aluminium/Glass  
IP44, Class 1  
H: 15,6 cm, D: 17 cm, Shade Ø: 11,8 cm,  
Base mount: Ø9,1 cm,  
Cable: Excl. cable  
GU10, Max. 28W, Excl. light source  
Parallel connection possible

Fixture energy class A++ - D

## Front 26

by HolmbäckNordentoft

No. 84081001 White/Opal white  
No. 84081003 Black/Opal white

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 1  
H: 6,8 cm, W: 26 cm, D: 6,8 cm,  
Cable: Excl. cable  
Fixed LED, Incl. 8W LED  
Parallel connection possible  
5 year LED guarantee  
Light source: Lumen 650, Kelvin 3.000,  
Life hours 25.000, RA 80, Not dimmable

Fixture energy class A++ - A

## Front 36

by HolmbäckNordentoft

No. 84091001 White/Opal white  
No. 84091003 Black/Opal white

Master Box qty 3  
Material: Metal/Plastic  
IP44, Class 1  
H: 6,8 cm, W: 36 cm, D: 6,8 cm,  
Cable: Excl. cable  
Fixed LED, Incl. 12W LED  
Parallel connection possible  
5 year LED guarantee  
Light source: Lumen 850, Kelvin 3.000,  
Life hours 25.000, RA 80, Not dimmable

Fixture energy class A++ - A




Front is designed for the classical mansion as well as for the modern type house. The fitting is made of aluminum emphasizing the simple and clear design. This means that Front forms a natural part of the architecture of the home, and that Front easily solves the task of being both illuminator and atmosphere creator. Front is a contemporary solution with energy efficient LED technology.



**FOLD**  
designed by Bannelycke mdd






INCL. ILLUMINATION PATTERNS



**BØNNELYCKE MDD**

"Fold a sheet of paper, place a bulb behind it - and you have a light." While the reality is not that simple, designer Henrik Bønnelycke wants the light to appear as if it is. Based on the A format, Bønnelycke mdd developed the Fold light, which is incredibly well defined and distinct in terms of shape.



## Fold

by Bønnelycke mdd

---

No. 45401001 White/Clear

No. 45401003 Black/Clear

No. 45401030 Copper/Clear - 15 year anti corrosion guarantee

No. 45401031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 45401039 Brass/Clear

---

Master Box qty 3

Material: Stainless steel - Copper - Galvanized steel - Metal

IP44, Class 1

H: 21 cm, W: 15,2 cm, D: 5,2 cm,

Cable: Excl. cable

Fixed LED, Incl. 2X5W LED

Parallel connection possible

5 year LED guarantee

Light source: Lumen 2X135, Kelvin 3.000, Life hours 25.000, RA 80,

Beam angle 120°, Not dimmable

---

Fixture energy class A++ - A

---







designed by Bønnelycke mdd







INCL. ILLUMINATION PATTERNS



## Canto

by Bønnelycke mdd

---

No. 77571001 White/Clear

No. 77571003 Black/Clear

No. 77571010 Grey/Clear

No. 77571031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 77571034 Stainless steel/Clear

No. 77571035 Brass/Clear - 15 year anti corrosion guarantee

---

Master Box qty 3

Material: Metal/Glass - Galvanized steel/Glass - Stainless steel/Glass - Brass/Glass

IP44, Class 1

H: 10,5 cm, W: 8,7 cm, D: 10 cm, Base mount: 7,5 x 9,5 cm,

Cable: Excl. cable

Fixed LED, Incl. 2X5W COB

Parallel connection possible

5 year LED guarantee

Light source: Lumen 2X350, Kelvin 3.000, Candela 150, Life hours 25.000, RA 80,

Beam angle 110°, Not dimmable

---

Fixture energy class A++ - A

---



INCL. ILLUMINATION PATTERNS



## Canto Kubi

by Bønnelycke mdd

---

No. 77521001 White/Clear

No. 77521003 Black/Clear

No. 77521010 Grey/Clear

No. 77521031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 77521034 Stainless steel/Clear

---

Master Box qty 3

Material: Metal/Glass - Galvanized steel/Glass - Stainless steel/Glass  
IP44, Class 1

H: 10,6 cm, W: 8,8 cm, D: 10 cm, Base mount: 8 x 10 cm,

Cable: Excl. cable

Fixed LED, Incl. 2X5W COB

Parallel connection possible

5 year LED guarantee

Light source: Lumen 2X350, Kelvin 3.000, Candela 150,

Life hours 25.000, RA 80, Beam angle 110°, Not dimmable

---

Fixture energy class A++ - A

---



INCL. ILLUMINATION PATTERNS



## Canto Maxi Kubi

by Bønnelycke mdd

No. 77531003 Black/Clear

Master Box qty 3

Material: Metal/Glass

IP44, Class 1

H: 17 cm, W: 8,7 cm, D: 10 cm,

Cable: Excl. cable

GU10, Max. 2X35W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D

NEW

## Canto Maxi

by Bønnelycke mdd

No. 77561001 White/Clear

No. 77561003 Black/Clear

No. 77561010 Grey/Clear

No. 77561031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 77561034 Stainless steel/Clear

No. 77561035 Brass/Clear - 15 year anti corrosion guarantee

Master Box qty 3

Material: Metal/Glass - Galvanized steel/Glass - Stainless steel/Glass

- Brass/Glass

IP44, Class 1

H: 17 cm, W: 8,7 cm, D: 10 cm, Base mount: 7 x 15,2 cm,

Cable: Excl. cable

GU10, Max. 2X35W, Excl. light source

Parallel connection possible

Fixture energy class A++ - D





## Bell

by Anders G. Ellegaard

---

No. 76391003 Black/Satinated

---

Master Box qty 3

Material: Aluminium/Plastic

IP44, Class 1

H: 15 cm, D: 24,5 cm, Shade Ø: 20 cm,

Base mount: 9,5 x 6 cm,

Cable: Excl. cable

E27, Max. 15W, Excl. light source

Parallel connection possible

---

Fixture energy class A++ - D

---

## Arki outdoor

by Bønnelycke mdd

---

No. 75181003 Black/Opal white

No. 75181031 Galvanized/Opal white - 15 year anti corrosion guarantee

---

Master Box qty 3

Material: Galvanized steel/Plastic

IP54, Class 1

H: 20 cm, D: 26 cm, Shade Ø: 20 cm, Base mount: Ø10,5 cm,

Cable: Excl. cable

E27, Max. 20W, Excl. light source


Parallel connection possible

---

Fixture energy class A++ - B

---





## Edge

by Bønnelycke mdd

---

No. 77441001 White/Clear

No. 77441003 Black/Clear

No. 77441031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 77441038 Corten/Clear

---

Master Box qty 3

Material: Metal/Plastic - Corten/Plastic

IP44, Class 1

H: 20 cm, W: 10 cm, D: 9,5 cm,

Base mount: 7,5 x 17,5 cm,

Cable: Excl. cable

GU10, Max. 5W LED SMD, Excl. light source

Parallel connection possible


---

Fixture energy class A++ - A

---



Corten steel is a type of steel which contains copper, phosphorus, nickel and chrome in a ratio that makes the steel weathering steel so that the "ready" rusty surface protects the steel against corrosion 6-8 times better than the "standard" rusty steel. Be aware of any rust staining in the curing period. If the steel is buried, its corrosion rate will be the same as for standard steel. The word "Corten" from "Corten steel" originates from "CORrosion resistant high TENSile steel".



## Hunt 19

by Bjørn + Balle

No. 45451001 White/Opal white  
 No. 45451003 Black/Opal white  
 No. 45451029 Aluminium/Opal white

Master Box qty 3  
 Material: Aluminium/PCA  
 IP44, Class 2  
 D: 4,3 cm, Ø: 19 cm,  
 Cable: Excl. cable  
 Fixed LED, Incl. 6W LED  
 Parallel connection possible  
 5 year LED guarantee  
 Light source: Lumen 170, Kelvin 3.000,  
 Life hours 25.000, RA 80, Beam angle 120°,  
 Not dimmable

Fixture energy class A++ - A

## Hunt 26

by Bjørn + Balle

No. 45461001 White/Opal white  
 No. 45461003 Black/Opal white  
 No. 45461029 Aluminium/Opal white

Master Box qty 3  
 Material: Aluminium/PCA  
 IP44, Class 2  
 D: 5,8 cm, Ø: 26 cm,  
 Cable: Excl. cable  
 Fixed LED, Incl. 10W LED  
 Parallel connection possible  
 5 year LED guarantee  
 Light source: Lumen 360, Kelvin 3.000,  
 Life hours 25.000, RA 80, Beam angle 120°,  
 Not dimmable

Fixture energy class A++ - A

## Hunt

by Bjørn + Balle

NEW

No. 45448001 White/Opal white  
 No. 45448003 Black/Opal white  
 No. 45448029 Aluminium/Opal white

Master Box qty 3  
 Material: Aluminium/PCA  
 IP44, Class 2  
 H: 78 cm, Shade Ø: 19 cm, Pipe Ø: 9 cm,  
 Base: 13 cm  
 Cable: Excl. cable  
 E27, Max. 15W, Excl. light source  
 Parallel connection possible  
 Suitable for Base no. 22039931

Fixture energy class A++ - A



## BJØRN + BALLE

The associations to both lunar and solar eclipses, or perhaps endless stary nights, are obvious when the light comes on in the Hunt wall and garden lamp. Designers Bjørn + Balle pair the square and the circle, playing with the interaction of light and shadow.





## Helix

by Bønnelycke mdd

No. 77471031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 77471038 Corten/Clear

Master Box qty 3

Material: Galvanized steel/Plastic - Corten/Plastic  
IP44, Class 1

H: 32,5 cm, D: 14 cm, Ø: 8 cm, Shade Ø: 7,4 cm,

Base mount: Ø 8 cm,

Cable: Excl. cable

GU10, Max. 8W SMD LED, Incl. 5W LED SMD

Parallel connection possible

Light source: Lumen 390, Kelvin 2.700,  
Candela 650, Life hours 15.000, RA 80,

Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A

## Helix

by Bønnelycke mdd

No. 77498031 Galvanized/Clear - 15 year anti corrosion guarantee

No. 77498038 Corten/Clear

Master Box qty 2

Material: Galvanized steel/Plastic - Corten/Plastic  
IP44, Class 2

H: 80 cm, Ø: 8 cm, Base: 15 cm

Cable: Excl. cable

GU10, Max. 8W SMD LED, Incl. 5W LED SMD

Parallel connection possible

Suitable for Base no. 22039931


Light source: Lumen 390, Kelvin 2.700,  
Candela 650, Life hours 15.000, RA 80,

Beam angle 36°, Not dimmable

Light source energy class A+

Fixture energy class A++ - A





## Fuse

by Bønnelycke mdd

---

No. 77518031 Galvanized - Black cable

---

Master Box qty 1

Material: Galvanized steel/Glass

IP44, Class 2

H: 165 cm, Shade Ø: 35 cm, Pipe Ø: 2,5 cm,

Cable: 500 cm

E27, Max. 60W, Excl. light source

15 year anti corrosion guarantee

Incl. Schuko plug

---

Fixture energy class A++ - D

---

## Fuse Base

by Bønnelycke mdd

---

No. 77509931 Galvanized

---

Master Box qty 3

Material: Galvanized steel

H: 35 cm, Pipe Ø: 2 cm, Base: 35 cm

Cable: Excl. cable

15 year anti corrosion guarantee

Only for no. 77518031

---





## Fredensborg

by Horn

---

No. 10610119 Galvanized/Clear

---

Master Box qty 3

Material: Galvanized steel/Plastic

IP54, Class 1

H: 25,5 cm, D: 27 cm, Shade Ø: 24 cm,

Base mount: Ø 10 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

---

Fixture energy class A++ - D

---

## Fredensborg

by Horn

---

No. 10620119 Galvanized/Clear

---

Master Box qty 3

Material: Galvanized steel/Plastic

IP54, Class 2

H: 87 cm, Shade Ø: 24 cm, Pipe Ø: 5 cm,

Base: 15 cm

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Suitable for Base no. 22039931

---

Fixture energy class A++ - D

---



## Amalienborg

by Horn

---

No. 10600219 Galvanized/Clear

---

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 1

H: 26 cm, D: 37,5 cm, Shade Ø: 32,5 cm,

Base mount: Ø 11,5 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

---

Fixture energy class A++ - D

---

## Amalienborg

by Horn

---

No. 10600319 Galvanized/Clear

---

Master Box qty 3

Material: Galvanized steel/Glass

IP54, Class 2

H: 92 cm, Shade Ø: 32,5 cm, Pipe Ø: 5 cm,

Base: 15 cm

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Suitable for Base no. 22039931

---

Fixture energy class A++ - D

---



## Venø

by Horn

No. 10600619 Galvanized/Clear

No. 10600625 Copper/Clear

Master Box qty 3

Material: Galvanized steel/Plastic - Copper/Plastic

IP54, Class 1

H: 26 cm, D: 40 cm, Shade Ø: 35 cm,

Base mount: Ø 11,7 cm,

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Fixture energy class A++ - D

## Venø

by Horn

No. 10600719 Galvanized/Clear

No. 10600725 Copper/Clear

Master Box qty 3

Material: Galvanized steel/Plastic - Copper/Plastic

IP54, Class 2

H: 93 cm, Shade Ø: 35 cm, Pipe Ø: 5 cm,

Base: 14.5 cm

Cable: Excl. cable

E27, Max. 60W, Excl. light source

Parallel connection possible

15 year anti corrosion guarantee

Suitable for Base no. 22039931

Fixture energy class A++ - D



\*FSC® stands for Forest Stewardship Council® and is a recognised international non-profit labelling scheme for wood and paper. FSC certification ensures responsible forest management and improved living conditions for the local population in forests worldwide. FSC-C124559



# **In a gentle way - we can shake the world**

Nordlux is one of Scandinavia's leading suppliers of lighting.

We design and manufacture lighting with great knowledge of, and consideration for, how light affects us humans and our wellbeing. It is an essential part of our product development. With manufacturing and product development also comes responsibility – a responsibility to protect the resources we have available, and the people we work with.

At the immediate level, this mainly concerns investing in continuous improvement, including via our product development. By focusing on low prices, we commit ourselves to looking at new, simple solutions and processes that use less material, as well as long-life technology. Basically, this means that we take into account many more elements than just that a design should be nice to look at. We assess whether a design can be made more appropriate and less costly through small adjustments. For example, it makes sense for the installation of our lamps to be as simple as possible, ensuring that no additional resources are required for installation. That is why we have more than 60 dedicated engineers, each with more than 10 years of experience in lighting technology, in our development department, all constantly working with this focus.

We are at the forefront when it comes to the development of energy-saving LED technology. You no longer need to compromise between the desire for a warm, pleasant light, innovative design, and the desire to keep power consumption down. Development in this area moves quickly, and new solutions and processes are constantly emerging, making it possible to combine aesthetics with greener technology.

## **FSC**

We focus on protecting our resources and the environment. This is one of the reasons why we have been FSC certified since 2016. FSC certification is about using trade forest products such as wood and paper from responsible sources, and ensuring clear traceability for the wood – all the way from forest to the finished product in the shop. Responsible sources refers to local populations, animals and plant life being taken into consideration, that logging is done in an environmentally appropriate way and that the deforested areas are replanted.

The desire and motivation for FSC certification of the products which include wood is a natural continuation and development of our approach to environment and sustainability – and we will continue to demand FSC certified wood for those of our design products that include wood.

We see sustainability as a task involving everyone associated with Nordlux – from the owners, board and management to employees and suppliers.

# IP

**Første ciffer**  
**First number**  
**Erste Nummer**  
**Premier chiffre**  
**Första ciffer**

**Andet ciffer**  
**Andra ciffer**  
**Zweite Nummer**  
**Second number**  
**Deuxième chiffre**

## IP kapselklasser

### IP kapselklasser

### Degree and protection

### Degré de protection

### Schutzgrad

**0**

Ikke beskyttet  
Ej beskyddad  
Nicht geschützt  
Not protected  
Non protégé

**0**

Ikke beskyttet  
Ej beskyddad  
Nicht geschützt  
Not protected  
Non protégé

### Beskyttet mod

### Beskyddad mot

### Geschützt gegen

### Protected against

### Protégé contre

**1**

Faste genstande større end 50 mm  
Fast föremål större än 50 mm  
Eindringen von Fremdkörpern grösser als 50 mm  
Solid objects larger than 50 mm  
Les corps solides de plus de 50 mm

**1**

Lodret dryppende vand  
Lodrätt droppande vatten  
Senkrecht tropfendes Wasser  
Vertically dripping water  
Les chutes verticales de gouttes d'eau

### Beskyttet mod

### Beskyddad mot

### Geschützt gegen

### Protected against

### Protégé contre

**2**

Faste genstande større end 12 mm  
Fast föremål större än 12 mm  
Eindringen von Fremdkörpern grösser als 12 mm  
Solid objects larger than 12 mm  
Les corps solides de plus de 12 mm

**2**

Dryppende vand ved en hældning på indtil 15° grader  
Droppande vatten, vid en lutning på upp till 15° grader  
Tropfendes Wasser bei einer Neigung bis zu 15° Grad  
Vertically dripping water at an inclination of 15° degrees  
Les chutes d'eau avec inclinaison maximale de 15°

### Beskyttet mod

### Beskyddad mot

### Geschützt gegen

### Protected against

### Protégé contre

**3**

Faste genstande større end 2,5 mm  
Fast föremål större än 2,5 mm  
Eindringen von Fremdkörpern grösser als 2,5 mm  
Solid objects larger than 2,5 mm  
Les corps solides de plus de 2,5 mm

**3**

Vandsprøjt i en vinkel på indtil 60° grader  
Vattenstänk i en vinkel på upp till 60° grader  
Spritzwasser in einem Winkel bis zu 60° Grad  
Splashes of water at an angle of up to 60° degrees  
Les chutes d'eau avec inclinaison maximale de 60°

### Beskyttet mod

### Beskyddad mot

### Geschützt gegen

### Protected against

### Protégé contre

**4**

Faste genstande større end 1,0 mm  
Fast föremål större än 1,0 mm  
Eindringen von Fremdkörpern grösser als 1,0 mm  
Solid objects larger than 1,0 mm  
Les corps solides de plus de 1,0 mm

**4**

Oversprøjtning  
Nedstänkning  
Übersprühen  
Sprinkling of water  
Les projections d'eau

**5**

Stovskærmet  
Avskärmad mot damm  
Staubgeschützt  
Dust protected  
Protégé contre la poussière

**5**

Beskyttet mod vandstråler  
Beskyddad mot vattenstrålar  
Geschützt gegen Wasserstrahlen  
Protected against water jets  
Protégé contre les jets d'eau

**6**

Stovtæt  
Dammtät  
Staubdicht  
Dust-proof  
Etanche à la poussière

**6**

Beskyttet mod kraftige bølger  
Beskyddad mot kraftiga vågor  
Geschützt gegen kräftigen Wellen  
Protected against strong waves  
Protégé contre les paquets de mer

**7**

Beskyttet mod følgerne af forbigående nedsenkning i vand  
Beskyddad mot följderna av kortvarig nedsenkning i vatten  
Geschützt gegen Folgen durch zeitweises Unterwassertauchen  
Protected against the effects of temporary immersion in water  
Protégé contre les suites d'un plongement occasionnel dans l'eau



## LUMEN

(lm) is the measurement unit for luminous flux. Luminous flux is the total amount of light that the light source submits.



## KELVIN

(K) is the colour temperature of the light source- the higher number the colder light.  
3000 K = warm white  
4000 K = neutral white  
6500 K = daylight white



## RA

is the colour rendering that the light source provides.



## CANDELA

(cd) is the measurement amount for brightness per angle that is submitted from a light source.



**GB** - The LED technology is constantly undergoing major development which contributes to continuous arrival of new and better LED bulbs on the market. Nordlux always strives to deliver the latest LED technology to our customers, which is why when purchasing lighting or bulbs, the new bulbs can seem different, with improved colour/light output/design.

\*For additional bulb info please go to [www.nordlux.com](http://www.nordlux.com).

**DK** - LED er til stadighed under en betydelig udviklingsproces, som bevirker, at der med stor hyppighed kommer nye og bedre LED pærer på markedet. Nordlux bestræber sig på altid at levere den nyeste LED teknik til vores kunder, hvorfor man ved genkøb af lamper og ved tilkøb af pærer kan opleve, at de nye pærer har anderledes og forbedret farve/lysudbytte/udformning.

\*For supplerende pæreoplysninger gå venligst til [www.nordlux.com](http://www.nordlux.com)

**SE** - LED är fortfarande under en betydande utvecklingsprocess, som bidrar till att det i snabb takt kommer nya och bättre LED lampor på marknaden. Nordlux strävar efter att leverera den senaste LED-tekniken till sina kunder, därför kan man vid återköp eller vid köp av nya lampor uppleva att de nya lamporna har en annorlunda och förbättrad färg/ljusflöde/utformning.

\*För ytterligare information angående ljuskälla vänligen gå till [www.nordlux.com](http://www.nordlux.com)

**FR** - LED est constamment en développement important, ce qui a pour effet d'amener très fréquemment de nouvelles ampoules LED améliorées sur le marché. Nordlux s'efforce de toujours fournir la dernière technologie LED à nos clients ; c'est pourquoi, lorsque vous rachetez des lampes et acquérez des ampoules, vous pouvez trouver que les nouvelles ampoules ont une couleur/une sortie de lumière/un design différents et améliorés.

\*Pour plus d'informations concernant l'ampoule merci de visiter [www.nordlux.com](http://www.nordlux.com).

**DE** - LED unterliegt ständig einem bedeutenden Entwicklungsprozess, durch den mit großer Geschwindigkeit neue und bessere LED-Lampen auf den Markt kommen. Nordlux ist bestrebt, Ihren Kunden immer die neueste LED-Technik anzubieten, wodurch man beim Neukauf von Leuchten und Nachkauf von Leuchtmitteln erleben kann, dass die neuen Leuchtmittel eine andere und verbesserte Farbe, Lichtausbeute und Form haben.

\*Für weitere Informationen gehen Sie bitte zu Leuchtmittel [www.nordlux.com](http://www.nordlux.com).

# VEDLIGEHOELDELSE

## MAINTENANCE

### PFLEGE

#### UNDERHÅLL

#### ENTRETIEN

**Galvaniseret stål** | Meget vejrbestandig. Kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring. Nordlux giver 15 års garanti på alle udendørslamper i galvaniseret stål. Denne garanti gælder rustangreb med gennemtæring og er gældende mod fremvisning af købskvittering. Der ydes ingen garanti på dele som er beskadiget ved slidtage eller på fejlbehandling af lamperne.

**Kobber** | Meget vejrbestandig. Kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring. Nordlux giver 15 års garanti på alle udendørslamper i kobber. Denne garanti gælder rustangreb med gennemtæring og er gældende mod fremvisning af købskvittering. Der ydes ingen garanti på dele som er beskadiget ved slidtage eller på fejlbehandling af lamperne.

**Plast** | Meget vejrbestandig. Kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring.

**Rustfrit stål** | Velegnet til udendørs brug, når undtages aggressive miljøer. Vedligeholdelse: Behandles med syrefri olie inden opsætning med efterfølgende aftørring med blød klud. Denne behandling gentages 3-4 gange om året.

**Aluminium** | Aluminiumsprodukterne kan opdeles i følgende: Ekstruderet og anodiseret aluminium er meget vejrbestandig og kan bruges i alle miljøer. Vedligeholdelse: Almindelig aftørring. Støbt aluminium i øvrigt er velegnet til udendørs brug, når undtages aggressive miljøer. Vedligeholdelse: Behandles med syrefri olie inden opsætning med efterfølgende aftørring med blød klud. Denne behandling gentages 3-4 gange om året.

**Corten** | Corten stål er en ståltype der er konstrueret med et indhold af kobber, fosfor, nikkel og chrom i et forhold der gør stålet rusttrægt på en måde, hvor den "færdige" rustne overflade beskytter stålet mod tæring 6-8 gange bedre end ved "normalt" rustent stål. Vær opmærksom på eventuel rustafsmitning i hædeperioden. Hvis stålet nedgraves vil korrosionshastigheden være den samme som for almindeligt stål. Ordet Corten stål kommer af eng. "CORrosion resistant high TENSile steel".

**Galvanized steel** | Very resistant to weather. Can be placed in any environment. Maintenance: wipe off at regular intervals. Nordlux offers up to 15 year anti-corrosion warranty on lights in galvanized steel. This guarantee applies to extensive corrosion in the form of holes in the metal caused by rust. The guarantee is subject to presentation of receipt. There is no guarantee on components which have been affected by wear and tear or mistreatment of the lights.

**Copper** | Very resistant to weather. Can be placed in any environment. Maintenance: wipe off at regular intervals. Nordlux offers up to 15 year warranty on lights in copper. This guarantee applies to extensive corrosion in the form of holes in the metal caused by rust. The guarantee is subject to presentation of receipt. There is no guarantee on components which have been affected by wear and tear or mistreatment of the lights.

**Plastic** | Very resistant to weather. Can be placed in any environment. Maintenance: wipe off at regular intervals.

**Stainless steel** | Suitable for outdoor use, except for aggressive environments. Must be treated with acid-free oil prior to mounting. After mounting wipe off the fitting with a dry and soft cloth. This treatment should be repeated 3-4 times a year.

**Aluminium** | The aluminium products can be divided into two groups: Extruded and anodized aluminium is very resistant to weather and can be placed in any environment. Maintenance: wipe off at regular intervals. Cast aluminium is suitable for outdoor use, except for aggressive environments. Maintenance: must be treated with acid-free oil prior to mounting. After mounting wipe-off the fitting with a dry and soft cloth. This treatment should be repeated 3-4 times a year.

**Corten** | Corten steel is a type of steel which contains copper, phosphorus, nickel and chrome in a ratio that makes the steel weathering steel so that the "ready" rusty surface protects the steel against corrosion 6-8 times better than the "standard" rusty steel. Be aware of any rust staining in the curing period. If the steel is buried, its corrosion rate will be the same as for standard steel. The word "Corten" from "Corten steel" originates from "CORrosion resistant high TENSile steel".

**Verzinkte Leuchten** | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen. Nordlux leistet bis zu 15 Jahre Garantie für alle Aussenleuchten in feuerverzinkter Ausführung. Diese Garantie gilt für Rostbildung in Form von Angriff der Metal und gilt nur gegen Quittungsleistung. Nordlux leistet keine Garantie für Ersatzteile, die beschädigt sind durch Abnutzung oder Fehlbehandlung der Leuchten.

**Kupfer** | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen. Nordlux leistet bis zu 15 Jahre Garantie für alle Aussenleuchten in kupfer. Diese Garantie gilt für Rostbildung in Form von Angriff der Metal und gilt nur gegen Quittungsleistung. Nordlux leistet keine Garantie für Ersatzteile, die beschädigt sind durch Abnutzung oder Fehlbehandlung der Leuchten.

**Kunststoff** | Sehr wetterbeständig. Überall einsetzbar. Pflege: Normales Reinigen.

**Edelstahl** | Geeignet für den Außenbereich – jedoch nicht in aggressiver Umgebung. Pflege: Vor Montage muss die Leuchte mit säurefreiem Öl behandelt und mit einem weichen Tuch getrocknet werden. Dieses sollte 3-4 Mal im Jahr wiederholt werden.

**Aluminium** | Aluminiumleuchten unterscheiden sich wie folgt: Extrudiertes und eloxiertes Aluminium ist sehr wetterbeständig und ist überall einsetzbar. Pflege: Normales Reinigen. Gegossenes Aluminium ist ebenfalls für den Außenbereich geeignet – jedoch nicht in aggressiver Umgebung. Pflege: Vor Montage muss die Leuchte mit säurefreiem Öl behandelt und mit einem weichen Tuch getrocknet werden. Dieses sollte 3-4 Mal im Jahr wiederholt werden.

**Corten** | Corten Stahl ist ein Stahltyp, der mit Anteilen an Kupfer, Phosphor, Nickel und Chrom in einem Verhältnis hergestellt wird, das den Stahl auf eine Weise rostträge macht, durch die die „fertige“ rostige Oberfläche den Stahl 6 bis 8 mal so gut vor Korrosion schützt als bei normalem rostigen Stahl. Bitte beachten Sie, dass es im Härtungsprozess zu Rostabfärbungen kommen kann. Wenn der Stahl vergraben wird, ist die Korrosionsgeschwindigkeit genau so wie bei normalem Stahl. Das Wort Cortenstahl ist aus dem englischen „CORrosion resistant high TENSile steel“ abgeleitet.

**Galvaniserat stål** | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning. Nordlux ger 15 års garanti på alla utomhuslampor i galvaniserat stål. Denna garanti gäller rostangrepp som har genomträngit och gäller mot uppvisande av inköpskvitto. Det lämnas ingen garanti på delar som har skadats vid slitage eller av felbehandling av lamporna.

**Koppar** | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning.

**Plast** | Mycket väderbeständigt. Kan användas i alla miljöer. Underhåll: Normal avtorkning.

**Rostfritt stål** | Lämpligt för utomhusbruk, utom i aggressiva miljöer. Underhåll: Behandlas med syrafri olja och torkas av med en mjuk trasa före uppsättning. Behandlingen upprepas 3-4 gånger om året.

**Aluminium** | Aluminiumprodukterna kan delas upp i följande typer: Extruderad och anodiserad aluminium är mycket väderbeständig och kan användas i alla miljöer. Underhåll: Normal avtorkning. Övrig gjuten aluminium är lämplig för utomhusbruk, utom i aggressiva miljöer. Underhåll: Behandlas med syrafri olja och torkas av med en mjuk trasa före uppsättning. Behandlingen upprepas 3-4 gånger om året.

**Corten** | Cortenstål är en ståltyp som är framställd med ett innehåll av koppar, fosfor, nickel och krom i ett förhållande som gör att stålet rostar långsammare och på ett sätt där den "färdigrostade" ytan skyddar stålet mot vidare frätning 6-8 gånger bättre än "vanligt" rostigt stål. Var uppmärksam på eventuell rostavfärgning under härdningsperioden. Om stålet grävs ner kommer korrosionshastigheten att vara densamma som för vanligt stål. Ordet Cortenstål kommer av engelskans "CORrosion resistant high TENSile steel".

**Acier galvanisé** | Très résistant aux intempéries. Peut être utilisé dans tous les environnements. Entretien: séchage général. Les lampes Nordlux en galvanisation bénéficient d'une garantie de 15 ANS à compter de la date d'achat sur le bon d'achat. Le garantie couvre formation de rouille (la surface est entamée) et n'est que si la date d'achat figure sur le bon d'achat. La garantie ne couvre pas les composants, endommagés par l'usure normale ou un emploi abusif.

**Cuivre** | Très résistant aux intempéries. Peut être utilisé dans tous les environnements. Entretien: séchage général. Les lampes Nordlux en cuivre d'une garantie de 15 ANS à compter de la date d'achat sur le bon d'achat. Le garantie couvre formation de rouille (la surface est entamée) et n'est que si la date d'achat figure sur le bon d'achat. La garantie ne couvre pas les composants, endommagés par l'usure normale ou un emploi abusif.

**Matière plastique** | Très résistant aux intempéries. Peut être utilisé dans tous les environnements. Entretien : séchage général.

**Acier inoxydable** | Convient parfaitement pour l'utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

**Aluminium** | Les produits en aluminium peuvent être subdivisés comme suit: L'aluminium extrudé et anodisé est très résistant aux intempéries et peut être utilisé dans tous les environnements. Entretien: séchage général. La fonte d'aluminium convient également pour une utilisation en plein air, mais à l'abri des environnements agressifs. Entretien : à traiter avec de l'huile exempte d'acides avant l'installation, puis séchage avec un chiffon doux. Ce traitement est répété 3 à 4 fois par an.

**Corten** | L'acier Corten est un acier conçu avec une teneur en cuivre, phosphore, nickel et chrome, dans une proportion qui rend l'acier résistant à la corrosion, d'une façon où le surface « finie » rouillée protège l'acier contre la corrosion 6 à 8 fois mieux que l'acier rouillé « normal ».

Merci de faire attention aux tâches rouillées dans la période du trempé! Si l'acier est enfoui, le taux de corrosion doit être le même que pour l'acier ordinaire.

Le mot « acier Corten » vient de l'anglais « CORrosion resistant high TENSile steel » (acier résistant à la corrosion à haute résistance).

## MANAGEMENT



**Peter G. Terkelsen**  
CEO

T +45 96 34 54 08  
pt@nordlux.com



**Kasper Granat**  
CPMO

T + 45 60 63 60 63  
kg@nordlux.com



**Klaus Graven Nielsen**  
CCO

T + 45 31 63 16 11  
kgn@nordlux.com



**Niels S. Jakobsen**  
CFO

T +45 40 82 07 00  
nj@nordlux.com



**Betina Kowalski**  
Executive assistant

T + 45 22 21 16 11  
bk@nordlux.com

## PR & MARKETING



**Julie Kindberg**  
Marketing Manger  
Sales operation marketing

T + 45 20 97 20 17  
jki@nordlux.com



**Lone Bødker**  
Public relation Coordinator  
Sales operation marketing

T +45 96 34 54 23  
lb@nordlux.com



**Anna-Mette H. Rasmussen**  
Graphic Designer  
Sales operation marketing

T +45 96 34 54 01  
ar@nordlux.com



**Andreas From Bock**  
Graphic Designer  
Sales operation marketing

T +45 96 34 54 11  
af@nordlux.com

## SEGMENT SALES



**Lene Egelund Hanghøj**  
Category Coordinator

T + 45 96 34 54 09  
leh@nordlux.com



**Mia Rasmussen**  
Product Manager

T + 45 96 34 55 20  
mir@nordlux.com



**Jean-Louis Cornu**  
Export Manager

M + 45 29 92 13 05  
jlc@nordlux.com



**Ronni Mark Nielsen**  
Project Sales Manager

M + 45 42 80 16 11  
rmn@nordlux.com

## SALES DENMARK



**Jan Madsen**  
Nordic Sales Manager

M + 45 31 50 16 11  
jm@nordlux.com



**Jan Bo Jensen**  
Key Account Manager  
Sales operation | Jutland  
(Jylland)

M +45 27 11 60 48  
jb@nordlux.com



**Jan Peter Rantzau-Bartens**  
Sales Consultant  
Sales operation | Seeland  
Sjælland

M +45 81 77 10 82  
jrb@nordlux.com



**Carsten Johnsen**  
Sales Consultant  
Sales operation | Seeland  
(Sjælland & Øerne)

M +45 20 71 16 11  
cj@nordlux.com



**Hans Aamand Nielsen**  
Sales Consultant  
Sales operation | Jutland  
(Midtjylland & Nordjylland)

M +45 22 71 66 11  
haa@nordlux.com



**Kurt Kristensen**  
Team Leader Merchandiser  
Sales operation | Denmark

M +45 20 66 16 11  
kk@nordlux.com



**Peter Nielsen**  
Sales Merchandiser  
Sales operation | Jutland  
(Midtjylland & Nordjylland)

M +45 21 22 36 11  
pn@nordlux.com



**Nicolai Niemann-Nielsen**  
Sales Merchandiser  
Sales operation | Jutland  
(Midtjylland, Sydjylland & Fyn)

M +45 22 72 16 11  
nn@nordlux.com



**Ticho Lohmann**  
Sales Merchandiser  
Sales operation | Seeland  
(Sjælland & Øerne)

M +45 40 82 61 11  
tl@nordlux.com



**Jesper Staalgaard**  
Sales Merchandiser  
Sales operation | Seeland  
(Sjælland & Øerne)

M +45 40 70 16 11  
jps@nordlux.com



**Jesper Bach-Kristensen**  
Sales Merchandiser  
Sales operation | Denmark

M +45 42 56 16 11  
jbk@nordlux.com

## SALES SWEDEN

---



**Ulf Linderum**  
Team & Key Account Manager  
Sales operation | Sweden

T +46 (0) 72 31 21 947  
ul@nordlux.com



**Jonas Björkman**  
Sales Consultant  
Sales operation | Sweden

M +46 (0) 72 31 25 181  
jbj@nordlux.com



**Daniel Grynning**  
Sales Consultant  
Sales operation | Sweden

M + 46 (0) 70 65 72 126  
dg@nordlux.com



**Stefan Peterson**  
Sales Consultant  
Sales operation | Sweden

M + 46 (0) 70 37 95 182  
spe@nordlux.com

## SALES NORWAY

---



**Henning Mjåtveit**  
Team & Key Account Manager  
Sales operation | Norway

M +47 91 39 54 31  
hmt@nordlux.com



**Jan Olav Gjelsnes**  
Sales Consultant  
Sales operation | Norway

M +47 92 89 91 23  
jog@nordlux.com



**Leif Christian Olsen**  
Sales Consultant  
Sales operation | Norway

M +47 91 90 13 20  
lco@nordlux.com



**Odd-Ivar Jenskaug**  
Sales Consultant  
Sales operation | Norway

M +47 40 01 14 91  
ojj@nordlux.com

## SALES UK

---



**John Griffiths**  
Managing Director UK

T + 01200 422777  
jg@nordlux.com



**Phil Edwards**  
Account Manager UK

T + 44 (0) 7921 47 76 46  
pe@nordlux.com



**Hester Wood**  
Key Account Sales Admin

T + 01200 422777  
hw@nordlux.com



**Adam Thornber**  
Sales Admin

T + 01200 422777  
at@nordlux.com



**Ellie Hunter**  
Marketing Executive UK

T + 01200 422777  
eh@nordlux.com

## SALES GERMANY

---



**Franz Kiefer**  
Key Account Manager  
Sales operation | Germany

M +49 (0)175 567 56 04  
fk@nordlux.com



**Matthias Kasperek**  
Sales Agent  
Northern Germany

M +49 (0)172 53 34 780  
m.kasperek1@yahoo.de



**Udo Koch**  
Sales Agent  
Western Germany  
M +49 (0)174 89 94 502  
F +49 (0)321 21 191 755  
info@koch-lichtdesign.de



**Jan Schwuchow**  
Sales Agent  
Eastern Germany  
M +49 (0)178 52 91 173  
jan.schwuchow@online.de



**Roland Pichl**  
Sales Agent  
Southern Germany, Austria,  
South Tyrol  
M +49 (0)171 54 76 999  
pi-rol@t-online.de

## SALES FRANCE

---



**Gildas Juezt de Mire**  
Country Director France

T + 33 6 26 25 18 10  
gjm@nordlux.com



**Nicolas Warin**  
Sales Manager France

T + 33 6 87 55 74 42  
nw@nordlux.com



**Ronald Mulder**  
Sales Manager NL

T + 31 (0) 630 74 51 03  
rm@nordlux.com



**Fabian Dermaut**  
Sales Manager BELUX

T + 32 (0) 497 41 03 73  
fd@nordlux.com

## BACK OFFICE



**Jörg Serup**  
Sales Operation/  
Backoffice Manager  
T: + 45 96 34 54 07  
M: + 45 22 15 96 11  
js@nordlux.com



**Birgitte Fjeldgaard Hvalsoe**  
Team & Sales Coordinator  
Sales operation | World  
T +45 96 34 54 19  
bh@nordlux.com



**Dorthe G. Jørgensen**  
Team & Sales Coordinator  
Sales operation | SE, NO, FI  
& Baltics  
T +45 96 34 54 06  
dgj@nordlux.com



**Jette Jensen**  
Team & Sales Coordinator  
Sales operation | Denmark  
T +45 96 34 54 27  
jj@nordlux.com



**Sussi Buchholdt Steen**  
Sales Assistant  
Sales operation | Denmark/  
Sverige/FOB Business  
T +45 96 34 54 13  
sbs@nordlux.com



**Hanne M. Jensen**  
Sales Assistant  
Sales operation | Denmark  
T +45 96 34 54 02  
hmj@nordlux.com



**Helle Iversen**  
Sales Assistant  
Sales operation | Denmark

T +45 96 34 54 10  
hi@nordlux.com



**Gitte Visse**  
Sales Assistant  
Sales operation | Denmark

T +45 96 34 54 03  
gv@nordlux.com



**Allan Carol Nicolajsen**  
Sales Trainee  
Sales operation | Denmark

T +45 96 34 54 30  
acn@nordlux.com



**Katrin Løkke**  
Sales Assistant  
Sales operation | Germany

T +45 96 34 54 36  
kl@nordlux.com



**Lene K. Kristensen**  
Sales Assistant  
Sales operation | Germany

T +45 96 34 54 05  
lkk@nordlux.com



**Sonja Treumann**  
Sales Assistant  
Sales operation | Germany

T + 49 21 52 89 87 37  
st@nordlux.com



**Rikke Giese**  
Sales Assistant  
Sales operation | Export

T + 45 96 34 54 12  
rg@nordlux.com



**Jannet Schenkel Høgh**  
Sales Assistant  
Sales operation | Export

T + 45 96 34 54 28  
jsh@nordlux.com



**Berit Støve**  
Sales Assistant  
Sales operation  
SE, NO & FI  
T +45 96 34 54 33  
bst@nordlux.com



**Kine Marie Strand**  
Sales Assistant  
Sales operation  
SE, NO & FI  
T + 47 51 88 63 18  
kms@nordlux.com



Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Switch	Page
Alba	PLAFOND	Metal, Plastic	White	77196001	5701581244580	1621938	3		108
Alba	PLAFOND	Metal, Plastic	Grey	77196010	5701581257887	1640142	3		108
Alba Pro 30	PLAFOND	Aluminium, Acrylic	White	77176001	5701581400382	1957588	3		108
Alba Pro 40	PLAFOND	Aluminium, Acrylic	White	77186001	5701581400481	1957592	3		108
Amalienborg	WALL	Galvanized steel, Glass	Galvanized	10600219	5702376002194	5137895	3		149
Amalienborg	GARDEN	Galvanized steel, Glass	Galvanized	10600319	5702376003191	5137893	3		149
Arki	TABLE	Metal	White	75145001	5701581279773	1483723	2	On fixture	80
Arki	TABLE	Metal	Black	75145003	5701581279872	1483724	2	On fixture	80
Arki outdoor	WALL	Galvanized steel, Plastic	Black	75181003	5701581280175	1484024	3		138
Arki outdoor	WALL	Galvanized steel, Plastic	Galvanized	75181031	5701581280274	1484026	3		138
Artist 25	PENDANT	Metal, Plastic	Black	83083003	5701581345485	1850306	2		82
Artist 25	PENDANT	Metal, Plastic	Grey	83083010	5701581301085	1761077	2		82
Artist 25	PENDANT	Metal, Plastic	Copper	83083030	5701581301184	1761078	2		82
Artist 25	PENDANT	Metal, Plastic	Silver	83083054	5701581386884	1921525	2		82
Artist 40	PENDANT	Metal, Plastic	Black	83093003	5701581345584	1850312	1		82
Artist 40	PENDANT	Metal, Plastic	Grey	83093010	5701581301283	1761080	1		82
Artist 40	PENDANT	Metal, Plastic	Copper	83093030	5701581301382	1761082	1		82
Artist 40	PENDANT	Metal, Plastic	Silver	83093054	5701581386983	1921526	1		82
Askja	PENDANT	Metal	White	45100001	5701581359987	1896403	3		84
Askja	PENDANT	Metal	Black	45100003	5701581360082	1896405	3		84
Askja	PENDANT	Metal	Brass	45100025	5701581360181	1896406	3		84
Askja	PENDANT	Metal	Copper	45100030	5701581360280	1896407	3		84
Askja	PENDANT	Metal	Matt chrome	45100033	5701581360389	1896408	3		84
Askja	PENDANT	Metal	Black/Chrome	45100043	5701581360488	1896409	3		84
Askja Air	ACCESSORIES	Glass		45133200	5701581361188	1896513	3		86
Askja Air	ACCESSORIES	Glass		45133227	5701581361287	1896514	3		86
Askja Air	ACCESSORIES	Glass		45133247	5701581361386	1896515	3		86
Askja Edge	ACCESSORIES	Glass		45143200	5701581361485	1896516	3		86
Askja Edge	ACCESSORIES	Glass		45143227	5701581361584	1896517	3		86
Askja Edge	ACCESSORIES	Glass		45143247	5701581361683	1896518	3		86
Askja Pipe 12	ACCESSORIES	Glass		45113200	5701581360587	1896411	3		86
Askja Pipe 12	ACCESSORIES	Glass		45113227	5701581360686	1896412	3		86

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Switch	Page
Askja Pipe 12	ACCESSORIES	Glass		45113247	5701581360785	1896413	3		86
Askja Pipe 14	ACCESSORIES	Glass		45123200	5701581360884	1896414	3		86
Askja Pipe 14	ACCESSORIES	Glass		45123227	5701581360983	1896415	3		86
Askja Pipe 14	ACCESSORIES	Glass		45123247	5701581361089	1896511	3		86
Aver 30	PENDANT	Metal	Black	84243003	5701581337183	1845277	2		94
Aver 40	PENDANT	Metal	Black	84253003	5701581337282	1845278	1		94
Aver 50	PENDANT	Metal	Black	84263003	5701581337381	1845279	1		94
Bell	WALL	Aluminium, Plastic	Black	76391003	5701581244382	1621936	3		138
Belly 29	PENDANT	Metal	Black	45053003	5701581359581	1896398	2		11
Belly 38	PENDANT	Metal	Black	45063003	5701581359680	1896399	1		11
Belly 46	PENDANT	Metal	Black	45073003	5701581359789	1896400	1		11
Bloom 16	PENDANT	Glass, Metal		78163030	5701581261280	1693336	3		100
Bloom 21	PENDANT	Glass, Metal		78173030	5701581261587	1693342	2		100
Bloom 29	PENDANT	Glass, Metal		78183030	5701581261884	1693346	2		100
Brassy	PENDANT	Metal, Plastic	White	46283001	5701581397880	1953147	3		28
Brassy	PENDANT	Metal, Plastic	Black	46283003	5701581397989	1953149	3		28
Brassy	WALL	Metal, Plastic	White	46301001	5701581398085	1957556	3		28
Brassy	WALL	Metal, Plastic	Black	46301003	5701581398184	1957557	3		28
Canto	WALL	Metal, Glass	White	77571001	5701581254985	1629915	3		134
Canto	WALL	Metal, Glass	Black	77571003	5701581249684	1621989	3		134
Canto	WALL	Metal, Glass	Grey	77571010	5701581249783	1621990	3		134
Canto	WALL	Galvanized steel, Glass	Galvanized	77571031	5701581250185	1624433	3		134
Canto	WALL	Stainless steel, Glass	Stainless steel	77571034	5701581279889	1694106	3		134
Canto	WALL	Brass, Glass	Brass	77571035	5701581386785	1921524	3		134
Canto Kubi	WALL	Metal, Glass	White	77521001	5701581324282	1825062	3		135
Canto Kubi	WALL	Metal, Glass	Black	77521003	5701581324381	1825063	3		135
Canto Kubi	WALL	Metal, Glass	Grey	77521010	5701581324480	1825064	3		135
Canto Kubi	WALL	Galvanized steel, Glass	Galvanized	77521031	5701581324589	1825065	3		135
Canto Kubi	WALL	Stainless steel, Glass	Stainless steel	77521034	5701581324688	1825066	3		135
Canto Maxi	WALL	Metal, Glass	White	77561001	5701581274082	1690360	3		136
Canto Maxi	WALL	Metal, Glass	Black	77561003	5701581274181	1690361	3		136
Canto Maxi	WALL	Metal, Glass	Grey	77561010	5701581274488	1690364	3		136

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Switch	Page
Canto Maxi	WALL	Galvanized steel, Glass	Galvanized	77561031	5701581274280	1690362	3		136
Canto Maxi	WALL	Stainless steel, Glass	Stainless steel	77561034	5701581274389	1690363	3		136
Canto Maxi	WALL	Brass, Glass	Brass	77561035	5701581387485	1921523	3		136
Canto Maxi Kubi	WALL	Metal, Glass	Black	77531003	5701581401488	1958116	3		136
Cult	WALL	Metal	Black	78371003	5701581266681	1691578	3	On fixture	78
Cult	WALL	Metal	Grey	78371010	5701581266582	1691581	3	On fixture	78
Cult	TABLE	Metal	Black	78385003	5701581266889	1691584	2	On fixture	78
Cult	TABLE	Metal	Grey	78385010	5701581266780	1691585	2	On fixture	78
Dee	PENDANT	Glass, Metal	Black	84383003	5701581339088	1845293	2		20
Dee 2.0	PENDANT	Glass, Metal	White	84413001	5701581400788	1953153	2		20
Dee 2.0	PENDANT	Glass, Metal	Black	84413003	5701581400887	1953154	2		20
Dee 2.0	PENDANT	Glass, Metal	White	84423001	5701581400986	1953150	3		20
Dee 2.0	PENDANT	Glass, Metal	Black	84423003	5701581401082	1953152	3		20
Dee 2.0	TABLE	Glass, Metal	White	84435001	5701581401181	1957570	3	On fixture	22
Dee 2.0	TABLE	Glass, Metal	Black	84435003	5701581401280	1957571	3	On fixture	22
Edge	WALL	Metal, Plastic	White	77441001	5701581254886	1630146	3		140
Edge	WALL	Metal, Plastic	Black	77441003	5701581248380	1621976	3		140
Edge	WALL	Metal, Plastic	Galvanized	77441031	5701581256682	1633124	3		140
Edge	WALL	Corten, Plastic	Corten	77441038	5701581256781	1633125	3		140
Emission 17	PENDANT	Metal	Black	72743003	5701581243774	1305225	3		96
Emission 26	PENDANT	Metal	Black	72753003	5701581243972	1305227	3		96
Fascino	PENDANT	Metal	Black	77213003	5701581244788	1621940	2		90
Float	WALL	Metal, Wood	Copper	83001030	5701581299481	1761062	3	On fixture	74
Float	WALL	Metal, Wood	Brushed steel	83001032	5701581299580	1761063	3	On fixture	74
Float 18	PENDANT	Glass, Wood		43203001	5701581385283	1921509	3		72
Float 18	PENDANT	Glass, Wood		78203001	5701581341586	1848138	3		72
Float 18	PENDANT	Metal, Wood	Copper	78203030	5701581262287	1690365	3		72
Float 18	PENDANT	Metal, Wood	Brushed steel	78203032	5701581262386	1690367	3		72
Float 27	PENDANT	Glass, Wood	White	43213001	5701581385382	1921510	3		73
Float 27	PENDANT	Glass, Wood		78213001	5701581341685	1848140	3		73
Float 27	PENDANT	Metal, Wood	Copper	78213030	5701581262683	1690368	3		73
Float 27	PENDANT	Metal, Wood	Brushed steel	78213032	5701581262782	1690371	3		73

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Switch	Page
Float 39	PENDANT	Metal, Wood	Copper	78223030	5701581263086	1690790	2		74
Float 39	PENDANT	Metal, Wood	Brushed steel	78223032	5701581263185	1690792	2		74
Fold	WALL	Stainless steel	White	45401001	5701581374485	1905173	3		128
Fold	WALL	Stainless steel	Black	45401003	5701581362680	1896564	3		128
Fold	WALL	Copper	Copper	45401030	5701581362789	1896565	3		128
Fold	WALL	Galvanized steel	Galvanized	45401031	5701581362888	1896566	3		128
Fold	WALL	Metal	Brass	45401039	5701581362987	1896567	3		128
Fredensborg	WALL	Galvanized steel, Plastic	Galvanized	10610119	5702376101194	5137925	3		148
Fredensborg	GARDEN	Galvanized steel, Plastic	Galvanized	10620119	5702376201191	5137923	3		148
Front Single	WALL	Aluminium, Glass	White	46801001	5701581398986	1958103	3		124
Front Single	WALL	Aluminium, Glass	Black	46801003	5701581399082	1958104	3		124
Front 26	WALL	Metal, Plastic	White	84081001	5701581341180	1848128	3		124
Front 26	WALL	Metal, Plastic	Black	84081003	5701581341289	1848129	3		124
Front 36	WALL	Metal, Plastic	White	84091001	5701581341388	1848132	3		124
Front 36	WALL	Metal, Plastic	Black	84091003	5701581341487	1848133	3		124
Funk	PENDANT	Metal	White	75470001	5701581284470	1484139	6		104
Funk	PENDANT	Metal	Red	75470002	5701581284579	1484140	6		104
Funk	PENDANT	Metal	Black	75470003	5701581284678	1484141	6		104
Funk	PENDANT	Metal	Copper	75470030	5701581319189	1817335	6		104
Funk	PENDANT	Metal	Black/Chrome	75470033	5701581285170	1484144	6		104
Fuse Base	ACCESSORIES	Galvanized steel	Galvanized	77509931	5701581257689	1634689	3		146
Fuse	GARDEN	Galvanized steel, Glass	Galvanized	77518031	5701581249288	1621985	1		146
Grace 25	PENDANT	Metal	Black	84223003	5701581336384	1845269	3		90
Grace 32	PENDANT	Metal	Black	84233003	5701581336780	1845273	2		90
Helix	WALL	Galvanized steel, Plastic	Galvanized	77471031	5701581248687	1621979	3		144
Helix	WALL	Corten, Plastic	Corten	77471038	5701581250482	1624431	3		144
Helix	GARDEN	Galvanized steel, Plastic	Galvanized	77498031	5701581248786	1621980	2		144
Helix	GARDEN	Corten, Plastic	Corten	77498038	5701581250581	1624432	2		144
Hunt	GARDEN	Aluminium, PCA	White	45448001	5701581395084	1958121	3		142
Hunt	GARDEN	Aluminium, PCA	Black	45448003	5701581395183	1958122	3		142
Hunt	GARDEN	Aluminium, PCA	Aluminium	45448029	5701581395282	1958120	3		142
Hunt 19	WALL	Aluminium, PCA	White	45451001	5701581363083	1896568	3		142

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Switch	Page
Hunt 19	WALL	Aluminium, PCA	Black	45451003	5701581363182	1896569	3		142
Hunt 19	WALL	Aluminium, PCA	Aluminium	45451029	5701581363281	1896570	3		142
Hunt 26	WALL	Aluminium, PCA	White	45461001	5701581363380	1896571	3		142
Hunt 26	WALL	Aluminium, PCA	Black	45461003	5701581363489	1896572	3		142
Hunt 26	WALL	Aluminium, PCA	Aluminium	45461029	5701581363588	1896574	3		142
IP S10	BAD	Metal, Glass	White	78471001	5701581267688	1694029	3	On fixture	114
IP S12	BAD	Metal, Plastic	White	83051001	5701581300484	1761071	3		114
IP S12	BAD	Metal, Plastic	Chrome	83051033	5701581300583	1761072	3		114
IP S13	BAD	Metal, Plastic	White	83061001	5701581300682	1761073	3		116
IP S13	BAD	Metal, Plastic	Brushed steel	83061032	5701581300781	1761074	3		116
IP S13	BAD	Metal, Plastic	White	83071001	5701581300880	1761075	3		116
IP S13	BAD	Metal, Plastic	Brushed steel	83071032	5701581300989	1761076	3		116
IP S16	WALL	Metal, Plastic	White	84531001	5701581340985	1845305	3		118
IP S16	WALL	Metal, Plastic	Chrome	84531033	5701581341081	1845306	3		118
IP S4	SPOT	Metal, Plastic	White	78511001	5701581268388	1694030	3		112
IP S4	SPOT	Metal, Plastic	Brushed steel	78511032	5701581268487	1694038	3		112
IP S5	BAD	Metal, Plastic	White	78521001	5701581268685	1694040	3		112
IP S6	BAD	Metal, Plastic	White	78531001	5701581274983	1694077	3		112
IP S6	BAD	Metal, Plastic	Brushed steel	78531032	5701581275089	1694080	3		112
IP S9	BAD	Plastic, Metal	White	78946001	5701581277083	1694055	3		114
Jubilee	PENDANT	Metal	White	45013001	5701581358980	1896390	2		88
Jubilee	PENDANT	Metal	Black	45013003	5701581359086	1896391	2		88
Jubilee	PENDANT	Metal	Silver	45013054	5701581359185	1896393	2		88
Jubilee	PENDANT	Metal	Gold	45013058	5701581359284	1896394	2		88
Karma 14	PENDANT	Glass, Wood		43433012	5701581386488	1921466	3		50
Karma 14	WALL	Glass, Metal	Black	78321047	5701581364486	1896587	3	On fixture	51
Karma 14	PENDANT	Glass, Wood		78333012	5701581265585	1691589	3		50
Karma 20	PENDANT	Glass, Wood		43443012	5701581386587	1921512	3		50
Karma 20	PENDANT	Glass, Wood		78343012	5701581265981	1694024	3		50
Karma 24	PENDANT	Glass, Wood		78353047	5701581364585	1896588	3		51
La Luna	PLAFOND	Metal, Plastic	White	45306001	5701581362482	1896557	2		106
La Luna	PLAFOND	Metal, Plastic	White	45316001	5701581362581	1896558	1		106

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Switch	Page
LD 240	PENDANT	Metal, Glass	White	LD240301	5701581200180	1492933	1		102
Manhattan	PENDANT	Metal	Black	46253003	5701581397682	1953155	2		18
Manhattan	WALL	Metal	Black	46261003	5701581397781	1957560	2	On fixture	18
Maze Straight	WALL	Aluminium, Plastic	White	46871001	5701581399785	1958111	3		122
Maze Straight	WALL	Aluminium, Plastic	Black	46871003	5701581399884	1958112	3		122
Maze Bended	WALL	Aluminium, Plastic	White	46881001	5701581399983	1958113	3		122
Maze Bended	WALL	Aluminium, Plastic	Black	46881003	5701581400085	1958114	3		122
MIB 3	WALL	Metal	White	76681001	5701581223783	1544293	3	On cable	57
MIB 3	WALL	Metal	Black	76681003	5701581223684	1544292	3	On cable	57
MIB 3	RAIL	Metal	White	76690001	5701581223981	1544295	3		57
MIB 3	RAIL	Metal	Black	76690003	5701581223882	1544294	3		57
MIB 6	TABLE	Metal	White	71655001	5701581364080	1896581	3	On fixture	59
MIB 6	TABLE	Metal	Black	71655003	5701581364189	1896582	3	On fixture	59
MIB 6	SPOT	Metal, Plastic	White	71669901	5701581332287	1835978	3		56
MIB 6	SPOT	Metal, Plastic	Black	71669903	5701581332386	1832559	3		56
MIB 6	PENDANT	Metal	White	71679901	5701581332485	1835496	3		56
MIB 6	PENDANT	Metal	Black	71679903	5701581324084	1824817	3		56
MIB 6	WALL	Metal	White	71689901	5701581332683	1875319	3	On fixture	56
MIB 6	WALL	Metal	Black	71689903	5701581332782	1875320	3	On fixture	56
MIB 6	FLOOR	Metal	White	71704001	5701581364288	1896585	2	On fixture	59
MIB 6	FLOOR	Metal	Black	71704003	5701581364387	1896586	2	On fixture	59
Monte 3	RAIL	Metal	White	79459901	5701581280984	1695482	3		104
Monte 3	RAIL	Metal	Brushed steel	79459932	5701581281080	1695483	3		104
Motion 50	PENDANT	Polycarbonate	White	78313001	5701581265080	1691574	2		102
Nexus 10	PENDANT	Metal, Plastic	White	77253001	5701581244986	1621942	3		66
Nexus 10	PENDANT	Metal, Plastic	Black	77253003	5701581245082	1621943	3		66
Nexus 10	PENDANT	Metal, Plastic	Grey	77253010	5701581245181	1621944	3		66
Nexus 10	PENDANT	Metal, Plastic	Brushed steel	77253032	5701581252882	1630137	3		66
Nexus 10	WALL	Metal, Plastic	White	77271001	5701581245785	1621950	3	On fixture	70
Nexus 10	WALL	Metal, Plastic	Black	77271003	5701581245884	1621951	3	On fixture	70
Nexus 10	WALL	Metal, Plastic	Grey	77271010	5701581245983	1621952	3	On fixture	70
Nexus 10	WALL	Metal, Plastic	Brushed steel	77271032	5701581254084	1630139	3	On fixture	70

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Switch	Page
Nexus 10	TABLE	Metal, Plastic	White	77285001	5701581246089	1621953	2	On fixture	68
Nexus 10	TABLE	Metal, Plastic	Black	77285003	5701581246188	1621954	2	On fixture	68
Nexus 10	TABLE	Metal, Plastic	Grey	77285010	5701581246287	1621955	2	On fixture	68
Nexus 10	TABLE	Metal, Plastic	Brushed steel	77285032	5701581254282	1630141	2	On fixture	68
Nexus 10	FLOOR	Metal, Plastic	White	77294001	5701581246386	1621956	2	On fixture	71
Nexus 10	FLOOR	Metal, Plastic	Black	77294003	5701581246485	1621957	2	On fixture	71
Nexus 10	FLOOR	Metal, Plastic	Grey	77294010	5701581246584	1621958	2	On fixture	71
Nexus 20	PENDANT	Metal, Plastic	Brushed steel	77243032	5701581270787	1694067	1		66
Nexus 20	PENDANT	Metal, Plastic	White	77263001	5701581245280	1621945	2		67
Nexus 20	PENDANT	Metal, Plastic	Black	77263003	5701581245389	1621946	2		67
Nexus 20	PENDANT	Metal, Plastic	Grey	77263010	5701581245587	1621948	2		67
Nexus 20	PENDANT	Metal, Plastic	Brushed steel	77263032	5701581254688	1629146	2		67
Patton	PENDANT	Metal	White	84453001	5701581339385	1845295	3		62
Patton	PENDANT	Metal	Black	84453003	5701581339484	1845296	3		62
Patton	FLOOR	Metal	White	84464001	5701581339781	1845297	2	On fixture	62
Patton	FLOOR	Metal	Black	84464003	5701581339880	1845298	2	On fixture	62
Patton	WALL	Metal	White	84471001	5701581340183	1845299	3	On fixture	62
Patton	WALL	Metal	Black	84471003	5701581340282	1845300	3	On fixture	62
Pure 10	PENDANT	Metal, Wood	White	43283001	5701581385481	1921464	3		54
Pure 10	WALL	Metal, Wood	White	78271001	5701581308282	1761417	3	On fixture	55
Pure 10	WALL	Metal, Wood	Black	78271003	5701581308381	1761418	3	On fixture	55
Pure 10	WALL	Metal, Wood	Grey	78271011	5701581308480	1761420	3	On fixture	55
Pure 10	PENDANT	Metal, Wood	White	78283001	5701581264489	1691566	3		54
Pure 10	PENDANT	Metal, Wood	Black	78283003	5701581264588	1691569	3		54
Pure 10	PENDANT	Metal, Wood	Grey	78283011	5701581264687	1691571	3		54
Pure 10	FLOOR	Metal, Wood	White	78294001	5701581308589	1761422	2	On fixture	55
Pure 10	FLOOR	Metal, Wood	Black	78294003	5701581308688	1761426	2	On fixture	55
Pure 10	FLOOR	Metal, Wood	Grey	78294011	5701581308787	1761429	2	On fixture	55
Pure 20	PENDANT	Metal, Wood	White	43293001	5701581394780	1953161	3		54
Pure 20	PENDANT	Metal, Wood	Black	43293003	5701581394889	1953162	3		54
Pure 20	PENDANT	Metal, Wood	Grey	43293010	5701581394988	1953159	3		54
Reykjavik	TABLE	Porcelain, Metal	White	46155001	5701581396982	1957572	2	On cable	44

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Switch	Page
Reykjavik 12	PENDANT	Porcelain	White	45153001	5701581361782	1896536	2		46
Reykjavik 18	PENDANT	Porcelain	White	45163001	5701581361881	1896538	2		46
Reykjavik 22	PENDANT	Porcelain	White	45173001	5701581361980	1896539	2		46
Saturn	PENDANT	Metal	White	83273001	5701581303881	1761114	2		102
Sence	WALL	Glass, Metal	White	46101001	5701581396388	1957562	3	On fixture	26
Sence	WALL	Glass, Metal	Chrome	46101006	5701581396487	1957561	3	On fixture	26
Sence	WALL	Glass, Metal	Black	46101047	5701581396586	1957564	3	On fixture	26
Sence	TABLE	Glass, Metal	White	46125001	5701581396685	1957574	3	On cable	26
Sence	TABLE	Glass, Metal	Chrome	46125006	5701581396784	1957573	3	On cable	26
Sence	TABLE	Glass, Metal	Black	46125047	5701581396883	1957575	3	On cable	26
Sence 16	PENDANT	Glass		46073001	5701581395787	1953166	3		24
Sence 16	PENDANT	Glass		46073006	5701581395886	1953164	3		24
Sence 16	PENDANT	Glass		46073047	5701581395985	1953167	3		24
Sence 21	PENDANT	Glass		46083001	5701581396081	1953169	3		24
Sence 21	PENDANT	Glass		46083006	5701581396180	1953168	3		24
Sence 21	PENDANT	Glass		46083047	5701581396289	1953170	3		24
Slope 22	PENDANT	Metal	Black/White	71713001	5701581266476	1392867	3		92
Slope 35	PENDANT	Metal	Black/White	71723001	5701581266575	1392868	2		92
Slope 50	PENDANT	Metal	Black/White	71733001	5701581266674	1392869	1		92
SpaceB	PENDANT	Aluminium, Plastic	White	46013001	5701581395381	1953156	3	On fixture	14
SpaceB	PENDANT	Aluminium, Plastic	Black	46013003	5701581395480	1953158	3	On fixture	14
SpaceB	FLOOR	Aluminium, Plastic	White	46034001	5701581395589	1957578	2	On fixture	16
SpaceB	FLOOR	Aluminium, Plastic	Black	46034003	5701581395688	1957579	2	On fixture	16
Spider	PENDANT	Metal	Black	83213003	5701581303287	1761108	2		96
Strap	TABLE	Metal, Leather	White	46205001	5701581397088	1957576	3	On fixture	38
Strap	TABLE	Metal, Leather	Black	46205003	5701581397187	1957577	3	On fixture	38
Strap	FLOOR	Metal, Leather	White	46234001	5701581397286	1957580	2	On fixture	38
Strap	FLOOR	Metal, Leather	Black	46234003	5701581397385	1957582	2	On fixture	38
Strap	WALL	Glass, Leather	White	46241001	5701581397484	1957565	3	On fixture	40
Strap	WALL	Glass, Leather	Black	46241003	5701581397583	1957566	3	On fixture	40
Strap 15	WALL	Metal, Leather	White	84291001	5701581364684	1896589	3	On fixture	40
Strap 15	WALL	Metal, Leather	Black	84291003	5701581364783	1896590	3	On fixture	40

Model	Type	Material	Color	Number	EAN	DB	Pack Unit	Switch	Page
Strap 16	PENDANT	Metal, Leather	White	84303001	5701581364882	1896592	3		32
Strap 16	PENDANT	Metal, Leather	Black	84303003	5701581364981	1896593	3		32
Strap 27	PENDANT	Glass, Leather	White	84313001	5701581337688	1845282	3		33
Strap 27	PENDANT	Metal, Leather	White	84333001	5701581337787	1845283	3		32
Strap 27	PENDANT	Metal, Leather	Black	84333003	5701581337886	1845284	3		32
Strap 27	PENDANT	Metal, Leather	Brass	84333025	5701581358485	1889426	3		32
Strap 27	PENDANT	Metal, Leather	Brushed steel	84333032	5701581338081	1845285	3		32
Strap 36	PENDANT	Metal, Leather	White	84343001	5701581338180	1845286	2		33
Strap 36	PENDANT	Metal, Leather	Black	84343003	5701581338289	1845287	2		33
Strap 36	PENDANT	Metal, Leather	Brass	84343025	5701581358584	1889427	2		33
Strap 36	PENDANT	Metal, Leather	Brushed steel	84343032	5701581338487	1845288	2		33
Strap 48	PENDANT	Metal, Leather	White	84353001	5701581338586	1845289	1		34
Strap 48	PENDANT	Metal, Leather	Black	84353003	5701581338685	1845290	1		34
Strap 48	PENDANT	Metal, Leather	Brass	84353025	5701581358683	1889428	1		34
Strap 48	PENDANT	Metal, Leather	Brushed steel	84353032	5701581338883	1845291	1		34
Strap 68	PENDANT	Metal, Leather	White	84363001	5701581400580	1953183	1		35
Strap 68	PENDANT	Metal, Leather	Black	84363003	5701581400689	1953182	1		35
Stripped	PENDANT	Metal, Wood	Copper	84373030	5701581338982	1845292	3		72
Tippy	WALL	Metal	White	45181001	5701581362086	1896542	2	On fixture	76
Tippy	WALL	Metal	Black	45181003	5701581362185	1896543	2	On fixture	76
Trooper	WALL	Metal	White	45191001	5701581362284	1896545	2	On fixture	76
Trooper	WALL	Metal	Black	45191003	5701581362383	1896546	2	On fixture	76
Venø	WALL	Galvanized steel, Plastic	Galvanized	10600619	5702376006192	5138007	3		150
Venø	WALL	Copper, Plastic	Copper	10600625	5702376006253	5138008	3		150
Venø	GARDEN	Galvanized steel, Plastic	Galvanized	10600719	5702376007199	5138005	3		150
Venø	GARDEN	Copper, Plastic	Copper	10600725	5702376007250	5138006	3		150

- Der tages forbehold for ændringer m.h.t. tekniske specifikationer, design og collistørrelser.
- Vi förbehåller oss för ändring med hänsyn till tekniske specifikationer, design och collistorlek.
- We reserve the right to changes as to technical specifications, design and number of packages.
- Wir nehmen Vorbehalt für Änderungen bezgl. technischer Spezifikationen, Design und Verpackungseinheiten.
- Nous nous réservons le droit de modifier toute documentation technique, design et collisage.

v. 1.0  
061118  
AR



Nordlux Group Headoffice  
Østre Havnegade 34  
DK 9000 Aalborg  
T + 45 98 18 16 11  
[nordlux@nordlux.com](mailto:nordlux@nordlux.com)  
[nordlux.com](http://nordlux.com)

Germany  
T +49 (0) 21 52 89 87 37  
F +49 (0) 21 52 14 85 54  
[germany@nordlux.com](mailto:germany@nordlux.com)

Sweden  
T +46 (0) 20 14 00 054  
[sweden@nordlux.com](mailto:sweden@nordlux.com)

Norway  
T +47 51 88 63 18  
[norway@nordlux.com](mailto:norway@nordlux.com)

UK & Eire  
T +44 (0) 12 00 42 27 77  
[uk@nordlux.com](mailto:uk@nordlux.com)

France  
[france@nordlux.com](mailto:france@nordlux.com)

Benelux  
T +32 (0) 15 25 76 41  
[benelux@nordlux.com](mailto:benelux@nordlux.com)

#nordluxdenmark #nordlux #designforthepeople

[www.nordlux.com](http://www.nordlux.com) | [nordlux@nordlux.com](mailto:nordlux@nordlux.com)